







Section Five



Couplers & Accessories
Ball & Socket Fittings
Cam-Loc Fittings
Elbows
End Tees
Line Tees & Y Tees
Reducers & Increases
End Plugs & End Caps
Hooks & Bands
Latch Accessories
Rings & Accessories

Flanges & Disks
Cones
Telescopes & Drop Pipe
Valves & Valve Parts
Meters
Pivot Parts
Nipples, Couplings & Tees
Drip Products
Filters
Gaskets

Product	Description	Part Number	Weight	List Price	
COUPLER (BLACK STEEL)		Standard Depth 2"	6-0120	1.0	10.00
		3"	6-0121	1.0	10.50
		4"	2-3/4" Depth 6-0122	1.5	12.50
		5"	6-0123	2.0	14.50
		6"	3-1/2" Depth 6-0124	2.8	17.00
		6-5/8"	6-0128	3.8	29.00
		7"	6-0118	3.5	22.00
		8"	3-1/2" Depth 6-0125	4.5	22.00
		8-5/8"	6-0129	6.0	39.00
		10"	3" Depth 6-0126	5.5	32.00
		12"	6-0127	9.0	47.00
		12 Gauge (SQ Back) 4"	6-8030	3.0	16.00
	Deep Punch	3"	3" Depth 9-5198	--	14.00
		4"	4" Depth 9-5199	--	17.50
		5"	4" Depth 9-5201	--	21.00
		6"	5-7/8" Depth 9-5010	--	26.00
		8"	5-1/2" Depth 9-5011	--	34.00
		10"	6" Depth 9-5012	--	43.00
	Extra Deep Punch	12"	6" Depth 9-5013	--	43.00
		3"	4" Depth 9-5007	--	12.00
4"		4-1/2" Depth 9-5008	--	19.00	
5"		5" Depth 9-5009	--	20.00	
6"		8-1/2" Depth 9-5202	--	41.00	
Extra-Extra Deep Punch	8"	11" Depth 9-5203	--	54.00	
	4"	7" Depth 9-5200	--	29.00	
COUPLER (STAINLESS STEEL)		Stainless Steel 4"	9-7518	225.00	
		5"	9-7519	86.00	
		6"	9-7520	95.00	
		8"	9-7521	120.00	
COUPLER-10GA. (BLACK OR GALV. STEEL)		4" Black 10 ga.	9-7548	17.00	
		6" Black 10 ga.	6-9662	4.5	25.00
		8" Black 10 ga.	6-9663	5.9	41.00
		10" Black 10 ga.	9-5305	7.2	37.00
		12" Black 10 ga.	9-7549	53.00	
	6" Gal w / welding strip 10 ga.	6-9664	4.5	29.00	
	8" Gal w / welding strip 10 ga.	6-9665	5.9	35.00	
MALE RL END (BLACK STEEL)		3"	6-0169	1.2	10.50
		4"	6-0170	1.5	13.00
		5"	6-0171	2.0	14.00
		6"	6-0172	2.8	17.00
		7"	6-0176	3.5	22.00
		8"	6-0173	4.5	22.00
		10"	6-0174	5.5	32.00
12"	6-0175	9.0	46.00		
12 Gauge with wider ring 4"	6-8112	3.0	14.50		
MALE RL END (STAINLESS STEEL)		Stainless Steel 4"	9-7522	105.00	
		5"	9-7523	119.00	
		6"	9-7524	129.00	
		8"	9-7525	165.00	
MALE RL END-10GA. (BLACK OR GALV. STEEL)		6" Black 10 ga.	6-9764	4.2	25.00
		8" Black 10 ga.	6-9765	5.9	26.00
		10" Black 10 ga.	9-5306	6.7	37.00
		12" Black 10 ga.	9-7662	-	55.00
		6" Gal w / welding strip 10 ga.	6-9766	4.2	27.00
		8" Gal w / welding strip 10 ga.	6-9767	5.9	32.00

Fittings

COUPLERS



Product	Description	Part Number	Weight	List Price
COUPLER (CAST ALUMINUM)	3"	6-0114	1.3	19.00
	4"	6-0110	1.5	22.00
	5"	6-0115	1.8	27.00
	6"	6-0111	2.0	32.00
	7"	6-0109	2.5	33.00
	8"	6-0112	2.8	42.00
	10"	6-0113	3.3	52.00



*Hook pocket on all sizes, 6-8-10" also take RLC
 *6" & 8" Lindsay require oversize RLC
 *6"&10" take standard RLC, 8" requires oversized RLC

RL COUPLER SET- SCHUMACHER

(CAST ALUMINUM)




Set Includes Standard Ringlock Clamp

Set	4"	6-0145	4.4	52.00
Set	5"	6-0146	5.0	63.50
Set	6"	6-0130	5.3	68.00
Set	7"	6-0134	6.3	83.00
Set	8"	6-0131	7.0	83.00
Set	10"	6-0132	8.1	104.00
Set	12"	6-0133	10.0	154.00
Female HT,	4"	6-0147	1.5	21.00
Female HT,	5"	6-0148	1.8	27.50
Female HT,	6"	6-0150	2.4	30.00
Female HT,	7"	6-0153	2.5	36.00
Female HT,	8"	6-0151	2.8	38.00
Female HT,	10"	6-0152	3.5	47.00
Female HT,	12"	4-0015	5.5	73.00
Male HT,	4"	6-0149	1.2	15.00
Male HT,	5"	6-0154	1.4	19.00
Male HT,	6"	6-0160	1.8	21.00
Male HT,	7"	6-0163	1.9	25.00
Male HT,	8"	6-0161	2.0	26.00
Male HT,	10"	6-0162	2.3	33.00
Male HT,	12"	4-0016	3.5	52.00

RL COUPLER SET- A&M

(CAST ALUMINUM)



Set Includes A&M Ringlock Clamp

Set RL,	6"	6-0080	5.3	76.00
Set RL,	8"	6-0081	7.0	92.00
Set RL,	10"	6-0082	8.1	95.00
Female RL,	6"	6-0089	2.4	32.00
Female RL,	8"	6-0090	2.8	41.00
Female RL,	10"	6-0091	3.5	40.00
Male RL,	6"	6-0086	2.0	22.00
Male RL,	8"	6-0087	2.3	28.00
Male RL,	10"	6-0088	3.5	28.00

PRESS-ON RL COUPLER/ MALE END

(GALVANIZED STEEL)




3" Male	6-0201	2.0	16.00
4" Male	6-0202	2.5	17.00
5" Male	6-0203	3.5	20.00
6" Male	6-0210	4.0	22.00
7" Male	6-0204	5.0	29.00
8" Male	6-0211	7.0	31.00
10" Male	6-0212	11.0	40.00
12" Male	6-0205	14.0	51.00
3" Female	6-0223	2.0	17.00
4" Female	6-0224	2.5	18.00
5" Female	6-0225	3.5	23.00
6" Female	6-0220	4.0	25.00
7" Female	6-0226	5.5	33.00
8" Female	6-0221	8.0	33.00
10" Female	6-0222	10.5	48.00
12" Female	6-0227	15.0	65.00

Product	Description	Part Number	Weight	List Price
HOLD BAND (STEEL)	3"	6-0235	0.3	2.50
	4"	6-0236	0.3	2.90
	5"	6-0237	0.4	4.00
	6"	6-0230	0.5	5.50
	8"	6-0231	0.8	8.00
	10"	6-0232	0.9	11.00




LATERAL COUPLER (CAST ALUMINUM)	Press-on 2"	6-0241	1.3	28.00
	Press-on 3"	6-0242	1.6	29.00
	Press-on 4"	6-0240	2.0	38.00
	Weld-on 2"	6-0260	1.2	17.00
	Weld-on 3"	6-0261	1.6	27.00
	Weld-on 4"	6-0262	2.0	35.00



All couplers have 1" outlet.

KNOB STYLE COUPLER (PRESS-ON)(CAST ALUMINUM)	2" Lateral Press-on*	6-0263	1.0	29.00
	3" Lateral Weld-on*	6-0264	1.2	28.00
	4" Lateral Weld-on*	6-0265	1.8	34.00
	5" Mainline Weld-on	6-0266	3.2	39.00
	6" Mainline Weld-on	6-0267	3.9	49.00



*Lateral couplers have 1" outlet.

COUPLER/MALE ENDS-ABC (GALVANIZED STEEL)	Female w/1" outlet:	2"	6-0180	1.5	31.00
	-Press-on	3"	6-0181	3.3	50.00
	-Includes Spring & Gasket	4"	6-0182	5.5	71.00
	Female Press-on:	2"	6-0183	0.3	21.00
		3"	6-0184	2.0	36.00
		4"	6-0185	4.0	55.00
		5"	6-0186	7.3	64.00
	-Includes Spring & Gasket	6"	6-0187	9.5	96.00
		8"	6-0188	15.5	142.00
	Male Press-on:	2"	6-0189	0.5	18.00
		3"	6-0190	1.3	24.00
		4"	6-0191	2.0	29.00
		5"	6-0192	4.8	55.00
		6"	6-0193	6.3	69.00
		8"	6-0194	13.0	155.00



Call for prices on ABC Fittings.

Fittings

LATERAL COUPLER SET-BOLT-ON (CAST ALUMINUM)	2"	6-0300	1.9	37.00
	3"	6-0301	2.8	47.00
	4"	6-0302	3.7	57.00
	5"	6-0303	4.8	77.00
	6"	6-0304	6.3	92.00



Has 1" Female threaded outlet.
Includes band and hook.

COUPLERS




Product	Description	Part Number	Weight	List Price	
TWIST LOCK ENDS (CAST ALUMINUM)	Female:	4"	6-0141	2.3	38.00
		5"	6-0142	3.3	45.00
		6"	6-0143	2.8	46.00
		8"	6-0144	7.0	85.00
	Male:	4"	6-0136	0.5	16.50
		5"	6-0137	0.9	20.00
		6"	6-0138	1.0	24.00
		8"	6-0139	2.3	32.00
	Full Male End:	6"	6-0135	2.8	43.00

*200-lbs. max. pressure on all sizes except 8".

DETACHABLE COUPLER SET

(CAST ALUMINUM)



Includes "2" band and hook assemblies

2"	6-0095	3.0	43.00
3"	6-0096	4.3	56.00
4"	6-0097	5.2	59.00
5"	6-0098	7.6	81.00
6"	6-0099	8.8	98.00

DETACHABLE COUPLER-KNOB

(CAST ALUMINUM)



2"	6-9512	1.5	34.00
3"	6-9513	1.9	45.00
4"	6-9514	2.3	55.00
5"	6-9515	3.5	70.00
6"	6-9516	4.1	93.00
7"	6-9517	5.8	101.00

SPIKE COUPLER

(PVC-SOLVENT)



2"	6-0305	1.5	16.00
2-1/2"	6-0306	2.0	20.00


- 3/4" riser outlet
- Ideal for row crops, nurseries, or orchards
- Spike riser locks male & female coupler halves and stabilizes the riser in a vertical position
- Substantial savings over aluminum or buried solid set systems
- Improved weatherability PVC compounds
- Highest UV inhibitors.
- Highest impact resistance.
- Easy off season storage, simply remove spike riser.
- Non-corrosive aluminum tubing spike riser
- Quad seal prevents water leakage around spike.
- Slotted male end allows for up to 1-1/4" expansion and contraction of PVC pipe.
- Chevron seal gasket.

Product	Description	Part Number	Weight	List Price
BOLT-ON CENTER RISER (STEEL GALVANIZED)	3"	6-0255	3.0	14.00
	4"	6-0256	4.0	15.00



Has 1" Female threaded outlet.

INDUSTRIAL GROOVE END



Steel				
2"	6-9721	0.8	17.00	
2-1/2"	6-9722	1.5	24.00	
3"	6-9723	1.0	25.00	
4"	6-9724	1.8	25.00	
5"	6-9725	2.3	39.00	
6"	6-9726	2.8	39.00	
8"	6-9727	4.3	46.00	
10"	6-9728	6.5	81.00	
12"	6-9729	8.5	110.00	
Alum				
3"	6-9730	0.7	17.00	
4"	6-9731	1.1	18.00	
6"	6-9732	1.9	22.00	
8"	6-9733	2.1	25.00	
10"	6-9734	2.4	35.00	
12"	6-9735	--	50.00	

*Galvanized Steel and Aluminum Groove Fittings Available. Please Inquire.

INDUSTRIAL GROOVE CLAMP



1-1/2"	9-6776	2.1	8.00
2"	6-9736	2.7	10.00
2-1/2"	6-9737	3.1	12.00
3"	6-9738	2.5	15.00
4"	6-9739	3.5	20.00
5"	6-9740	10.6	25.00
6"	6-9741	6.7	30.00
8"	6-9742	12.5	60.00
10"	6-9743	31.0	90.00
12"	6-9744	35.0	135.00

*Includes Gasket

INDUSTRIAL GROOVE GASKET




1-1/2"	9-6777	10.80
2"	9-6767	3.40
2-1/2"	9-6768	14.20
3"	9-6769	4.10
4"	9-6770	4.60
5"	9-6771	8.00
6"	9-6772	5.80
8"	9-6773	15.00
10"	9-6774	23.00
12"	9-6775	26.00

*Cut-Away View


Fittings

Product	Description	Part Number	Weight	List Price
SADDLE COUPLING (CAST ALUMINUM)	3/4"	6-0100	0.2	5.00
	1"	4-0011	0.2	6.00



*Weld-on

QUICK COUPLING RISER VALVE (CAST ALUMINUM)




3/4" fpt x 3/4"	6-1579	0.7	17.50
1"mpt x 3/4"	6-1590	0.7	17.50
1"mpt x 1"	6-1591	0.8	18.50

3/4" Top outlet require 1.05"ODx.113"wall SCH40 pipe; 1" require 1.315"ODx.133"wall

SPRINKLER DEFLECTOR (STEEL)



bolts to riser	6-1524	1.4	12.00
----------------	--------	-----	--------------



BALL & SOCKET COUPLERS (BAUER STYLE)



Product	Description	Part Number	Weight	List Price	
BALL/SOCKET-BAUER STYLE (BLACK STEEL)	Ball:	2" 50 1.97"	6-5000	0.3 4.00	
		3" 76 3.19"	6-5001	0.5 5.00	
		3-1/2" 89 3.66"	6-5002	0.8 11.00	
		4" 108 4.41"	6-5003	1.5 11.00	
		5" 133 5.40"	6-5005	2.0 13.50	
		6" 159 6.11"	6-5006	2.3 17.50	
		8" 194 7.88"	6-5007	5.2 32.00	
		10" 250	9-6955	10.2 35.00	
		12" 300	9-5816	8.7 103.00	
		Socket:	2" 50 2.84"	6-5008	0.3 5.00
			3" 76 3.86"	6-5009	0.6 10.00
			3-1/2" 89 4.77"	6-5010	0.9 15.00
			4" 108 5.79"	6-5011	1.7 15.00
			5" 133 6.42"	6-5013	2.5 23.50
6" 159 7.17"	6-5014		3.0 31.00		
8" 194 9.10"	6-5015		5.3 59.00		
10" 250	9-7304		8.3 60.00		
12" 300	9-5817		13.6 227.00		
BALL/SOCKET-BAUER STYLE (CAST ALUMINUM)	Ball:		2" 50 1.97"	6-5032	0.3 16.00
		3" 76 3.19"	6-5033	0.5 21.00	
		4" 102	6-5034	1.2 29.00	
		5" 127	6-5035	1.7 37.00	
		6" 152	6-5036	2.2 40.00	
		8" 203	6-8042	3.2 108.00	
		10" 250	9-6956	6.2 85.00	
		Socket:	2" 50 2.84"	6-5038	0.3 25.00
	3" 76 3.86"		6-5039	0.7 35.00	
	4" 102		6-5040	1.4 40.00	
	5" 127		6-5041	2.1 45.00	
	6" 152		6-5042	2.6 50.00	
	8" 203		6-8043	4.0 135.00	
	10" 250	9-7305	5.5 105.00		
BALL/SOCKET-BAUER STYLE (STAINLESS STEEL)	Ball:	2" 50 1.97"	9-5326	0.3 33.00	
		3" 76 3.19"	9-5327	0.7 52.00	
		3-1/2" 89 3.66"	9-5328	0.8 55.00	
		4" 108 4.41"	9-5329	1.5 102.00	
		5" 133 5.40"	9-5330	1.8 105.00	
		6" 159 6.11"	9-5331	2.3 131.00	
		8" 194 7.88"	9-5332	4.3 230.00	
		Socket:	2" 50 2.84"	9-5333	0.3 38.00
	3" 76 3.86"		9-5334	0.7 69.00	
	3-1/2" 89 4.77"		9-5335	0.9 75.00	
	4" 108 5.79"		9-5336	1.5 117.00	
	5" 133 6.42"		9-5337	2.0 149.00	
	6" 159 7.17"		9-5338	2.3 191.00	
	8" 194 9.10"	9-5339	4.3 290.00		
LEVER-BAUER STYLE (GALVANIZED STEEL)	Lever:	2" 50 2.44"	6-5024	1.0 16.00	
		3" 76 3.43"	6-5025	2.3 27.00	
		3-1/2" 89 4.33"	6-5026	2.6 39.00	
		4" 108 5.20"	6-5027	4.1 35.00	
		5" 127/133 6.20"	6-5029	6.5 50.00	
		6" 152/159 7.20"	6-5030	8.7 89.00	
		8" 194/203 9.25"	6-5031	13.2 125.00	
		*10" 250	9-6979	24.1 189.00	
		*12" 300	9-5818	35.6 430.00	

Galvanized also available.
 8" (194) steel will fit to 8" (203) cast aluminum.
 4" (108) steel will not fit to 4" (102) cast aluminum.

5" (127) and 6" (152) alum./cast will fit to steel 5" (133) and 6" (159)

133 and 159 will fit to alum. and cast 127 and 152

*Locking Bar (part # 9-7318) for 10" and 12" Sold Separately

BALL & SOCKET COUPLERS (BAUER STYLE)

Product	Description	Part Number	Weight	List Price			
GASKET-BAUER STYLE (BAUER STYLE)		MM	I.D.				
		2"	50	2.44"	6-5016	0.1	1.10
		3"	76	3.48"	6-5017	0.1	1.90
		3-1/2"	89	4.26"	6-5018	0.2	5.00
		4"	108	5.20"	6-5019	0.2	3.50
		5"	127 / 133	5.98"	6-5021	0.2	6.70
		6"	152 / 159	6.69"	6-5022	0.5	7.00
		8"	194	8.66"	6-5023	0.6	11.50
		10"	250	--	9-6969	1.1	15.00
	12"	300	--	9-5819	1.6	28.00	



LOCKING BAR



10" - 12"	9-7318	1.9	19.00
-----------	--------	-----	-------

SAFETY PIN

(GALVANIZED STEEL)



2"	50	9-5810	0.1	3.75
3"	76	9-5811	0.1	3.75
4"	108	9-5812	0.1	3.75
6"	159	9-5813	0.1	3.75
8"	194	9-5814	0.1	3.75

HOSE ADAPTER-BALL

BAUER STYLE
(GALVANIZED STEEL)



	Raised Ribs				
2"	2	50	3-0684	0.7	29.00
3"	2	76	3-0685	1.3	30.00
4"	3	108	3-0686	3.3	59.00
5"	2	133	3-0688	4.5	55.00
6"	3	159	3-0689	5.6	60.00
8"	3	194	3-0690	10.6	95.00
10"	2	250	9-6975	20.8	115.00
12"		300	9-7385	20.8	201.50

HOSE ADAPTER-SOCKET

BAUER STYLE
(GALVANIZED STEEL)



	Raised Ribs				
2"	2	50	3-0691	0.7	29.00
3"	2	76	3-0692	1.4	35.00
4"	3	108	3-0693	3.5	45.00
5"	2	133	3-0695	4.5	60.00
6"	3	159	3-0696	6.3	70.00
8"	3	194	3-0697	10.7	120.00
10"	2	250	9-6977	20.8	145.00
12"		300	9-7386	25.7	330.00

HOSE ADAPTER-BALL

BAUER STYLE
(STAINLESS STEEL)



	Raised Ribs				
2"	2	50	9-5340	0.7	73.00
3"	2	76	9-5341	1.5	105.00
4"	3	108	9-5342	3.1	200.00
6"	3	159	9-5343	5.9	238.00
8"	3	194	9-5344	10.7	448.00

HOSE ADAPTER-SOCKET

BAUER STYLE
(STAINLESS STEEL)



	Raised Ribs				
2"	2	50	9-5345	0.8	80.00
3"	2	76	9-5346	1.5	124.00
4"	3	108	9-5347	2.9	244.00
6"	3	159	9-5348	6.6	327.00
8"	3	194	9-5349	12.0	525.00

Fittings