



Schumacher
IRRIGATION
2026

Agricultural Irrigation Products Catalog

Air Relief Valve.....	14	Pipe, Aluminum.....	50-53, 56
Ball & Socket.....	92-99	Pipe, Nu-Flex Poly.....	58
Band & Hook/Latch.....	125-128	Pipe, PVC Underground.....	54-55
Band-It Tool & Accessories.....	46	Pipe, Towline.....	31
Cam Loc.....	100-101	Pipe, Vacuum.....	51
Chain.....	69, 129	Pitot Tube.....	171
Clamp, Horseshoe.....	124	Pivot Parts.....	146-151
Clamp, Ringlock.....	124	Pressure Guage.....	172
Clamps, Hose.....	44-47	Pressure Relief Valve.....	14-15
Cone, Concentric.....	118-119	Primer Valve.....	199
Cone, Eccentric.....	117	Primer, Hand.....	200-202
Coupler, Dresser.....	19, 193	Primer, Intake Manifold.....	203
Coupler, Ringlock.....	84-86	Primer, Power.....	201
Coupler, Sprinkler.....	87-88	Pump Accessories.....	192-205
Coupler, Twistlock.....	86	Pumps.....	180-188
Coupler, Underground.....	16-17	PVC Cement, Primer & Lube.....	27
Coupling, Riser Valve.....	90	Reducer.....	22, 25, 106, 110-111
Coupling, Saddle.....	90	Repair Coupler.....	18-19
Coupling, Threaded Alum & Steel... 160, 167, 171		Rings, Weld-on/Bolt-on.....	124-125
Disc, Alum/Steel.....	123	Riser Valve J.....	13
Drains.....	30, 146, 159	Riser Valve L.....	13
Draw Band.....	16	Riser Valve Tee.....	10-11
Elbow, Suction.....	194	Riser, Sprinkler.....	31
Elbow, Surface.....	102-105	Rodent Door.....	27
Elbow, Underground.....	21, 23, 26	Saddle.....	12
Elbow, Weld-on.....	114-115	Screen, Suction.....	194-198
End Cap.....	22, 24, 100, 113	Sprinkler.....	65-66, 70-93, 152
End Plug.....	22, 101, 112-113	Sprinkler Leveler & Elbow.....	32
Fiberglass Tape (Powr-Wrap).....	18	Storage Basket.....	91
Filter, Inline Screen.....	155	T Pipe.....	9
Fittings, Hose.....	33-41, 68-69, 93, 98, 101	Tee, Surface.....	107-109
Fittings, Malleable.....	165-171	Tee, Underground.....	20, 24, 26
Fittings, Surface.....	102-113	Tee, Weld-on.....	116
Fittings, Underground.....	8-27	Telescope.....	129
Flanges.....	25, 120-122	Towline.....	30-31
Gasket.....	16, 19, 121, 174-177	Trailers.....	67
Gate Sock & Clip.....	61	Tubing, Steel & Aluminum.....	49
Gates.....	60-61	Valve Opener.....	158
Generator.....	206	Valve Stub & Accessories.....	156-158
Hose & Accessories.....	42-43, 67	Valve Tee, Independent.....	158
Hose Pull Coupler.....	69	Valve, Alfalfa.....	135
Hose Splice.....	34-35, 41, 68	Valve, Ball.....	131
Increaser.....	35, 106, 111	Valve, Check.....	138-141
Industrial Groove.....	89	Valve, Chemigation.....	138
J Pipe.....	8	Valve, Combo.....	141
L Pipe.....	8	Valve, Gate.....	130, 136
Motor, Electric.....	206	Valve, Inline Butterfly.....	142-143
Murphy Switch.....	204-205	Valve, Low Pressure.....	137
Nipples, TOE & TBE.....	161-164	Valve, Surge Gate.....	135
		Valve, Wafer Butterfly.....	132-135
		Volume Gun.....	76-81
		Volume Gun Stand.....	64-65
		Water Meter.....	144-145
		Wheeline.....	32
		Z Pipe.....	9

CLAIMS

Claims for shortages, defective or damaged goods must be made within five (5) days from receipt of shipment.

Damages occurring "in transit" are the responsibility of the freight company and should be noted on the bill of lading when the shipment is received. Submit a claim directly to the carrier as soon as possible.

RETURNS AND CANCELLATIONS

Merchandise may be returned only at the option of SCHUMACHER IRRIGATION, INC. Merchandise authorized for return

- 1) must be returned freight prepaid,
- 2) must be in new re-saleable condition, and
- 3) is subject to a 15% restocking charge
- 4) custom-built fittings cannot be returned, unless approved by a Schumacher representative

Credit will be issued to your account when the items are received back at our office.

Orders may be canceled at the option of SCHUMACHER IRRIGATION, INC. If the request is received prior to shipment. **Nonstandard/Custom-built** items may not be canceled without substantial penalty after material is "in process of manufacture."

GUARANTEE

All products are guaranteed against defect due to faulty workmanship or material. This guarantee is void when merchandise is used for purposes other than that for which it was designed or if improper pressures are maintained.

LIABILITY

SCHUMACHER IRRIGATION, INC. is not responsible for delays and losses beyond our control or for losses or damages due to application of equipment for uses other than that for which it is designed or for operation under pressures not recommended. Suitability of the merchandise for the job for which it is sold is the sole responsibility of the buyer regardless of advice or recommendations by the seller. SCHUMACHER IRRIGATION, INC. assumes no responsibility for system design or for any damages or losses due to lack of minimum water requirements for crops being irrigated with SCHUMACHER IRRIGATION, INC. equipment.

CONTACT



Schumacher Irrigation, Inc.
205 4th Street
PO Box 289
Platte Center, NE 68653
USA

Phone: 402-246-3685
Fax: 402-246-2072
Email: irrigate@schumacherirrigation.com
Website: www.schumacherirrigation.com


BILLING AND LATE CHARGES

All payments are due on the 10th of the following month from the date of the invoice. Account statements are sent at the end of each month. After 30 days the principal is subject to an annual finance charge of 18%.

FREIGHT

- All prices are F.O.B. Platte Center, Nebraska.
- Standard items are usually shipped the same day the order is received.
- Shipments via UPS, Speedee, ASAP Express and FedEx are shipped prepaid and the freight charge is added to your order.
- Shipments via common carrier are shipped freight collect.
- Freight charges on pipe delivered by our driver: \$3.00 per loaded mile.
- Deliveries by car / pickup without trailer are \$1.00 per loaded mile.

UPS Delivery Map



© Copyright Schumacher Irrigation, Inc. All Rights Reserved.


Prices subject to change without notice.

Material contained in this catalog may not be reproduced in whole or part without written permission from Schumacher Irrigation, Inc.

Always Open...
SchumacherIrrigation.com
Your Irrigation Superstore

Nursery/Greenhouse Irrigation Catalog

Also ask for your new Nursery/Greenhouse/Grower Catalog featuring drip/micro, sprinkler, and other irrigation products pertaining to the nursery & greenhouse industry.



Always Open...

SchumacherIrrigation.com

Your Irrigation Superstore



To receive the Nursery/Greenhouse Irrigation Catalog:

Call: 1-402-246-3685

or Download the catalog at www.schumacherirrigation.com

or Fax your request to 402-246-2072

or E-mail your request to irrigate@schumacherirrigation.com



ELBOW

Elbow on top swivels in a complete 360° circle to face any direction needed.

The above elbow is used along side the pivot pad. The elbow can be removed so that when the pivot is moved from one pad to another the "L" will be flush with the ground.

Section One




 Underground Risers	8-13
 Air Relief Valves	14
 Pressure Relief Valves	15
 Underground Couplers	16-17
 Repair Couplers	18-19
 Steel Underground Fittings	20-22
 PVC Underground Fittings	23-26
 Drain Risers	27
 PVC Glue, Primer & Lube	27

UNDERGROUND RISERS

J PIPE

(GALV., STAINLESS OR PVC)




J Pipe: 48" x 24"
Female Bottom PIP/IPS
Female RL OD Top
UPS Shippable.

Galvanized Steel				Stainless Steel			PVC #125		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
6" PIP	6-2000	33.4	325.00	9-8011	34.0	825.00	6-2724	22.1	575.00
8" PIP	6-2001	44.1	445.00	9-8012	48.1	2,239.00	6-2725	35.8	640.00
10" PIP	6-2002	59.0	500.00	9-8013	63.0	2,369.00	6-2726	49.5	820.00
12" PIP	6-2003	71.3	655.00				6-2727	70.2	765.00
4" IPS	8-1419	21.6	400.00						
6" IPS	6-2004	33.4	325.00	9-8014	34.0	825.00	6-2728	22.1	575.00
8" IPS	6-2005	44.1	445.00	9-8015	48.1	2,239.00	6-2729	36.0	640.00
10" IPS	6-2006	59.1	500.00	9-8016	63.0	2,369.00	6-2730	49.5	820.00
12" IPS	6-2007	71.3	655.00				6-2731	70.2	765.00

L PIPE (SHORT BASE)

(GALV., STAINLESS OR PVC)




L Pipe: 60" x 24"
Female Bottom PIP/IPS
Female RL OD Top.

Galvanized Steel				Stainless Steel			PVC #125		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
6" PIP	6-1981	40.2	341.00	9-8017	39.2	875.00	6-2716	24.4	585.00
8" PIP	6-1982	53.1	467.00	9-8018	55.0	2,405.00	6-2717	40.0	650.00
10" PIP	6-1983	70.4	525.00	9-8019	71.7	2,555.00	6-2718	55.9	835.00
12" PIP	6-1984	84.9	688.00				6-2719	79.6	810.00
4" IPS	8-1418	26.2	420.00						
6" IPS	6-1991	40.2	341.00	9-8020	39.2	875.00	6-2720	24.4	585.00
8" IPS	6-1992	53.1	467.00	9-8021	55.0	2,405.00	6-2721	40.2	650.00
10" IPS	6-1993	70.4	525.00	9-8022	71.7	2,555.00	6-2722	55.9	835.00
12" IPS	6-1994	84.9	688.00				6-2723	79.6	810.00

T PIPE

(GALVANIZED OR STAINLESS STEEL)




T Pipe: 60" x 24"
Double Female Bottom PIP/IPS
Female RL OD Top


Galvanized Steel				Stainless Steel		
Size	Part #	Weight	List	Part #	Weight	List
6" PIP	6-1986	42.3	395.00	9-8023	37.5	890.00
8" PIP	6-1987	55.4	470.00	9-8024	54.6	3,260.00
10" PIP	6-1988	72.2	530.00	9-8025	74.0	3,395.00
12" PIP	6-1989	74.1	830.00			
4" IPS	8-1420	27.2	350.00			
6" IPS	6-1996	42.3	395.00	9-8026	37.5	890.00
8" IPS	6-1997	55.4	470.00	9-8027	54.6	3,260.00
10" IPS	6-1998	72.2	530.00	9-8028	74.0	3,395.00
12" IPS	6-1990	87.1	830.00			

UNDERGROUND RISERS

Z PIPE (SHORT BASE) FRL (GALV., STAINLESS OR PVC)




Galvanized Steel				Stainless Steel			PVC #125		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
6" PIP	6-1961	59.8	455.00	9-8029	58.2	1,045.00	6-2700	31.5	585.00
8" PIP	6-1962	80.0	555.00	9-8030	80.5	3,015.00	6-2701	57.5	769.00
10" PIP	6-1963	101.3	655.00	9-8031	103.7	3,235.00	6-2702	84.9	1,049.00
12" PIP	6-1968	124.0	895.00				6-2703	124.2	1,330.00
4" IPS	8-1416	38.3	480.00						
6" IPS	6-1971	59.8	455.00	9-8032	58.2	1,045.00	6-2704	33.8	715.00
8" IPS	6-1972	80.0	555.00	9-8033	80.5	3,015.00	6-2705	61.0	990.00
10" IPS	6-1973	101.3	655.00	9-8034	103.7	3,235.00	6-2706	91.3	1,215.00
12" IPS	6-1969	124.0	895.00				6-2707	123.4	1,589.00



Female Bottom PIP/IPS.
Nipples & other acc. optional.

Galvanized Steel				Stainless Steel			PVC #125		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
6" PIP	6-1964	61.4	455.00	9-8035	61.7	1,045.00	6-2708	31.5	585.00
8" PIP	6-1965	81.1	555.00	9-8036	85.2	3,015.00	6-2709	56.5	769.00
10" PIP	6-1966	102.8	655.00	9-8037	109.5	3,235.00	6-2710	85.4	1,049.00
12" PIP	6-1967	130.8	895.00				6-2711	121.2	1,330.00
4" IPS	8-1417	38.3	480.00						
6" IPS	6-1974	61.4	455.00	9-8038	61.7	1,045.00	6-2712	33.8	715.00
8" IPS	6-1975	81.1	555.00	9-8039	85.2	3,015.00	6-2713	60.0	990.00
10" IPS	6-1976	106.9	655.00	9-8040	109.5	3,235.00	6-2714	91.8	1,215.00
12" IPS	6-1977	130.8	895.00				6-2715	122.4	1,589.00

Z PIPE (FLANGE TOP) (GALVANIZED STEEL)



Size	Part #	Weight	List
6" PIP	9-8541	69.7	455.00
8" PIP	9-8542	92.9	555.00
10" PIP	9-8543	118.0	655.00
12" PIP	9-8544	144.8	895.00
4" IPS	9-8545	43.9	480.00
6" IPS	9-8546	69.7	455.00
8" IPS	9-8547	92.9	555.00
10" IPS	9-8548	118.0	655.00
12" IPS	9-8549	144.8	895.00

RISER TEE (MPT TOP) (GALVANIZED STEEL)



Size	Part #	Weight	List
6"x6"x2"mpt x54", PIP	9-8132	22.2	245.00
8"x8"x2"mpt x54", PIP	9-5319	26.2	275.00
10"x10"x2"mpt x54", PIP	9-8133	32.2	315.00

- For use as air relief valve in the line.
- IPS sizes also available.

PIP RISER VALVE TEES

PIP RISER VALVE TEE (GALVANIZED OR STAINLESS STEEL)


30", 36", 42", & 54"

The riser length is measured from the top of the mainline to the top of the valve.

Option: Male ends may be substituted for female.

*Custom-Built Fittings will be made to order.

Other sizes available on request.
Special discounts on quantity orders.
Metric Sizes available.
Please call for special requests.




PIP							PIP								
4" Valve Top		Galvanized Steel			Stainless Steel			6" Valve Top		Galvanized Steel			Stainless Steel		
Size	Part #	Weight	List	Part #	Weight	List	Size	Part #	Weight	List	Part #	Weight	List		
6"x6"x4"x30"	6-3921	27.2	340.00	9-8224	22.4	970.00	6"x6"x6"x30"	6-3961	36.0	400.00	9-8041	31.3	804.00		
6"x6"x4"x36"	6-3922	29.5	350.00	9-8225	24.7	993.00	6"x6"x6"x36"	6-3962	39.4	420.00	9-8042	34.7	834.00		
6"x6"x4"x42"	6-3923	31.7	360.00	9-8226	27.0	1,016.00	6"x6"x6"x42"	6-3963	42.8	440.00	9-8043	38.2	863.00		
6"x6"x4"x54"	6-3924	36.2	370.00	9-8227	31.5	1,062.00	6"x6"x6"x54"	6-3964	49.6	480.00	9-8044	45.1	923.00		
8"x8"x4"x30"	6-3931	32.3	395.00	9-8228	23.6	1,062.00	8"x8"x6"x30"	6-3971	41.4	450.00	9-8049	38.9	1,072.00		
8"x8"x4"x36"	6-3932	34.6	405.00	9-8229	31.9	2,675.00	8"x8"x6"x36"	6-3972	44.8	470.00	9-8050	42.3	1,102.00		
8"x8"x4"x42"	6-3933	36.8	415.00	9-8230	34.1	2,695.00	8"x8"x6"x42"	6-3973	48.2	490.00	9-8051	45.8	1,132.00		
8"x8"x4"x54"	6-3934	41.3	430.00	9-8231	38.7	2,740.00	8"x8"x6"x54"	6-3974	55.0	500.00	9-8052	52.7	1,192.00		
10"x10"x4"x30"	6-3941	39.5	415.00	9-8232	39.8	2,680.00	10"x10"x6"x30"	6-3981	49.0	470.00	9-8057	49.4	1,269.00		
10"x10"x4"x36"	6-3942	41.7	430.00	9-8233	42.0	2,699.00	10"x10"x6"x36"	6-3982	52.4	500.00	9-8058	52.9	1,299.00		
10"x10"x4"x42"	6-3943	44.0	445.00	9-8234	44.3	2,720.00	10"x10"x6"x42"	6-3983	55.8	530.00	9-8059	56.3	1,328.00		
10"x10"x4"x54"	6-3944	48.5	495.00	9-8235	48.9	2,765.00	10"x10"x6"x54"	6-3984	62.6	660.00	9-8060	63.3	1,388.00		
12"x12"x4"x30"	6-3951	44.6	650.00	9-8236	44.9	1,969.00	12"x12"x6"x30"	6-3991	54.5	725.00	9-8240	52.6	1,954.00		
12"x12"x4"x36"	6-3952	46.9	675.00	9-8237	47.2	1,992.00	12"x12"x6"x36"	6-3992	57.9	755.00	9-8241	56.1	1,986.00		
12"x12"x4"x42"	6-3953	49.1	695.00	9-8238	49.5	2,015.00	12"x12"x6"x42"	6-3993	61.3	785.00	9-8242	59.5	2,017.00		
12"x12"x4"x54"	6-3954	53.6	710.00	9-8239	54.1	2,061.00	12"x12"x6"x54"	6-3994	68.1	815.00	9-8243	66.5	2,080.00		

PIP							PIP								
8" Valve Top		Galvanized Steel			Stainless Steel			10" Valve Top		Galvanized Steel			Stainless Steel		
Size	Part #	Weight	List	Part #	Weight	List	Size	Part #	Weight	List	Part #	Weight	List		
8"x8"x8"x30"	8-1300	58.0	665.00	9-8065	55.8	1,814.00	10"x10"x10"x30"	9-7857	74.9	1,105.00	9-8081	75.9	2,421.00		
8"x8"x8"x36"	8-1301	62.5	675.00	9-8066	60.4	1,925.00	10"x10"x10"x36"	9-7859	80.6	1,135.00	9-8082	81.7	2,545.00		
8"x8"x8"x42"	8-1302	67.0	685.00	9-8067	65.1	2,037.00	10"x10"x10"x42"	9-7861	86.2	1,159.00	9-8083	87.5	2,668.00		
8"x8"x8"x54"	8-1303	76.0	695.00	9-8068	74.4	2,259.00	10"x10"x10"x54"	9-7863	97.5	1,215.00	9-8084	99.1	2,916.00		
10"x10"x8"x30"	8-1308	66.3	695.00	9-8073	67.2	2,025.00	12"x12"x10"x30"	9-7865	81.2	1,220.00	9-8248	75.2	3,100.00		
10"x10"x8"x36"	8-1309	70.8	725.00	9-8074	71.8	2,137.00	12"x12"x10"x36"	9-7867	86.9	1,230.00	9-8249	81.0	3,230.00		
10"x10"x8"x42"	8-1310	75.3	755.00	9-8075	76.4	2,248.00	12"x12"x10"x42"	9-7869	92.5	1,250.00	9-8250	86.8	3,359.00		
10"x10"x8"x54"	8-1311	84.3	770.00	9-8076	85.7	2,471.00	12"x12"x10"x54"	9-7871	103.8	1,280.00	9-8251	98.5	3,619.00		
12"x12"x8"x30"	8-1316	72.6	935.00	9-8244	66.5	2,702.00									
12"x12"x8"x36"	8-1317	77.1	945.00	9-8245	71.2	2,819.00									
12"x12"x8"x42"	8-1318	81.6	955.00	9-8246	75.8	2,935.00									
12"x12"x8"x54"	8-1319	90.6	975.00	9-8247	85.1	3,169.00									

IPS RISER VALVE TEES

IPS RISER VALVE TEE (GALVANIZED OR STAINLESS STEEL)



30", 36", 42", & 54"

The riser length is measured from the top of the mainline to the top of the valve.

Option: Male ends may be substituted for female.

*Custom-Built Fittings will be made to order.

Other sizes available on request.
 Special discounts on quantity orders.
 Metric Sizes available.
 Please call for special requests.

Underground Fittings

IPS						
4" Valve Top	Galvanized Steel			Stainless Steel		
Size	Part #	Weight	List	Part #	Weight	List
4"x4"x4"x30	6-3915	17.8	320.00	9-8252	19.2	784.00
4"x4"x4"x36	6-3916	20.1	330.00	9-8253	21.5	807.00
4"x4"x4"x42	6-3917	22.3	340.00	9-8254	23.8	830.00
4"x4"x4"x54	6-3918	26.8	350.00	9-8255	28.4	876.00
6"x6"x4"x30"	6-3925	27.2	340.00	9-8256	22.4	976.00
6"x6"x4"x36"	6-3926	29.5	350.00	9-8257	24.7	999.00
6"x6"x4"x42"	6-3927	31.7	360.00	9-8258	27.0	1,022.00
6"x6"x4"x54"	6-3928	36.2	370.00	9-8259	31.5	1,068.00
8"x8"x4"x30"	6-3935	32.3	395.00	9-8260	29.6	1,166.00
8"x8"x4"x36"	6-3936	34.6	405.00	9-8261	31.9	1,189.00
8"x8"x4"x42"	6-3937	36.8	415.00	9-8262	34.1	1,212.00
8"x8"x4"x54"	6-3938	41.3	430.00	9-8263	38.7	1,258.00
10"x10"x4"x30"	6-3945	39.5	415.00	9-8264	39.8	1,938.00
10"x10"x4"x36"	6-3946	41.7	430.00	9-8265	42.0	1,961.00
10"x10"x4"x42"	6-3947	44.0	445.00	9-8266	44.3	1,984.00
10"x10"x4"x54"	6-3948	48.5	495.00	9-8267	48.9	2,030.00
12"x12"x4"x30"	6-3955	44.6	650.00	9-8268	44.9	1,250.00
12"x12"x4"x36"	6-3956	46.9	675.00	9-8269	47.2	1,273.00
12"x12"x4"x42"	6-3957	49.1	695.00	9-8270	49.5	1,296.00
12"x12"x4"x54"	6-3958	53.6	710.00	9-8271	54.1	1,342.00

IPS						
8" Valve Top	Galvanized Steel			Stainless Steel		
Size	Part #	Weight	List	Part #	Weight	List
8"x8"x8"x30"	8-1304	58.0	665.00	9-8069	55.8	1,796.00
8"x8"x8"x36"	8-1305	62.5	675.00	9-8070	60.4	1,907.00
8"x8"x8"x42"	8-1306	67.0	685.00	9-8071	65.1	2,018.00
8"x8"x8"x54"	8-1307	76.0	695.00	9-8072	74.4	2,241.00
10"x10"x8"x30"	8-1312	66.3	695.00	9-8077	67.2	2,080.00
10"x10"x8"x36"	8-1313	70.8	725.00	9-8078	71.8	2,191.00
10"x10"x8"x42"	8-1314	75.3	755.00	9-8079	76.4	2,302.00
10"x10"x8"x54"	8-1315	84.3	770.00	9-8080	85.7	2,525.00
12"x12"x8"x30"	8-1320	72.6	935.00	9-8276	66.5	1,983.00
12"x12"x8"x36"	8-1321	77.1	945.00	9-8277	71.2	2,100.00
12"x12"x8"x42"	8-1322	81.6	955.00	9-8278	75.8	2,216.00
12"x12"x8"x54"	8-1323	90.6	975.00	9-8279	85.1	2,449.00

IPS						
6" Valve Top	Galvanized Steel			Stainless Steel		
Size	Part #	Weight	List	Part #	Weight	List
6"x6"x6"x30"	6-3965	36.0	400.00	9-8045	31.3	847.00
6"x6"x6"x36"	6-3966	39.4	420.00	9-8046	34.7	877.00
6"x6"x6"x42"	6-3967	42.8	440.00	9-8047	38.2	907.00
6"x6"x6"x54"	6-3968	49.6	480.00	9-8048	45.1	967.00
8"x8"x6"x30"	6-3975	41.4	450.00	9-8053	38.9	1,054.00
8"x8"x6"x36"	6-3976	44.8	470.00	9-8054	42.3	1,083.00
8"x8"x6"x42"	6-3977	48.2	490.00	9-8055	45.8	1,113.00
8"x8"x6"x54"	6-3978	55.0	500.00	9-8056	52.7	1,173.00
10"x10"x6"x30"	6-3985	49.0	470.00	9-8061	49.4	1,323.00
10"x10"x6"x36"	6-3986	52.4	500.00	9-8062	52.9	1,353.00
10"x10"x6"x42"	6-3987	55.8	530.00	9-8063	56.3	1,383.00
10"x10"x6"x54"	6-3988	62.6	660.00	9-8064	63.3	1,443.00
12"x12"x6"x30"	6-3995	54.5	725.00	9-8272	52.6	1,235.00
12"x12"x6"x36"	6-3996	57.9	755.00	9-8273	56.1	1,267.00
12"x12"x6"x42"	6-3997	61.3	785.00	9-8274	59.5	1,298.00
12"x12"x6"x54"	6-3998	68.1	815.00	9-8275	66.5	1,361.00

IPS						
10" Valve Top	Galvanized Steel			Stainless Steel		
Size	Part #	Weight	List	Part #	Weight	List
10"x10"x10"x30"	9-7856	74.9	1,105.00	9-8085	75.9	2,475.00
10"x10"x10"x36"	9-7858	80.6	1,135.00	9-8086	81.7	2,599.00
10"x10"x10"x42"	9-7860	86.2	1,159.00	9-8087	87.5	2,723.00
10"x10"x10"x54"	9-7862	97.5	1,215.00	9-8088	99.1	2,970.00
12"x12"x10"x30"	9-7864	81.2	1,220.00	9-8280	75.2	2,381.00
12"x12"x10"x36"	9-7866	86.9	1,230.00	9-8281	81.0	2,510.00
12"x12"x10"x42"	9-7868	92.5	1,250.00	9-8282	86.8	2,640.00
12"x12"x10"x54"	9-7870	103.8	1,280.00	9-8283	98.5	2,900.00

BOLT-ON SADDLES & RISERS

SADDLE RISER

(POWDER COATED OR GALVANIZED)



For PIP or IPS use.
Steel powder coated or galvanized.

36" Riser				42" Riser		
Size	Part #	Weight	List	Part #	Weight	List
6"x4"	6-3820	22.0	245.00	6-3825	22.0	225.00
8"x4"	6-3821	24.0	270.00	6-3826	24.0	230.00
10"x4"	6-3822	26.0	285.00	6-3827	26.0	280.00
12"x4"	6-3823	28.0	315.00	6-3828	28.0	315.00

SADDLE RISER

(WITH PVC RISER)

- Lightweight
- Easy to install
- Durable
- Sunlight (UV) Inhibited
- UPS Shippable
- For PIP or IPS use
- Using 3"x36" & 48" PVC Riser Pipe
- Using 3" outlet on galvanized saddle
- Using 3" x4" galvanized valve stubs.



42" Riser				54" Riser		
Size	Part #	Weight	List	Part #	Weight	List
6"x4"	6-3804	20.0	339.00	6-3807	21.3	346.00
8"x4"	6-3805	21.0	358.00	6-3808	22.3	365.00
10"x4"	6-3806	24.0	389.00	6-3809	20.0	396.00
12"x4"	6-3830	26.0	419.00	6-3831	27.3	426.00

SADDLE

(GALVANIZED STEEL)



For OD, PIP or IPS use.

3" FPT Outlet				4" FPT Outlet			6" FPT Outlet		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
6"	6-3810	11.0	180.00	6-3814	12.0	199.00			
8"	6-3811	12.0	199.00	6-3815	13.0	210.00	9-7632	20.0	285.00
10"	6-3812	15.0	230.00	6-3816	16.0	240.00	9-7633	22.0	305.00
12"	6-3813	17.0	260.00	6-3817	18.0	270.00	9-7634	24.0	335.00
15"	9-7628	23.0	305.00	9-7630	24.0	319.00	9-7635	26.0	395.00
18"	9-7629	28.0	910.00	9-7631	25.5	945.00	9-7636	31.0	1,005.00

PVC RISER PIPE


- 3" & 4" double male threaded
- High density polyethylene riser pipe with UV inhibitor (SCH80)



36" Long (for 42" Riser)				48" Long (for 54" Riser)		
Size	Part #	Weight	List	Part #	Weight	List
3"	6-3802	4.0	34.00	6-3803	5.3	41.00
4"	6-3790	6.6	45.00	6-3791	8.8	48.00


RISER VALVE J & L

RISER VALVE J (GALVANIZED STEEL)



Size	Part #	Weight	List
6"x4" PIP	9-7850	43.9	400.00
6"x6" PIP	6-4001	39.0	425.00
8"x4" PIP	9-7851	53.8	595.00
8"x6" PIP	9-7852	63.7	625.00
8"x8" PIP	6-4002	59.0	650.00
6"x4" IPS	9-7853	43.9	400.00
6"x6" IPS	6-4005	39.0	425.00
8"x4" IPS	9-7854	53.8	595.00
8"x6" IPS	9-7855	63.7	625.00
8"x8" IPS	6-4006	59.0	650.00

RISER VALVE L (GALVANIZED STEEL)



Size	Part #	Weight	List
6"x4" PIP	8-1410	48.4	420.00
6"x6" PIP	8-1324	44.1	446.00
8"x4" PIP	8-1412	58.3	625.00
8"x6" PIP	8-1414	70.5	656.00
8"x8" PIP	8-1326	65.8	683.00
6"x4" IPS	8-1411	48.4	420.00
6"x6" IPS	8-1325	44.1	446.00
8"x4" IPS	8-1413	58.3	625.00
8"x6" IPS	8-1415	70.5	656.00
8"x8" IPS	8-1327	65.8	683.00

STEEL NIPPLE (WELDED ON)



Size	Part #	Weight	List
2"	6-2960	0.5	35.00
3"	6-2961	1.5	45.00
4"	6-2962	2.7	59.00

Nipples welded on for air relief, surge plug, etc.

STEEL ARM (WELDED ON)



Male Thread				Female Thread		
Size	Part #	Weight	List	Part #	Weight	List
2"	6-2963	2.6	75.00	6-2936	2.5	75.00
3"	6-2934	5.5	90.00	6-2937	5.4	90.00
4"	6-2935	8.5	170.00	6-2938	7.7	170.00

Elbow is welded on vertical risers for air relief, surge plug, etc.

AIR RELIEF VALVES

AIR RELIEF VALVE (CAST ALUM)

**Standard****Continuous**

Standard				Continuous		
Size	Part #	Weight	List	Part #	Weight	List
1.5"	6-1909	1.2	36.00			
2"	6-1910	1.6	39.00	9-7829	6.0	268.00
3"	6-1912	3.1	75.00	9-7830	9.7	290.00
4"	6-1913	6.0	165.00	9-7831	-	559.00

Venting air in any pressurized pipe is of major importance.
Air relief valves help protect the irrigation system from serious head surges and water hammer.

Continuous Action Air Vents:

- Exhaust Large Volumes of Trapped Air from the Pipeline.
- Provide Continuous Air Release during system operation.

AIR RELIEF VALVE (NYLON / POLYPROPYLENE)

**Guardian****Continuous**

Guardian (Nylon)				Continuous (Poly)		
Size	Part #	Weight	List	Part #	Weight	List
1"	9-6952	0.2	60.00			
2"	9-6953	0.3	79.00	9-6951	1.1	259.00
3"	9-6954	0.7	220.00			

Advantages

- Made of corrosion-resistant reinforced UV protected composite materials. No metal to rust or corrode.
- 5-year warranty


TRI-ACTION VALVE (CAST ALUMINUM)

1. Pressure Relief
2. Air Relief
3. Vacuum Relief



0-50 psi				50-160 psi		
Size	Part #	Weight	List	Part #	Weight	List
3"	6-1915	17.0	510.00	6-1914	24.0	510.00

TRI-ACTION VALVE PARTS



Description	Position	Part #	Weight	List
Hanger Bolt (3 req.)	1	9-7453	-	19.00
Decal	2	9-7454	-	7.00
Hanger Washer (3 req.)	3	9-7455	-	2.00
Valve Disc Stem	4	9-7456	-	2.50
Head Cap	5	9-7457	-	105.00
Cap Gasket	6	9-7458	-	11.00
Retainer Spring	7	9-7459	-	3.50
Valve Disc	8	9-7460	-	9.00
Stem Nut (2 req.)	9	9-7461	-	2.00
Washer	10	9-7462	-	2.00
Valve Body	11	9-7463	-	195.00
Gauge Indicator	12	9-7464	-	9.00
Compression Spring	13	9-7465	-	195.00
Hanger	14	9-7466	-	78.00
Hanger Bolt Nut (3 req.)	15	9-7467	-	2.00

PRESSURE RELIEF VALVES

PRESSURE RELIEF VALVE 4" FPT




4" FPT Cast Aluminum

PSI	Part #	Weight	List
50#	6-1919	5.5	270.00
80#	6-1920	5.5	270.00
100#	6-1921	5.5	270.00
125#	6-1922	6.0	280.00
160#	6-1923	6.0	280.00

Underground Fittings

PRESSURE RELIEF VALVE 3" FPT



Cast Alum.



Steel Galv.

3" FPT Cast Aluminum

PSI	Part #	Weight	List
80#	9-6822	6.0	275.00

3" FPT Steel Galvanized

PSI	Part #	Weight	List
80#	9-6823	5.6	198.00

PRESSURE RELIEF VALVE FIELD SET (CAST IRON)



Pressure Guard™

Features:

- Cast Iron Body
- Brass Guide Bushing
- Stainless Guide Rod

PSI Range	Spring Color	2" FPT		2-1/2" FPT		3" FPT		4" FPT	
		Part #	List	Part #	List	Part #	List	Part #	List
0-25#	Gray	9-7832	140.00	9-7836	140.00	9-7840	150.00	9-7844	230.00
30-40#	Yellow	9-7833	150.00	9-7837	150.00	9-7841	170.00	9-7845	250.00
45-85#	Black	9-7834	160.00	9-7838	160.00	9-7842	180.00	9-7846	270.00
85-150#	Yellow/Blue	9-7835	200.00	9-7839	200.00	9-7843	210.00	9-7847	290.00

UNDERGROUND COUPLERS

COUPLER (WELD-ON)



Size	PVC OD	Black Steel			Powder Coated Steel			Stainless Steel		
		Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
6" PIP	6.14"	9-5043	6.0	57.00	6-2231	6.0	105.00	9-5159	3.5	145.00
8" PIP	8.16"	9-5044	8.0	85.00	6-2232	8.0	120.00	9-5160	6.5	220.00
10" PIP	10.20"	9-5045	11.0	95.00	6-2233	11.0	170.00	9-8099	11.0	310.00
12" PIP	12.24"	9-5046	13.0	205.00	6-2234	13.0	200.00	9-8285	13.0	350.00
15" PIP	15.30"	9-7441	14.8	419.00	6-2235	14.0	419.00			
18" PIP	18.70"				6-2600	19.0	625.00			
2" IPS	2.375"				6-2217	-	65.00			
2.5" IPS	2.875"				6-2218	-	65.00			
3" IPS	3.50"				6-2219	2.0	70.00			
4" IPS	4.50"	9-5037	3.0	85.00	6-2220	3.0	85.00	9-5156	2.5	130.00
6" IPS	6.625"	9-5038	6.0	57.00	6-2221	6.0	105.00	9-5157	3.5	160.00
8" IPS	8.625"	9-5039	8.0	85.00	6-2222	8.0	120.00	9-5158	6.5	210.00
10" IPS	10.75"	9-5040	11.0	95.00	6-2223	11.0	170.00	9-8100	11.0	325.00
12" IPS	12.75"	9-5041	13.0	205.00	6-2224	13.0	200.00	9-8150	13.0	330.00

GASKET (UNDERGROUND)



Round Back



Square Back

Size	Round Back			Square Back		
	Part #	Weight	List	Part #	Weight	List
6" PIP	6-4241	0.3	16.50	9-7645	1.8	19.00
8" PIP	6-4242	0.6	20.00	9-7647	2.0	18.00
10" PIP	6-4243	0.8	29.00	9-7638	2.3	46.00
12" PIP	6-4244	1.0	38.00	9-7640	2.5	56.00
15" PIP	6-4245	-	39.00	9-7641	2.8	69.00
18" PIP	9-5291	-	62.00	9-7642	2.8	145.00
4" IPS	6-4233	0.2	15.50	9-7643	1.3	14.00
6" IPS	6-4234	0.3	16.50	9-7644	1.8	20.00
8" IPS	6-4235	0.6	20.00	9-7646	2.0	25.00
10" IPS	6-4236	0.8	29.00	9-7637	2.3	48.00
12" IPS	6-4237	1.0	38.00	9-7639	2.5	59.00

DRAW BAND (PAINTED STEEL)



Size	Part #	Weight	List
6"	6-1704	0.6	12.00
8"	6-1705	0.7	13.00
10"	6-1706	0.9	14.00
* 12"	6-1707	1.0	15.00
14"	6-1708	1.1	16.00
15"	6-1709	1.2	17.00

*Silver: Extra large for all sizes of PVC Pipe, #50 - #200

* 12" for use on 12" Newby boot

WELD-ON MALE END (POWDER COATED STEEL)



Size	Part #	Weight	List
6" PIP	6-2281	3.5	63.00
8" PIP	6-2282	6.5	68.00
10" PIP	6-2283	10.5	82.00
12" PIP	6-2284	12.5	99.00
15" PIP	6-2285	14.0	250.00
4" IPS	6-2289	2.5	59.00
6" IPS	6-2290	3.5	63.00
8" IPS	6-2291	6.5	68.00
10" IPS	6-2292	10.5	82.00
12" IPS	6-2293	12.5	99.00

Underground Fittings

BOLT-ON COUPLER (BLACK OR POWDER COATED STEEL)



Black Steel



Powder Coated

9" long.
Male weld-on x bolt-on coupler

Size	Part #	Black Steel		Powder Coated Steel		
		Weight	List	Part #	Weight	List
4" OD	9-5019	8.0	105.00			
6" PIP/OD	9-5023	11.0	109.00	6-4015	11.0	126.00
8" PIP/OD	9-5026	14.5	150.00	6-4016	14.0	160.00
10" PIP/OD	9-5029	18.5	185.00	6-4017	18.0	195.00
12" PIP/OD	9-5032	22.0	280.00	6-4018	22.0	295.00
15" PIP				6-4019	25.0	370.00
18.7" PIP				6-9787	30.0	495.00
20.4" PIP				9-5843	35.0	540.00
4" IPS	9-5021	8.0	105.00	6-4010	8.0	100.00
6" IPS	9-5024	11.0	109.00	6-4011	11.0	126.00
8" IPS	9-5027	14.5	150.00	6-4012	14.0	160.00
10" IPS	9-5030	18.5	185.00	6-4013	18.0	195.00
12" IPS	9-5033	22.0	280.00	6-4014	22.0	295.00


Half Coupler
Only

PIP Flange Pack
(Single)

IPS Flange Pack
(Single)

Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
4"	6-2045	6.0	60.00	6-2027	3.0	40.00	6-2016	2.0	40.00
6"	6-2047	7.0	75.00	6-2011	4.0	51.00	6-2017	4.0	51.00
8"	6-2048	9.0	95.00	6-2012	4.5	65.00	6-2018	4.5	65.00
10"	6-2049	13.0	120.00	6-2013	6.0	75.00	6-2019	6.0	75.00
12"	6-2062	16.0	185.00	6-2014	7.5	110.00	6-2020	7.5	110.00
15"	9-5848	19.0	230.00	9-5851	8.0	140.00			
18.7"	9-5849	22.0	320.00	9-5852	18.0	180.00			
20.4"	9-5850	25.0	340.00	9-5853	22.0	200.00			

REPAIR COUPLERS

REPAIR COUPLER

(PVC)



- 100 psi maximum pressure.
- 19" long

PIP				IPS		
Size	Part #	Weight	List	Part #	Weight	List
4"				9-8116	4.2	70.00
6"	6-2261	4.0	130.00	6-2264	4.0	110.00
8"	6-2262	6.0	180.00	6-2265	6.0	135.00
10"	6-2263	10.0	290.00	6-2266	10.0	205.00
12"	6-2267	15.0	395.00	6-2269	15.0	250.00
15"	6-2268	20.0	590.00			

PVC PIPE

(PLAIN X GASKET, 31" LONG)



PIP (#100 psi)				IPS (#125 psi)		
Size	Part #	Weight	List	Part #	Weight	List
6"	6-2294	4.8	65.00	6-2299	5.5	80.00
8"	6-2295	4.8	99.00	6-2300	9.4	177.00
10"	6-2296	13.2	169.00	6-2301	14.6	230.00
12"	6-2297	13.2	150.00	6-2302	20.5	242.00
15"	6-2298	30.1	465.00			

TELESCOPING REPAIR COUPLER

(PVC)



- Gasket included
- 100 psi maximum pressure

PIP				IPS		
Size	Part #	Weight	List	Part #	Weight	List
6"	6-2610	8.8	195.00	6-2615	9.5	190.00
8"	6-2611	14.4	279.00	6-2616	15.4	312.00
10"	6-2612	23.2	459.00	6-2617	24.6	435.00
12"	6-2613	34.3	545.00	6-2618	35.5	492.00
15"	6-2614	50.1	1,055.00			

FULL REPAIR WRAP



- 125 max psi
- Ideal to stop leaks without cutting pipeline.

Size	Part #	Weight	List
OD 4" dia x 8" long	6-9829	11.0	225.00
IPS 4" dia x 8" long	6-9830	11.0	235.00
OD/PIP 6" dia x 8" long	6-9831	12.0	275.00
IPS 6" dia x 8" long	6-9832	12.0	275.00
OD/PIP 8" dia x 8" long	6-9833	13.0	325.00
IPS 8" dia x 8" long	6-9834	13.0	325.00
OD 10" dia x 8" long	6-9835	19.0	325.00
IPS 10" dia x 8" long	6-9836	19.0	420.00
OD/PIP 12" dia x 8" long	6-9837	20.0	420.00
IPS 12" dia x 8" long	6-9838	20.0	480.00

FIBERGLASS TAPE



- < 60 psi = 8 Layers/Wraps Min.
- > 60 psi = 10 Layers/Wraps Min.

Size	Dimensions	Part #	Weight	List
1/4" Pipe	1" Wide x 30" Long	6-9562	0.2	11.00
1/2" Pipe	1" Wide x 32" Long	6-9563	-	18.00
3/4" Pipe	2" Wide x 30" Long	6-9564	0.2	13.00
1" Pipe	2" Wide x 60" Long	6-9565	0.2	16.00
2" - 4" Pipe	3" Wide x 108" Long	6-9566	0.7	25.00
3" Pipe	8" Wide x 72" Long	6-9567	0.7	41.00
6" Pipe	4" Wide x 180" Long	6-9568	0.7	41.00
8" Pipe	4" Wide x 360" Long	6-9569	1.3	73.00
10" Pipe	6" Wide x 300" Long	6-9932	-	95.00

REPAIR COUPLERS

BOLT-ON REPAIR COUPLER (POWDER COATED STEEL)



- 180 psi maximum pressure.
- 16" long

Size	PIP Complete			IPS Complete		
	Part #	Weight	List	Part #	Weight	List
4"				6-2207	12.0	200.00
6"	6-2206	21.0	262.00	6-2213	21.0	262.00
8"	6-2208	26.0	330.00	6-2214	26.0	330.00
10"	6-2210	36.0	395.00	6-2215	36.0	395.00
12"	6-2212	44.0	595.00	6-2216	44.0	595.00
15"	6-2200	52.0	775.00			
18.7"	6-9888	58.0	1,220.00			



Body Only				PIP Flange Pack (Single)			IPS Flange Pack (Single)		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
4"	6-2033	8.0	120.00				6-2016	2.0	40.00
6"	6-2034	13.0	160.00	6-2011	4.0	51.00	6-2017	4.0	51.00
8"	6-2035	17.0	200.00	6-2012	4.5	65.00	6-2018	4.5	65.00
10"	6-2036	24.0	245.00	6-2013	6.0	75.00	6-2019	6.0	75.00
12"	6-2037	29.0	375.00	6-2014	7.5	110.00	6-2020	7.5	110.00
15"	6-2038	36.0	495.00	9-5851	8.0	140.00			
18.7"				9-5852	18.0	180.00			
20.4"				9-5853	22.0	200.00			

-Fits OD, PIP, & IPS Flange Packs

2 Flange Packs Required per repair coupler.



Size	PIP/OD Gasket (Bolt-on)			IPS Gasket (Bolt-on)		
	Part #	Weight	List	Part #	Weight	List
4"				9-5833	0.2	13.00
6"	9-5837	0.7	16.00	9-5836	0.3	16.00
8"	9-5839	0.8	19.00	9-5838	-	19.00
10"	9-5829	1.0	35.00	9-5828	0.5	35.00
12"	9-5831	1.3	39.00	9-5830	0.6	39.00
15"	9-5832	1.6	41.00			
18.7"	9-5841	1.8	58.00			
20.4"	9-5842	1.9	59.00			

REPAIR COUPLER (GALVANIZED STEEL)



- Metric sizes available, please Call
- 200 psi maximum pressure on 2" to 10".
- 150 psi maximum pressure on 12" and 15".
- 16" long

Size	PIP			IPS		
	Part #	Weight	List	Part #	Weight	List
4"				6-2239	7.0	180.00
6"	6-2250	13.0	205.00	6-2240	13.0	205.00
8"	6-2251	17.0	265.00	6-2241	17.0	265.00
10"	6-2252	21.0	355.00	6-2242	21.0	355.00
12"	6-2253	24.0	475.00	6-2243	24.0	475.00
15"	6-2255	50.0	685.00			

STEEL UNDERGROUND FITTINGS

FLANGE ADAPTER

(GALVANIZED STEEL)



- Metric sizes available, please Call

PIP				IPS		
Size	Part #	Weight	List	Part #	Weight	List
4"				6-4043	10.1	120.00
6"	6-4051	15.3	135.00	6-4045	15.3	135.00
8"	6-4052	20.9	180.00	6-4046	20.9	180.00
10"	6-4053	27.6	205.00	6-4047	27.6	205.00
12"	6-4054	36.0	370.00	6-4048	36.0	370.00

SERVICE TEE

(GALVANIZED STEEL)



- Other sizes available, please Call
- Metric sizes available, please Call
- Male threaded also available.

PIP				IPS			
Size	Part #	Weight	List	Size	Part #	Weight	List
6"x6"x4"	6-4064	17.4	235.00	4"x4"x2"	6-4060	8.7	210.00
8"x8"x3"	9-5311	19.0	260.00	6"x6"x4"	6-4061	17.4	235.00
8"x8"x4"	6-4065	27.5	290.00	8"x8"x4"	6-4062	22.5	290.00

TEE

(GALVANIZED STEEL)



PIP				IPS		
Size	Part #	Weight	List	Part #	Weight	List
4"				6-4073	13.5	275.00
6"	6-4079	13.5	280.00	6-4074	24.8	280.00
8"	6-4080	33.0	365.00	6-4075	33.0	365.00
10"	6-4081	44.3	460.00	6-4076	44.3	460.00
12"	6-4082	66.2	840.00	6-4077	66.2	840.00
15"	6-4083	77.6	1,510.00			

TEE, BOLT-ON

(GALVANIZED STEEL)



PIP/OD				IPS		
Size	Part #	Weight	List	Part #	Weight	List
4"	9-7988	20.0	395.00	9-7979	20.0	395.00
6"	9-7984	31.0	420.00	9-7980	31.0	420.00
8"	9-7985	37.0	520.00	9-7981	37.0	520.00
10"	9-7986	45.0	640.00	9-7982	45.0	640.00
12"	9-7987	53.0	1,020.00	9-7983	53.0	1,020.00

CROSS

(GALVANIZED STEEL)



- Metric sizes available, please Call
- Reducing sizes also available. Please Call

PIP				IPS		
Size	Part #	Weight	List	Part #	Weight	List
4"				6-4093	21.0	370.00
6"	6-4099	37.6	380.00	6-4094	37.6	380.00
8"	6-4100	50.0	525.00	6-4095	50.0	525.00
10"	6-4101	66.6	600.00	6-4096	66.6	600.00
12"	6-4102	79.2	995.00	6-4097	79.2	995.00
15"	6-4103	92.4	1,990.00			

STEEL UNDERGROUND FITTINGS

45° ELBOW (GALVANIZED STEEL)



11° and 22° are available at the same price.

Size	Part #	PIP		Part #	IPS	
		Weight	List		Weight	List
4"				6-4137	7.4	205.00
6"	6-4130	12.0	175.00	6-4138	14.5	175.00
8"	6-4131	16.0	230.00	6-4139	20.0	230.00
10"	6-4132	22.0	250.00	6-4140	27.8	250.00
12"	6-4133	36.2	515.00	6-4141	33.9	515.00

45° ELBOW, BOLT-ON (GALVANIZED STEEL)



11° and 22° are available at the same price.

Size	Part #	PIP/OD		Part #	IPS	
		Weight	List		Weight	List
4"	9-7960	16.0	270.00	9-7951	16.0	270.00
6"	9-7956	20.0	305.00	9-7952	20.0	305.00
8"	9-7957	26.0	370.00	9-7953	26.0	370.00
10"	9-7958	38.0	450.00	9-7954	38.0	450.00
12"	9-7959	46.0	720.00	9-7955	46.0	720.00

90° ELBOW (GALVANIZED STEEL)



Size	Part #	PIP		Part #	IPS	
		Weight	List		Weight	List
4"				6-4157	10.5	216.00
6"	6-4150	22.2	215.00	6-4158	22.2	215.00
8"	6-4151	29.5	299.00	6-4159	29.5	299.00
10"	6-4152	39.0	350.00	6-4160	39.0	350.00
12"	6-4153	46.4	610.00	6-4161	46.4	610.00

90° ELBOW, BOLT-ON (GALVANIZED STEEL)



Size	Part #	PIP/OD		Part #	IPS	
		Weight	List		Weight	List
4"	9-7974	18.0	330.00	9-7965	18.0	330.00
6"	9-7970	22.0	350.00	9-7966	22.0	350.00
8"	9-7971	31.0	430.00	9-7967	31.0	430.00
10"	9-7972	45.0	520.00	9-7968	45.0	520.00
12"	9-7973	56.0	790.00	9-7969	56.0	790.00

STEEL UNDERGROUND FITTINGS

REDUCER/ADAPTER

(GALVANIZED STEEL)



Size	Part #	Weight	List
6" PIP x 4" IPS	6-4110	10.2	175.00
6" IPS x 6" PIP	6-4121	12.0	120.00
8" PIP x 6" PIP	6-4111	16.5	210.00
8" IPS x 8" PIP	6-4122	16.0	185.00
10" PIP x 8" PIP	6-4112	22.2	259.00
10" IPS x 10" PIP	6-4123	22.0	215.00
12" PIP x 10" PIP	6-4113	37.0	525.00
12" IPS x 12" PIP	6-4124	26.0	390.00

REDUCER/ADAPTER, BOLT-ON

(POWDER COATED OR GALVANIZED STEEL)



Size	Finish	Part #	Weight	List
4" IPS x 4" OD	Powder Coated	6-4020	13.0	200.00
6" OD/PIP x 8" OD/PIP	Galvanized	9-8127	28.0	540.00
6" IPS x 6" OD/PIP	Powder Coated	6-4022	21.0	262.00
8" IPS x 6" OD/PIP	Galvanized	6-4024	27.5	540.00
8" IPS x 6" IPS	Galvanized	6-4026	27.5	540.00
8" IPS x 8" OD/PIP	Powder Coated	6-4027	26.0	330.00
10" OD/PIP x 8" OD/PIP	Galvanized	6-4029	35.2	675.00
10" IPS x 8" IPS	Galvanized	6-4031	35.2	675.00
10" IPS x 10" OD/PIP	Powder Coated	6-4032	37.5	395.00
12" OD/PIP x 10" OD/PIP	Galvanized	6-4034	44.0	940.00
12" IPS x 12" OD/PIP	Powder Coated	6-4036	44.0	595.00

DOUBLE COUPLER

(GALVANIZED STEEL)



PIP				IPS		
Size	Part #	Weight	List	Part #	Weight	List
4"				6-4179	6.0	125.00
6"	6-4171	12.0	135.00	6-4180	12.0	135.00
8"	6-4172	16.0	195.00	6-4181	16.0	195.00
10"	6-4173	22.0	210.00	6-4182	22.0	210.00
12"	6-4174	26.0	445.00	6-4183	26.0	445.00
15"	6-4175	28.0	885.00			

• Metric sizes available, please Call

END PLUG

(GALVANIZED STEEL)



PIP				IPS		
Size	Part #	Weight	List	Part #	Weight	List
4"				6-4197	2.9	63.00
6"	6-4191	4.5	80.00	6-4198	4.5	80.00
8"	6-4192	9.8	95.00	6-4199	9.8	95.00
10"	6-4193	14.5	115.00	6-4200	14.5	115.00
12"	6-4188	18.3	130.00	6-4201	18.3	130.00
15"	6-4189	14.0	375.00			

END CAP

(GALVANIZED STEEL)



PIP				IPS		
Size	Part #	Weight	List	Part #	Weight	List
4"				6-4211	3.4	80.00
6"	6-4203	7.0	80.00	6-4212	7.0	80.00
8"	6-4204	11.3	120.00	6-4213	11.3	120.00
10"	6-4205	15.0	140.00	6-4214	15.0	140.00
12"	6-4206	18.8	270.00	6-4215	18.8	270.00
15"	6-4207	14.0	550.00			

• Metric sizes available, please Call

SOLVENT PVC PIPE FITTINGS

90° ELBOW (PVC-SOLVENT)



Size	PIP			IPS			PIP A&H		
	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
4"							6-2315	2.0	25.00
6"	6-2311	4.0	140.00	6-2560	4.0	105.00	6-2316	1.5	75.00
8"	6-2312	8.0	220.00	6-2561	6.0	155.00	6-2317	2.5	90.00
10"	6-2313	8.0	315.00	6-2562	8.0	245.00	6-2318	3.0	145.00
12"	6-2314	14.0	395.00	6-2563	14.0	339.00	6-2319	3.5	189.00
15"	6-2320	20.0	615.00						

• 4" A&H is IPS Size.

#100 psi test, except A&H which is #22/#50 psi test.

• Metric sizes available, please Call

45° ELBOW (PVC-SOLVENT)



Size	PIP			IPS			PIP A&H		
	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
4"							6-2325	1.3	20.00
6"	6-2321	1.0	55.00	6-2550	1.0	52.00	6-2326	1.5	39.00
8"	6-2322	2.0	91.00	6-2551	2.0	86.00	6-2327	1.8	59.00
10"	6-2323	2.5	136.00	6-2552	2.5	135.00	6-2328	2.0	70.00
12"	6-2324	3.0	210.00	6-2553	3.0	195.00	6-2329	3.0	115.00
15"	6-2330	4.0	320.00						

• 4" A&H is IPS Size.

#100 psi test, except A&H which is #22/#50 psi test.

• Metric sizes available, please Call

22-1/2° ELBOW (PVC-SOLVENT)



Size	PIP		
	Part #	Weight	List
6"	6-2270	1.0	39.00
8"	6-2271	2.0	59.00
10"	6-2272	2.5	110.00
12"	6-2273	3.0	155.00
15"	6-2274	4.0	258.00


#100 psi test.

• Metric sizes available, please Call

**11°, 15°, 30° AND 60° ELBOWS AVAILABLE UPON REQUEST.
PLEASE CALL**

SOLVENT PVC PIPE FITTINGS

TEE (PVC-SOLVENT)



#100 psi test

- Metric sizes available, please Call

Size	PIP			IPS		
	Part #	Weight	List	Part #	Weight	List
4"				6-2335	2.3	30.00
6"	6-2331	5.0	110.00	6-2570	5.0	145.00
8"	6-2332	9.0	175.00	6-2571	9.0	185.00
10"	6-2333	14.0	260.00	6-2572	14.0	255.00
12"	6-2334	18.0	400.00	6-2573	18.0	400.00
15"	6-2336	25.0	690.00			

REDUCING TEE (PVC-SOLVENT)



#100 psi test

- Metric sizes available, please Call

Size	Part #	Weight	List
6" PIP x 4" IPS	6-2340	3.5	99.00
8" PIP x 4" IPS	6-2341	4.5	105.00
8" x 6" PIP	6-2342	8.5	129.00
6" x 4" IPS	6-2574	4.0	95.00
8" x 4" IPS	6-2575	5.0	125.00
8" x 6" IPS	6-2576	9.0	165.00

WYE (PVC-SOLVENT)



Drain Only

Size	Part #	Weight	List
6" PIP A&H	6-2601	-	90.00
8" PIP A&H	6-2602	-	205.00
10" PIP A&H	6-2603	-	300.00

END CAP (PVC-SOLVENT)



#100 psi test, except A&H which is #22/#50 psi test.

- Metric sizes available, please Call

Size	PIP			IPS			PIP A&H		
	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
6"	6-2410	1.5	49.00	6-2580	1.5	41.00	6-2420	0.2	12.00
8"	6-2411	2.0	62.00	6-2581	2.0	50.00	6-2421	0.6	21.00
10"	6-2412	2.5	99.00	6-2582	2.5	81.00	6-2422	2.5	33.00
12"	6-2413	3.0	130.00	6-2583	3.0	145.00	6-2423	3.0	51.00
15"	6-2414	4.0	215.00				6-2424	4.0	72.00

COUPLING (PVC-SOLVENT)



#100 psi test, except A&H which is #22/#50 psi test.


- Metric sizes available, please Call

Size	PIP			IPS			PIP A&H		
	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
4"				6-2430	0.5	21.00	*6-2434	0.4	16.00
6"	6-2431	1.0	33.00	6-2585	1.0	27.00	6-2435	0.8	20.00
8"	6-2432	2.0	45.00	6-2586	2.0	46.00	6-2436	1.5	22.00
10"	6-2433	5.0	72.00	6-2587	5.0	76.00	6-2437	3.0	31.00
12"	6-2428	7.0	110.00	6-2588	7.0	118.00			
15"	6-2429	10.0	190.00						

- 4" A&H is IPS Size.

SOLVENT PVC PIPE FITTINGS

REDUCER (PVC-SOLVENT)



PIP				IPS			PIP A&H		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
*6" x 4"	6-2440	1.5	40.00	6-2590	1.5	35.00	6-2443	0.6	28.00
8" x 6"	6-2441	2.0	62.00	6-2591	2.0	55.00	6-2444	1.5	35.00
10" x 8"	6-2442	3.0	85.00	6-2592	3.0	105.00	6-2445	2.0	52.00
12" x 10"	6-2438	4.0	125.00	6-2593	4.0	145.00	6-2446	2.5	75.00
15" x 12"	6-2439	5.0	197.00						

#100 psi test, except A&H which is #22/#50 psi test.
 • Metric sizes available, please Call

• 4" IPS Size.

ADAPTER (PVC-SOLVENT)



Size	Part #	Weight	List
6" IPS x PIP	6-2451	1.5	39.00
8" IPS x PIP	6-2452	2.5	59.00
10" IPS x PIP	6-2453	5.0	95.00

#100 psi test

FLANGE (PVC-SOLVENT)



PIP				IPS		
Size	Part #	Weight	List	Part #	Weight	List
3"				9-7659		66.00
4"				6-2484	2.8	60.00
6"	6-2480	5.6	139.00	6-2485	4.7	80.00
8"	6-2481	8.3	210.00	6-2486	6.8	125.00
10"	6-2482	14.3	290.00	6-2487	11.6	240.00
12"	6-2483	21.9	415.00	6-2488	-	260.00

FEMALE THREADED ADAPTER (PVC-SOLVENT)



PIP				IPS		
Size	Part #	Weight	List	Part #	Weight	List
4"				6-2470	-	21.00
6"	6-2461	-	140.00	6-2471	-	67.00
8"	6-2462	-	205.00	6-2472	-	115.00
10"	6-2463	-	285.00	6-2473	-	190.00
12"	6-2464	-	330.00	6-2474	-	225.00

#100 psi test, except A&H which is #22/#50 psi test.

MALE THREADED ADAPTER (PVC-SOLVENT)



PIP				IPS		
Size	Part #	Weight	List	Part #	Weight	List
4"				6-2475	-	25.00
6"	6-2466	-	125.00	6-2476	-	59.00
8"	6-2467	-	175.00	6-2477	-	84.00
10"	6-2468	-	255.00	6-2478	-	85.00
12"	6-2469	-	300.00	6-2479	-	110.00

#100 psi test, except A&H which is #22/#50 psi test.

BUSHING (PVC-SOLVENT)



IPS outside x PIP inside

Size	Part #	Weight	List
6" PIP x IPS	6-2595	-	45.00
8" PIP x IPS	6-2596	-	62.00
10" PIP x IPS	6-2597	-	95.00
12" PIP x IPS	6-2598	-	145.00

GASKETED PVC PIPE FITTINGS

90° ELBOW (PVC-GASKETED)

#100 PSI Test



PIP				IPS		
Size	Part #	Weight	List	Part #	Weight	List
6"	6-2350	-	159.00	6-2520	-	205.00
8"	6-2351	-	255.00	6-2521	-	310.00
10"	6-2352	-	389.00	6-2522	-	450.00
12"	6-2353	-	555.00	6-2523	-	610.00
15"	6-2354	-	1,129.00			

45° ELBOW (PVC-GASKETED)

#100 PSI Test



PIP				IPS		
Size	Part #	Weight	List	Part #	Weight	List
6"	6-2360	-	139.00	6-2510	-	139.00
8"	6-2361	-	198.00	6-2511	-	200.00
10"	6-2362	-	282.00	6-2512	-	285.00
12"	6-2363	-	410.00	6-2513	-	430.00
15"	6-2364	-	815.00			

22-1/2° ELBOW (PVC-GASKETED)

#100 PSI Test



PIP				IPS		
Size	Part #	Weight	List	Part #	Weight	List
6"	6-2355	-	119.00	6-2500	-	135.00
8"	6-2356	-	175.00	6-2501	-	165.00
10"	6-2357	-	260.00	6-2502	-	279.00
12"	6-2358	-	375.00	6-2503	-	375.00
15"	6-2359	-	620.00			

TEE (PVC-GASKETED)

#100 PSI Test



PIP				IPS		
Size	Part #	Weight	List	Part #	Weight	List
6"	6-2365	-	189.00	6-2540	-	165.00
8"	6-2366	-	250.00	6-2541	-	285.00
10"	6-2367	-	380.00	6-2542	-	415.00
12"	6-2368	-	520.00	6-2543	-	575.00
15"	6-2369	-	940.00			

11°, 15°, 30° AND 60° ELBOWS AVAILABLE UPON REQUEST.
#100 PSI TEST, EXCEPT A&H WHICH IS #22/#50 PSI TEST.

PVC DRAIN RISER & ACCESSORIES

DRAINAGE RISER (PVC-SOLVENT)



6", 8", 10" = 6'8" Long
 12" = 6'8" Long

Complete Drainage Riser

Size	Part #	Weight	List
4" x 6"	6-2110	17.0	370.00
6" x 8"	6-2120	24.1	515.00
8" x 10"	6-2130	39.7	730.00

Perforated Body Only

6" x 6'8" #100	6-2110-C	12.7	155.00
8" x 6'8" #80	6-2120-C	17.2	250.00
10" x 6'8" #80	6-2130-C	27.1	350.00
12" x 6'8" #80	9-6958	40.3	385.00

The Drainage Riser comes fully assembled and includes the appropriately sized:

- 90° elbow (A&H)
- Increaser (A&H)
- Cap (A&H)

The Drainage Riser is made to fit PIP (Plastic Irrigation Pipe).

The Drainage Riser is made to local Soil Conservation Office Specifications.

Other sizes are available on request.

Underground Fittings

RODENT DOOR (PAINTED STEEL)



Size	Part #	Weight	List
4"	6-2181	0.2	12.00
6"	6-2182	0.6	14.00
8"	6-2183	0.8	17.00
10"	6-2184	1.5	26.00
12"	6-2185	2.3	35.00

PRIMER (Step 1 of 2)



It is highly recommended to apply primer on both pipe & socket before gluing to pre-soften & pre-prepare plastic pipe & fittings for bonding.

Size	Part #	Weight	List
1 quart	6-9170	2.0	32.00

PVC GLUE (Step 2 of 2)



Gray, C-200, PVC 12, Heavy Body for larger diameters.
 When primer is still wet, apply heavy amt of glue on pipe & lighter amt. in socket. Wipe off excess.

Size	Part #	Weight	List
1 quart	6-9130	2.0	39.90
1 gallon	6-9140	8.5	115.00

PIPE LUBE



One gallon of pipe lube will cover 50 8" pipe joints.

Size	Part #	Weight	List
1 quart	6-9160	2.0	18.00
1 gallon	6-9150	8.5	48.00

WHY WAIT ON Custom Built Fittings

Fast, Low Cost Custom Built Irrigation & Industrial Fittings

Available in:

- Steel Powder Coat
- Steel Galvanized
- Aluminum
- Cast Aluminum
- PVC
- Stainless Steel #304

Call, fax, or e-mail your drawing, and we will
send you a price.



TOW LINE / WHEELMOVE

Section Two



Towline/Wheelmove

 Tow Line Parts	30-31
 Wheel Move	32
 Hy-Flow Fittings	33-38
 Hose Fittings	39-41
 Discharge Hose	42
 Suction Hose	43
 Hose Clamps	44-47
 Hose Accessories	46

TOW LINE PARTS

TOW COUPLER


All steel construction, zinc plated.
Includes 2 Gaskets, 1 Quick Drain
and 4 Half-Moon Pins.



Size	Part #	Weight	List
4"	3-0310	6.3	95.00

STABILIZER CONVERSION KIT

Includes gaskets and pins.



Size	Part #	Weight	List
4"	3-0530	25.0	270.00

TOW COUPLER EAR

Made of formed steel.
Welds to coupler body and holds half
moon pin.



Size	Part #	Weight	List
3/8"	3-0320	0.3	1.00

TOW COUPLER SKID PAN

Formed steel wear pan.
Welds to bottom of coupler body.



Size	Part #	Weight	List
----	3-0330	0.6	3.00

QUICK DRAIN

Fits into bottom of coupler body to
drain line when shut down.
Cotter pin is included.



Size	Part #	Weight	List
----	3-0340		1.50

GASKET (LINDSAY)



Drain



Non-Drain

Specify Drain or Non-Drain style.
Fits coupler and stabilizer.
Stabilizer must have Non-Drain Gasket.

Size	Part #	Weight	List
4" Drain	3-0350	0.3	2.50
4" Non-Drain	6-1614	0.3	4.10

TOW PLUG

Fits into end coupler of tow line as
hitch for towing.



Size	Part #	Weight	List
4"	3-0540	5.5	35.00

TOW LINE PARTS

TOW LINE PIPE



Aluminum.
Comes with Half-Moon Pins, Straps & Bolts installed.

Size	Part #	Weight	List
4" x 40'	3-0380	35.6	321.00

HALF MOON CLAMP



Galvanized steel.
Attaches pipe to coupler with tow pins.

Size	Part #	Weight	List
4"	3-0410	0.9	4.00

HALF MOON BOLT & NUT



Washer included with bolt.

Size	Part #	Weight	List
Bolt: 5/16" x 5/8"	3-0420	0.1	0.06
Nut: 5/16"	3-0430	0.1	0.03

HALF MOON STRAP



Galvanized.
Bolts to back side of half moon clamp to prevent clamp from pulling off of pipe.

Size	Part #	Weight	List
1"	3-0440	0.2	1.00

HALF MOON PIN



Hardened steel, plated.
Connects tow line pipe to coupler and stabilizer.

Size	Part #	Weight	List
3/8"	3-0450	0.1	1.50

RISERS



Steel tubing.

3/4" FPT x 1" MPT				1" MPT x 1" MPT			
Size	Part #	Weight	List	Size	Part #	Weight	List
6" FxM	3-0465	0.6	12.00				
12" FxM	3-0460	0.9	14.00	12" MxM	3-0470	0.9	14.00
18" FxM	3-0466	1.1	16.00				
24" FxM	3-0461	1.4	18.00	24" MxM	3-0471	1.4	18.00
30" FxM	3-0467	1.6	20.00				
36" FxM	3-0468	1.9	22.00				
40" FxM	3-0462	2.1	24.00	40" MxM	3-0472	2.1	24.00
48" FxM	3-0469	2.5	27.00				
60" FxM	3-0463	2.9	31.00	60" MxM	3-0473	2.9	31.00
72" FxM	3-0464	3.4	35.00	72" MxM	3-0474	3.4	35.00

WHEEL MOVE (WHEELINE, SIDEROLL)

WHEEL MOVE (COMPLETE)



Size	Part #	Weight	List
4"x 1280'	5-0160	Call	Call
5"x 1280'	5-0161	Call	Call

WHEEL MOVE COUPLER SET (CAST ALUMINUM)



Size	Part #	Weight	List
4" Press-on	5-0167	8.0	127.00
5" Weld-on	5-0168	6.3	145.00

SPRINKLER LEVELER



Size	Part #	Weight	List
3/4"	5-0165	2.4	20.00

LEVELER ELBOW



Size	Part #	Weight	List
1" x 3/4"	5-0166	1.0	12.00

WHEELS



Distance	# of Turns	Size	Dimension	Part #	4" Hub		5" Hub		
					Weight	List	Part #	Weight	List
		4'	48" 18ga	5-0170	34.0	170.00	5-0171	35.0	170.00
60'	4	5'	58" 18ga	5-0172	42.0	150.00	5-0173	42.0	150.00
50'	3	6'	64" 18ga	5-0174	44.0	162.00	5-0175	44.0	162.00
60'	3	7'	76" 18ga	5-0176	56.0	206.00	5-0177	56.0	206.00
50'	2	8'	96" 16ga	5-0178	78.0	422.00	5-0179	78.0	422.00
60'	2	10'	120" 16ga	5-0180	113.0	671.00	5-0181	113.0	671.00

WIND BRACE



Size	Part #	5'		6' - 7'		
		Weight	List	Part #	Weight	List
4"	5-0182	8.3	90.00	5-0183	9.8	98.00
5"	5-0184	8.9	90.00	5-0185	9.8	98.00

HY-FLOW COUPLINGS

HY-FLOW COUPLING SET (SHUG GRIP TYPE)



- Complete sets include everything shown above
- Can be pulled with water inside hose.



Double Bolt:

Conn Dia	Barb Dia	Collar Style	Part #	Weight	List
6"	4"	Drill & Tap	9-8363	20.6	590.00
6"	4-1/2"	Drill & Tap	9-8365	21.5	639.00
6"	5"	Drill & Tap	9-8367	21.0	865.00
6"	5-1/2"	Drill & Tap	9-8369	22.0	900.00
6"	6"	Drill & Tap	9-8371	24.0	800.00
6"	7"	Drill & Tap	9-8373	27.0	975.00
6"	7-1/4"	Drill & Tap	9-8375	-	1,110.00
8"	7"	Drill & Tap	9-8377	28.0	1,120.00
8"	7-1/4"	Drill & Tap	9-8379	28.0	1,170.00
8"	8"	Drill & Tap	9-8381	29.0	1,150.00
6"	4-1/2"	Nut & Bolt	9-8364	-	639.00
6"	5"	Nut & Bolt	9-8366	-	865.00
6"	5-1/2"	Nut & Bolt	9-8368	-	900.00
6"	6"	Nut & Bolt	9-8370	-	800.00
6"	7"	Nut & Bolt	9-8372	-	975.00
6"	7-1/4"	Nut & Bolt	9-8374	-	1,110.00
8"	7"	Nut & Bolt	9-8376	-	1,120.00
8"	7-1/4"	Nut & Bolt	9-8378	-	1,170.00
8"	8"	Nut & Bolt	9-8380	-	1,150.00
10"	10"	Nut & Bolt	9-8382	-	1,404.00
12"	12"	Nut & Bolt	9-8383	68.0	2,289.00

Single Bolt:

Conn Dia	Barb Dia	Collar Style	Part #	Weight	List
6"	4"	Drill & Tap	9-8384	-	777.00
6"	4-1/2"	Drill & Tap	9-8386	-	777.00
6"	5"	Drill & Tap	9-8388	-	700.00
6"	5-1/2"	Drill & Tap	9-8390	-	710.00
6"	6"	Drill & Tap	9-8392	-	720.00
6"	4-1/2"	Nut & Bolt	9-8385	-	777.00
6"	5"	Nut & Bolt	9-8387	-	700.00
6"	5-1/2"	Nut & Bolt	9-8389	-	710.00
6"	6"	Nut & Bolt	9-8391	-	720.00

Towline/Wheelmove

HY-FLOW HOSE MENDER SET (SHUG GRIP TYPE)



Double Bolt:

Barb Dia	Collar Style	Part #	Weight	List
4"	Drill & Tap	9-8393	9.0	385.00
4-1/2"	Drill & Tap	9-8395	10.0	389.00
5"	Drill & Tap	9-8397	11.0	395.00
5-1/2"	Drill & Tap	9-8399	12.0	410.00
6"	Drill & Tap	9-8401	14.0	435.00
7"	Drill & Tap	9-8403	16.0	679.00
7-1/4"	Drill & Tap	9-8405	16.0	730.00
8"	Drill & Tap	9-8407	18.0	740.00
4-1/2"	Nut & Bolt	9-8394	-	389.00
5"	Nut & Bolt	9-8396	11.0	395.00
5-1/2"	Nut & Bolt	9-8398	-	410.00
6"	Nut & Bolt	9-8400	-	435.00
7"	Nut & Bolt	9-8402	-	679.00
7-1/4"	Nut & Bolt	9-8404	-	730.00
8"	Nut & Bolt	9-8406	18.0	740.00
10"	Nut & Bolt	9-8408	25.0	1,000.00
12"	Nut & Bolt	9-8409	34.0	1,250.00



Single Bolt:

Barb Dia	Collar Style	Part #	Weight	List
4"	Drill & Tap	9-8410	-	310.00
4-1/2"	Drill & Tap	9-8412	-	310.00
5"	Drill & Tap	9-8414	-	355.00
5-1/2"	Drill & Tap	9-8416	-	360.00
6"	Drill & Tap	9-8418	14.0	415.00
4-1/2"	Nut & Bolt	9-8411	-	310.00
5"	Nut & Bolt	9-8413	-	355.00
5-1/2"	Nut & Bolt	9-8415	-	360.00
6"	Nut & Bolt	9-8417	-	415.00

HY-FLOW MENDERS & ADAPTERS

HY-FLOW DECREASING MENDER (SHUG GRIP TYPE)



Double Bolt:

Barb Dia	Collar Style	Part #	Weight	List
4-1/2" x 4"	Drill & Tap	9-8419	-	246.00
5" x 4"	Drill & Tap	9-8420	-	246.00
5" x 4-1/2"	Drill & Tap	9-8422	-	399.00
5-1/2" x 5"	Drill & Tap	9-8424	-	439.00
6" x 5"	Drill & Tap	9-8426	-	459.00
6" x 5-1/2"	Drill & Tap	9-8428	-	469.00
7" x 6"	Drill & Tap	9-8430	-	729.00
7-1/4" x 6"	Drill & Tap	9-8432	-	815.00
7-1/4" x 7"	Drill & Tap	9-8434	-	839.00
8" x 7"	Drill & Tap	9-8436	-	859.00
8" x 7-1/4"	Drill & Tap	9-8438	-	915.00
5" x 4-1/2"	Nut & Bolt	9-8421	-	399.00
5-1/2" x 5"	Nut & Bolt	9-8423	-	439.00
6" x 5"	Nut & Bolt	9-8425	-	459.00
6" x 5-1/2"	Nut & Bolt	9-8427	-	469.00
7" x 6"	Nut & Bolt	9-8429	-	729.00
7-1/4" x 6"	Nut & Bolt	9-8431	-	815.00
7-1/4" x 7"	Nut & Bolt	9-8433	-	839.00
8" x 7"	Nut & Bolt	9-8435	-	859.00
8" x 7-1/4"	Nut & Bolt	9-8437	-	915.00

Single Bolt:

Barb Dia	Collar Style	Part #	Weight	List
5" x 4"	Drill & Tap	9-8439	-	198.00
6" x 5"	Drill & Tap	9-8440	-	286.00

HY-FLOW ADAPTER-FEMALE X FEMALE (ALUMINUM)



Size	Part #	Weight	List
6" x 5"	9-8452	-	158.00
8" x 6"	9-8453	8.0	460.00
10" x 8"	9-8454	11.0	650.00
12" x 10"	9-8455	14.0	730.00

HY-FLOW ADAPTER-MALE X MALE (ALUMINUM)



Size	Part #	Weight	List
6" x 5"	9-8456	-	158.00
8" x 6"	9-8457	6.0	430.00
10" x 8"	9-8458	11.0	590.00
12" x 10"	9-8459	14.0	830.00

Towline/Wheelmove

HY-FLOW REDUCER (ALUMINUM)



Size	Part #	Weight	List
8" x 6"	9-8463	8.0	440.00
10" x 8"	9-8464	11.0	640.00
12" x 10"	9-8465	14.0	830.00

HY-FLOW INCREASER (ALUMINUM)



Size	Part #	Weight	List
8" x 6"	9-8460	6.0	460.00
10" x 8"	9-8461	11.0	810.00
12" x 10"	9-8462	14.0	720.00

HY-FLOW COUPLER (STEEL)



Also available in Aluminum

Size	Part #	Weight	List
5"	9-8441	-	95.00
6" (5.5")	9-7921	8.0	260.00
8"	9-7923	8.5	270.00
10"	9-8354	12.4	345.00
12"	9-8355	26.0	750.00

HY-FLOW MALE END (STEEL)



Also available in Aluminum

Size	Part #	Weight	List
5"	9-8442	-	104.00
6" (5.5")	9-7924	6.8	185.00
8"	9-7926	9.0	260.00
10"	9-8356	13.0	310.00
12"	9-8357	16.8	850.00

HY-FLOW RING (STEEL)



Size	Part #	Weight	List
6"	9-7927	1.4	45.00
8"	9-7928	1.6	49.00
10"	9-8358	2.5	100.00
12"	9-8359	6.0	240.00

HY-FLOW BARB & COLLARS

HY-FLOW HOSE BARB (STEEL)



- Use with Double Bolt Segmented Collar
- Collar NOT included, see below.
- Also available in Aluminum

Size	Part #	Weight	List
4"	9-8443	-	73.00
4-1/2"	9-8444	-	75.00
5"	9-8445	-	95.00
5-1/2"	9-8446	-	125.00
6"	9-8447	-	99.00
7"	9-8448	-	115.00
8"	9-8449	-	205.00
10"	9-8450	-	275.00
12"	9-8451	-	375.00

HY-FLOW SEGMENTED COLLAR



Double Bolt:

Barb Dia	Collar Style	Part #	Weight	List
4"	Drill & Tap	9-8475	3.0	167.00
4-1/2"	Drill & Tap	9-8477	4.0	169.00
5"	Drill & Tap	9-8479	4.0	169.00
5-1/2"	Drill & Tap	9-8481	4.0	188.00
6"	Drill & Tap	9-8483	4.0	191.00
7"	Drill & Tap	9-8485	5.0	236.00
7-1/4"	Drill & Tap	9-8487	6.0	277.00
8"	Drill & Tap	9-8489	6.0	274.00
4-1/2"	Nut & Bolt	9-8476	4.0	170.00
5"	Nut & Bolt	9-8478	4.0	170.00
5-1/2"	Nut & Bolt	9-8480	4.0	170.00
6"	Nut & Bolt	9-8482	4.0	191.00
7"	Nut & Bolt	9-8484	5.0	238.00
7-1/4"	Nut & Bolt	9-8486	6.0	279.00
8"	Nut & Bolt	9-8488	6.0	276.00
10"	Nut & Bolt	9-8490	9.0	514.00
12"	Nut & Bolt	9-8491	10.0	540.00

Single Bolt:

Barb Dia	Collar Style	Part #	Weight	List
4"	Drill & Tap	9-8466	-	140.00
4-1/2"	Drill & Tap	9-8468	-	160.00
5"	Drill & Tap	9-8470	-	160.00
5-1/2"	Drill & Tap	9-8472	-	160.00
6"	Drill & Tap	9-8474	-	190.00
4-1/2"	Nut & Bolt	9-8467	-	160.00
5"	Nut & Bolt	9-8469	-	160.00
5-1/2"	Nut & Bolt	9-8471	-	160.00
6"	Nut & Bolt	9-8473	-	190.00



HY-FLOW SLEEVE



Size	Part #	Weight	List
5"	9-8496	-	22.00
6" (5.5")	9-8497	2.0	69.00
8"	9-8498	2.0	86.00
10"	9-8499	3.0	125.00
12"	9-8500	7.0	279.00

HY-FLOW GASKET



Size	Part #	Weight	List
5"	9-8501	0.1	17.00
6" (5.5")	9-8502	0.1	21.00
8"	9-8503	0.1	22.00
10"	9-8504	0.1	45.00
12"	9-8505	0.1	49.00

HY-FLOW CLAMP



Size	Part #	Weight	List
5"	9-8506	2.0	69.00
6"	9-8507	2.0	85.00
8"	9-8508	3.0	83.00
10"	9-8509	4.0	103.00
12"	9-8510	6.0	176.00

HY-FLOW NUTS AND BOLTS



Sold in Bags of 10

Collars:

Collar Dia.	Size	Part #	Weight	List
4"-8" Tapped	3/8-16 x 1.50"	9-8492	-	20.00
4-1/2" Nut/Bolt	3/8-16 x 2.25"	9-8493	-	35.00
5"-8" Nut/Bolt	3/8-16 x 2.50"	9-8494	0.1	29.00
10"-12" Nut/Bolt	1/2-13 x 3.00"	9-8495	0.1	55.00

Clamps:

Clamp Dia.	Size	Part #	Weight	List
5"-12"	5/16-18 x 1.25"	9-8511	-	15.00

HY-FLOW CLEVIS



Sold in Bags of 10

Size	Part #	Weight	List
5/16"	9-8512	0.1	33.00

HOSE ADAPTERS

HOSE BARB - WELD-ON (BLACK & STAINLESS STEEL)



Size	No. of Ribs	Black Steel			Stainless Steel		
		Part #	Weight	List	Part #	Weight	List
2"	2	3-0601	0.4	19.00	9-8166	0.4	66.00
2-1/2"	2	9-5014	0.6	21.00			
3"	2	3-0602	0.8	24.00	9-8167	0.8	88.00
4"	3	3-0603	1.8	21.00	9-8168	1.8	115.00
4-1/2"	2	3-0604	1.9	27.00			
5"	2	3-0605	2.0	25.00	9-8169	2.0	120.00
6"	3	3-0606	3.3	36.00	9-8170	3.3	155.00
8"	3	3-0607	5.4	45.00	9-8171	5.4	1,110.00
10"	3	3-0608	10.0	89.00	9-8172	10.0	1,115.00
12"	2	3-0609	12.1	105.00	9-8173	12.1	1,125.00
14"					9-8174	15.0	1,320.00
16"	3	9-7553	18.8	215.00			

HOSE BARB - WELD-ON (ALUMINUM)



Size	Thickness	Aluminum			Cast Aluminum			Sharp Barb		
		Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
3"	.050	3-0641	0.5	48.00				3-0636	1.5	140.00
4"	.072	3-0652	1.1	38.00	9-8341	1.5	60.00	3-0637	1.7	145.00
4-1/2"								3-0638	1.9	150.00
5"	.078	3-0642	1.4	57.00				3-0639	2.2	160.00
6"	.058	3-0643	1.3	56.00	9-7794	2.6	80.00	9-7803	-	157.00
8"	.064	3-0644	1.9	65.00	9-7795	4.1	110.00	9-8195	-	440.00
10"					9-7796	6.0	140.00			

HOSE ADAPTER - RINGLOCK (GALVANIZED STEEL)



Size	Female RL			Male RL		
	Part #	Weight	List	Part #	Weight	List
3"	6-8050	3.4	43.00	6-8053	3.0	40.00
4"	6-8051	4.5	56.00	6-8054	4.0	55.00
5"	6-8052	5.6	71.00	6-8055	5.0	71.00
6"	3-0681	6.1	80.00	3-0680	6.1	80.00
8"	3-0683	9.9	115.00	3-0682	9.9	115.00
10"	3-0679	13.3	180.00	3-0678	11.0	180.00
12"	3-0664	15.5	235.00	3-0663	14.0	235.00

Also Available in Cast Aluminum, call for prices.

HOSE ADAPTERS


HOSE ADAPTER - INCREASERS (GALVANIZED STEEL)



Size Barb x RL	Female RL			Male RL		
	Part #	Weight	List	Part #	Weight	List
4" x 6"	9-8117	5.8	125.00	9-8120	5.8	125.00
4-1/2" x 6"	9-8118	5.9	155.00	9-8121	5.9	155.00
6" x 8"	9-8119	10.3	165.00	9-8122	10.3	165.00

Also Available in Cast Aluminum, call for prices.

HOSE ADAPTER - B&H (GALVANIZED STEEL)



Size	Female B&H			Male B&H		
	Part #	Weight	List	Part #	Weight	List
2"	6-8056	2.6	45.00	6-8060	1.9	51.00
3"	6-8057	4.5	52.00	6-8061	3.3	59.00
4"	6-8058	6.0	59.00	6-8062	4.3	66.00
5"	6-8059	7.5	86.00	6-8063	5.4	102.00
6"	9-5321	9.0	100.00	9-5322	6.5	125.00

HOSE ADAPTER - FLANGED (GALVANIZED STEEL)



Size	Part #	Weight	List
4"	9-8301	8.7	60.00
6"	9-8302	12.3	90.00
8"	9-8303	18.0	125.00
10"	9-8304	26.3	170.00
12"	9-8305	34.6	298.00

Also Available in Cast Aluminum, call for prices.

HOSE ADAPTERS

HOSE MENDER



Galvanized Steel				Plated Steel			Aluminum		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
1/2"				9-6835	0.1	5.00			
3/4"				9-6836	0.2	6.00			
1"				9-6837	0.3	7.00			
1-1/4"				9-6838	0.5	7.00			
1-1/2"				9-6839	0.5	7.00			
2"	6-8064	2.2	42.00	9-6840	0.8	8.00			
2-1/2"				9-6841	1.7	10.00			
3"	6-8065	3.8	47.00	9-6842	2.4	15.00	3-0645	0.5	70.00
4"	6-8066	5.0	51.00	9-6843	2.9	20.00	3-0653	1.1	59.00
5"	6-8067	6.3	75.00	9-6844	6.9	70.00	3-0646	1.4	79.00
6"	6-8068	7.5	81.00	9-6845	13.2	80.00	3-0647	1.3	80.00
8"	6-8069	14.0	125.00	9-6846	20.9	180.00	3-0648	1.9	85.00
10"	9-7892	16.0	190.00	9-6847	21.8	250.00			
12"	9-7893	20.0	350.00	9-6848	33.2	350.00			

Towline/Wheelmove

KING NIPPLE (PLATED STEEL)



Size	Part #	Weight	List
1/2"	6-7000	0.2	4.20
3/4"	6-7001	0.3	3.50
1"	6-7002	0.6	4.20
1-1/4"	6-7003	0.7	5.30
1-1/2"	6-7004	1.1	6.40
2"	6-7005	1.7	8.00
2-1/2"	6-7006	2.1	24.00
3"	6-7007	3.1	19.00
4"	6-7008	3.1	23.00
5"	6-7009	4.1	67.00
6"	6-7010	12.2	89.00
8"	6-7011	16.4	159.00
10"	6-7012	21.8	290.00
12"	6-7013	33.2	440.00

DISCHARGE HOSE

DISCHARGE HOSE (RUBBER-HIGH PRESSURE)


Features:

1. Ideal for Wheeline systems
2. Rubber covering
3. Sized for use with irrigation fittings
4. Lightweight and flexible
5. Abrasion, UV, and kink resistant
6. Heavy duty discharge for use as a mainline for water and liquid manure, or agricultural and industrial sludge

Size	Max PSI	Flat Measurement	Part #	Wt/ft	List/ft
1-1/2"	150	2-1/2"	3-0590	0.4	6.20
2"	150	3-3/16"	3-0591	0.5	6.80
2-1/2"	150	4"	3-0592	0.6	9.10
3"	300	4-7/8"	3-0593	0.6	12.00
4"	300	6-1/4"	3-0651	0.8	15.00
4-1/2"	174	7-1/8"	3-0584	1.1	18.00
5"	300	7-7/8"	3-0597	1.0	18.00
6"	300	10"	3-0670	1.6	22.00
8"	200	13"	3-0671	2.6	24.00
10"	200	16"	3-0585	5.1	40.00
12"	150	19"	3-0586	5.9	85.00
16"	55		9-6850	3.5	145.00

We build custom hose assemblies

DISCHARGE HOSE (ORANGE PVC-MEDIUM PRESSURE)



Size	Max PSI	Part #	Wt/ft	List/ft
1-1/2"	150	3-0570	0.2	2.50
2"	150	3-0571	0.3	3.00
2-1/2"	150	3-0572	0.4	4.00
3"	150	3-0573	0.5	5.70
4"	125	3-0574	0.8	7.20
6"	115	3-0575	1.2	14.00
8"	70	3-0576	1.6	26.00
10"	65	9-8134	2.0	49.00

We build custom hose assemblies

DISCHARGE HOSE (BLUE PVC-LOW PRESSURE)


Features:

1. Ideal for drip irrigation
2. No pig tailing
3. No snaking
4. Twisted yarn assures stability throughout the length of hose
5. Allows many times of use with the convenience of easy coiling for storage

Size	Max PSI	Part #	Wt/ft	List/ft
1-1/2"	70	3-0598	0.2	1.20
2"	65	3-0594	0.2	1.40
2-1/2"	60	3-0599	0.3	2.10
3"	60	3-0595	0.4	2.40
4"	60	3-0596	0.5	3.20
5"	40	9-6817	0.7	11.50
6"	45	3-0580	0.9	5.70
8"	45	3-0581	1.3	10.60
10"	35	3-0582	1.8	33.00
12"	30	3-0583	2.0	46.00
14"	30	6-9930	2.6	71.00
16"	30	6-9931	3.1	86.00

We build custom hose assemblies

SUCTION HOSE

PVC SUCTION HOSE (CORRUGATED-RIGHT SPIRAL)



• Left Hand Spiral also available. Please Call

Size ID	OD	Part #	Wt/ft	List/ft
1-1/2"	1.87"	6-0807	0.4	4.00
2"	2.41"	6-0808	0.6	5.00
2-1/2"	2.87"	3-0900	0.8	8.00
3"	3.54"	6-0809	1.0	13.00
4"	4.65"	3-0672	1.7	19.00
5"	5.73"	3-0675	2.3	36.00
6"	6.98"	3-0673	4.1	38.00
8"	9.14"	3-0674	6.3	65.00
10"	11.30"	3-0901	9.1	88.00
12"	13.31"	3-0902	10.1	128.00

We build custom hose assemblies

PVC SUCTION HOSE (SMOOTH)



Size ID	OD	Part #	Wt/ft	List/ft
1-1/2"	1.82"	6-0010	0.5	4.00
2"	2.34"	6-0011	0.7	5.00
2-1/2"	2.88"	6-9929	0.9	8.00
3"	3.40"	6-0012	1.2	9.00
4"	4.44"	6-0013	1.9	15.00
5"	5.65"	6-0014	3.1	17.00
6"	6.56"	6-0015	4.6	38.00
8"	8.95"	6-0016	7.1	67.00
10"	11.34"	3-0903	12.4	135.00
12"	13.39"	3-0904	15.7	165.00

We build custom hose assemblies

SUCTION HOSE (BLACK RUBBER)



Size ID	OD	DB Clamp #	Max PSI	Part #	Wt/ft	List/ft
1-1/2"	1.89"	-	150	6-0800	0.7	6.00
2"	2.40"	-	150	6-0801	1.0	12.00
2-1/2"	3.00"	-	100	9-7723	1.8	14.00
3"	3.46"	400	150	6-0802	1.6	11.00
4"	4.49"	525	150	6-0803	2.2	25.00
5"	5.55"	639	150	6-0804	3.2	30.00
6"	6.54"	769	75	6-0805	3.6	29.00
8"	8.70"	875	75	6-0806	6.6	48.00
10"	10.71"	1125	45	3-0905	9.1	85.00
12"	12.80"	1360	90	3-0906	12.5	150.00

We build custom hose assemblies

Towline/Wheelmove

HOSE CLAMPS

T-BOLT HOSE CLAMP (ZINC PLATED)



Zinc Plated Band, Bolt & Nut

W1
MIKALOR

Features:

- 1" Wide Band
- Double Galvanization
- Allen screws allow for tightening in the points where there are space problems
- Thorough spot welding with high resistance to corrosion
- Use in agriculture, industry, construction, and wastewater
- Can be used many times over
- High resistance to corrosion

MM	Inches	Type	Box Qty	Part #	Weight	List
26-28	1.02-1.10	0.75" Suction	50	3-0703	0.2	2.00
29-31	1.14-1.22	1.0" Discharge	50	3-0704	0.2	2.50
32-35	1.26-1.38	1.0" Suction	50	3-0705	0.2	2.50
36-39	1.42-1.54		50	3-0706	0.2	2.70
40-43	1.57-1.69	1.5" Discharge	50	3-0708	0.2	4.20
44-47	1.73-1.85		50	9-5433	0.2	5.00
48-51	1.89-2.01	1.5" Suction	50	3-0709	0.2	4.50
52-55	2.05-2.17	2.0" Discharge	25	3-0710	0.2	4.60
56-59	2.20-2.32		25	9-5434	0.2	5.50
60-63	2.36-2.48	2.0" Suction	25	3-0712	0.2	6.20
64-67	2.52-2.64		25	3-0713	0.2	6.20
68-73	2.68-2.87	2.5" Discharge	25	3-0714	0.4	6.40
74-79	2.91-3.11	2.5" Suction	25	3-0715	0.4	6.40
80-85	3.15-3.35	3.0" Discharge	25	3-0716	0.4	6.50
86-91	3.39-3.58	3.0" Suction	25	3-0717	0.4	6.50
92-97	3.62-3.82		25	9-5435	0.4	6.50
98-103	3.86-4.06		25	3-0719	0.4	6.60
104-112	4.09-4.41	4.0" Discharge	25	3-0660	0.5	7.00
113-121	4.45-4.76	4.5" Suction	25	3-0720	0.5	7.00
122-130	4.80-5.12		25	3-0721	0.5	9.50
131-139	5.16-5.47	5.0" Discharge	10	3-0722	0.7	9.50
140-148	5.51-5.83	5.0" Suction	10	3-0723	0.7	10.00
149-161	5.87-6.34	6.0" Discharge	10	3-0661	0.7	10.00
162-174	6.38-6.85	6.0" Suction	10	3-0724	0.8	11.00
175-187	6.89-7.36	(For 6" Suction Boot)	10	3-0725	0.9	11.00
188-200	7.40-7.87		10	3-0726	0.9	11.50
201-213	7.91-8.39	8.0" Discharge	10	3-0662	0.9	12.00
214-226	8.43-8.90	8.0" Suction	10	3-0727	1.0	13.50
227-239	8.94-9.41	(For 8" Suction Boot)	10	3-0728	1.0	13.50
240-252	9.45-9.92		10	3-0729	1.0	15.00

T-BOLT HOSE CLAMP (STAINLESS STEEL BAND W/ZINC PLATED HARDWARE)



**Stainless Steel Band,
Zinc Plated Bolt & Nut
(Hybrid)**

W2
MIKALOR

1" Wide Band

MM	Inches	Type	Box Qty	Part #	Weight	List
47-51	1.85-2.01	1.5" Suction	50	9-6891	0.1	15.00
51-55	2.01-2.17	2.0" Discharge	25	9-6892	0.1	15.00
55-59	2.17-2.32		25	9-6893	0.1	16.00
59-63	2.32-2.48	2.0" Suction	25	9-6894	0.1	17.00
63-68	2.48-2.68		25	9-6895	0.1	16.00
68-73	2.68-2.88	2.5" Discharge	25	9-6896	0.2	22.00
73-79	2.88-3.11	2.5" Suction	25	9-6897	0.2	22.00
79-85	3.11-3.35	3.0" Discharge	25	9-6898	0.2	21.00
85-91	3.35-3.59	3.0" Suction	25	9-6899	0.2	21.00
91-97	3.59-3.82		25	9-6900	0.2	21.00
97-104	3.82-4.10		25	9-6901	0.2	21.00
104-112	4.10-4.41	4.0" Discharge	25	9-6902	0.2	22.00
112-121	4.41-4.77	4.0" Suction	25	9-6903	0.2	22.00
121-130	4.77-5.12		25	9-6904	0.2	25.00
130-140	5.12-5.52	5.0" Discharge	10	9-6905	0.3	29.00
140-150	5.52-5.91	5.0" Suction	10	9-6906	0.3	29.00
150-162	5.91-6.38	6.0" Discharge	10	9-6907	0.3	30.00
162-174	6.38-6.86	6.0" Suction	10	9-6908	0.3	33.00
174-187	6.86-7.37	(For 6" Suction Boot)	10	9-6909	0.3	31.00
187-200	7.37-7.88		10	9-6910	0.4	31.00
201-213	7.88-8.39	8.0" Discharge	10	9-6911	0.4	33.00
213-226	8.39-8.90	8.0" Suction	10	9-6912	0.4	33.00
226-239	8.90-9.42	(For 8" Suction Boot)	10	9-6913	0.4	33.00
239-252	9.42-9.93		10	9-6914		33.00
252-265	9.93-10.44	10" Discharge	10	9-7539		29.00
265-278	10.44-10.95		10	9-8189		60.00
278-291	10.95-11.45	(For 10" Suction Boot)	10	9-8190		71.00
291-304	11.45-11.98		10	9-8191		75.00
304-317	11.98-12.49	12" Discharge**	10	9-7540		65.00
317-330	12.49-13.00		10	9-8192		85.00
330-343	13.00-13.51		10	9-8193		90.00
358-370	14.10-14.58	14" Discharge***	10	9-7541		30.00
408-420	16.08-16.55	16" Discharge***	10	9-7542		45.00

*The 14" & 16" are Double Bolt clamps.

HOSE CLAMPS

T-BOLT HOSE CLAMP (ALL STAINLESS STEEL)



All Stainless Steel
Band, Bolt & Nut

W4

MIKALOR

Ideal for use on waste water and liquid handling hose fittings:

- All stainless steel.
- 1" wide x .025 thick
- 300 Series Stainless Steel band with Stainless steel bolt.
- A strong, positive method of assembling hose, duct connections, tubing, and component parts. They are used for high torque applications where ordinary hose clamps fail. They provide a 360 degree sealing surface by using a shoe or formed bridge. Nuts are self-locking, vibration resistant with nylon inserts.

MM	Inches	Type	Box Qty	Part #	Weight	List
29-31	1.14-1.22	1.0" Discharge	50	6-9518	0.1	9.50
31-34	1.22-1.34	1.0" Suction	50	6-9519	0.1	9.50
34-37	1.34-1.46		50	9-8194	-	10.00
37-40	1.46-1.58		50	6-9520	0.1	10.00
40-43	1.58-1.69	1.5" Discharge	50	6-9521	0.1	10.00
43-47	1.69-1.85		50	6-9522	0.1	8.00
47-51	1.85-2.01	1.5" Suction	50	6-9523	0.1	13.00
51-55	2.01-2.17	2.0" Discharge	25	6-9524	0.1	13.00
55-59	2.17-2.32		25	6-9525	0.1	13.00
59-63	2.32-2.48	2.0" Suction	25	6-9526	0.1	13.00
63-68	2.48-2.68		25	6-9527	0.1	13.00
68-73	2.68-2.88	2.5" Discharge	25	6-9528	0.2	18.00
73-79	2.88-3.11	2.5" Suction	25	6-9529	0.2	18.00
79-85	3.11-3.35	3.0" Discharge	25	6-9530	0.2	19.00
85-91	3.35-3.59	3.0" Suction	25	6-9531	0.2	19.00
91-97	3.59-3.82		25	6-9532	0.2	19.00
97-104	3.82-4.10		25	6-9533	0.2	20.00
104-112	4.10-4.41	4.0" Discharge	25	6-9534	0.2	20.00
112-121	4.41-4.77	4.0" Suction	25	6-9535	0.2	20.00
121-130	4.77-5.12		25	6-9536	0.2	21.00
130-140	5.12-5.52	5.0" Discharge	10	6-9537	0.3	29.00
140-150	5.52-5.91	5.0" Suction	10	6-9538	0.3	29.00
150-162	5.91-6.38	6.0" Discharge	10	6-9539	0.3	30.00
162-174	6.38-6.86	6.0" Suction	10	6-9540	0.3	30.00
174-187	6.86-7.37	(For 6" Suction Boot)	10	6-9541	0.3	32.00
187-200	7.37-7.88		10	6-9542	0.4	32.00
200-213	7.88-8.39	8.0" Discharge	10	6-9543	0.4	32.00
213-226	8.39-8.90	8.0" Suction	10	6-9544	0.4	32.00
226-239	8.90-9.42	(For 8" Suction Boot)	10	6-9545	0.4	32.00
239-252	9.42-9.93		10	6-9546	0.4	32.00

Towline/Wheelmove

DOUBLE BOLT CLAMP



Size	Type	Range	Part #	Weight	List
3"	# 400	3.50" - 3.81"	9-5801	1.5	17.00
4"	# 463	4.06" - 4.44"	3-0730	1.8	18.00
4-1/2"	# 525	4.25" - 4.94"	9-5802	2.3	21.00
5"	# 550	5.00" - 5.50"	9-5864	2.1	20.00
5-1/2"	# 600	5.50" - 6.06"	9-5865	3.0	27.00
6"	# 675	6.13" - 6.88"	3-0731	2.7	27.00
6-1/2"	# 769	6.50" - 7.56"	9-5803	3.8	30.00
7-7/8"	# 818	7.69" - 8.19"	9-5866	5.1	46.00
8"	# 875	8.25" - 8.88"	3-0732	5.6	48.00
9"	# 988	8.94" - 9.88"	9-5804	6.2	56.00
10"	# 1125	9.94" - 11.38"	3-0733	9.6	85.00
12"	# 1275	11.19" - 13.00"	3-0734	9.5	95.00
13"	# 1360	12.19" - 14.00"	9-5805	15.4	130.00
14-1/2"	# 1450	13.19" - 15.00"	9-5867	16.7	180.00
17"	# 1700	15.06" - 17.50"	9-5868	20.9	200.00

DOUBLE BOLT SPIRAL CLAMP



Size	Right Hand Spiral (cw)			Left Hand Spiral (ccw)		
	Part #	Weight	List	Part #	Weight	List
1.5"	9-5001	0.2	7.00	9-7667	-	7.00
2"	6-9745	0.4	13.00	9-7668	-	13.00
2.5"	9-5003	0.5	14.00	9-7669	-	14.00
3"	6-9746	0.7	13.00	9-7670	-	13.00
4"	3-0800	1.0	17.50	9-7671	-	17.50
5"	3-0801	1.8	22.50	9-7672	-	22.50
6"	3-0802	2.0	25.00	9-7673	-	25.00
8"	3-0803	2.8	35.00	9-7674	-	35.00
10"	9-5000	3.5	35.00	9-7675	-	35.00
12"	9-5002	4.1	40.00	9-7676	-	40.00

HOSE ACCESSORIES

TOW HOSE



- Maximum: #125 psi
- Connects tow line to mainline.
- Both ends Male with hook & band.
- Other configurations and lengths available.


Size	Part #	Weight	List
4" x 12'	3-0655	14.4	410.00
4" x 17'	3-0650	18.6	475.00

BAND-IT TOOL



Size	Part #	Weight	List
----	6-9093	4.5	172.00

PREFORMED JUNIOR ADAPTER



Size	Part #	Weight	List
----	6-9094	-	295.00

*For use with above tool on preformed clamps

BANDING (STAINLESS STEEL)



- Other sizes are available, please Call
- Standard-Duty Type 201 Stainless.

Size	Part #	Weight	List
5/8" x 100'	6-9095	6.7	230.00
3/4" x 100'	9-7752	-	279.00

BAND-IT BUCKLE



- For use with above Stainless Steel boxed banding.
- 100 Buckles/Box
- Standard-Duty Buckle

Size	Part #	Weight	List
5/8"	6-9096	2.6	135.00
3/4"	9-7753	-	160.00

PREFORMED CLAMP



- For use with above tool and Jr. adapter
- Stainless Steel
- 25 per Box is available.

Type	Size	Part #	Weight	List
J215	3/4" wide x 5" ID	6-9097	0.3	13.00
J216	3/4" wide x 6" ID	6-9098	0.3	15.00

GLUE - PLIOBOND #20 (FOR HOSE FITTINGS)



Size	Part #	Weight	List
1 Quart	9-6778	2.1	89.00

CLAMPS & TOOL

OETIKER® CLAMP (SINGLE EAR)



- Oetiker ear type clamps "Breathe" and adapt to the expansion and contraction of hose affected by thermodynamics or aging, no need to re-tighten
- Clamps are lightweight and compact, important when bulky screw-type clamps interfere with limited space applications
- Provides a tamper-proof seal without damage to the hose
- Made of zinc plated 1008/1010 carbon steel
- Features a mechanical lock at the joint instead of a spot weld, preventing failure due to corrosion
- Low pressure applications



Size	Range (Inches)	Part #	Weight	List
3/8"	.350-.414	9-6779	-	0.40
7/16"	.381-.444	9-6780	-	0.40
15/32"	.394-.486	9-6781	-	0.40
1/2"	.453-.524	9-6782	-	0.40
35/64"	.472-.551	9-6783	-	0.40
9/16"	.496-.571	9-6784	-	0.40
5/8"	.543-.618	9-6785	-	0.40
21/32"	.547-.650	9-6786	-	0.40
11/16"	.594-.669	9-6787	-	0.40
23/32"	.618-.728	9-6788	-	0.40
3/4"	.669-.779	9-6789	-	0.40
13/16"	.716-.827	9-6790	-	0.50
7/8"	.779-.890	9-6791	-	0.50
15/16"	.839-.949	9-6792	-	0.50
1"	.898-1.008	9-6793	-	0.50
1-1/16"	.945-1.067	9-6794	-	0.50
1-1/8"	1.004-1.126	9-6795	-	0.50
1-3/16"	1.063-1.185	9-6796	-	0.50
1-5/16"	1.181-1.303	9-6797	-	0.50
1-3/8"	1.240-1.362	9-6798	-	0.60
1-15/32"	1.358-1.480	9-6799	-	0.60
1-9/16"	1.437-1.559	9-6800	-	0.60
1-5/8"	1.492-1.614	9-6801	-	0.60
1-11/16"	1.551-1.673	9-6802	-	0.60
1-23/32"	1.610-1.732	9-6803	-	0.60
1-3/4"	1.669-1.791	9-6804	-	0.70
1-13/16"	1.728-1.850	9-6805	-	0.70
1-7/8"	1.787-1.909	9-6806	-	0.70
1-15/16"	1.846-1.968	9-6807	-	0.70
2"	1.905-2.028	9-6808	-	0.70

Size	Part #	Weight	List
Pinch Clamp Tool	9-6809	-	45.00

WORM-DRIVE CLAMP (STAINLESS STEEL BAND W/ZINC PLATED HARDWARE)



- 1/2" Wide Stainless Steel Band with Zinc plated Screw.
- Cold-formed stamped band thread, smoothed on the underside, combined with beveled band-edges protects hose from damage.
- The AISI-430 Stainless steel finish of the band and housing make this a very attractive clip.
- The maximum application pressure can vary depending on the type of hose used and the geometry of the coupling.

Materials:

- 1) Screw:
 - Qst 36-3 Mild Steel (DIN 1.0213)
 - Silver-white Cr3 Zinc-Plated

2) Band & Housing:

- X6Cr17 Stainless Steel (DIN 1.4016) (AISI-430)

MM	Inches	Part #	Box Qty	List
16-27	0.63-1.06	9-7595	50	2.00
20-32	0.78-1.25	9-7596	50	2.00
25-40	0.99-1.38	9-7597	50	2.00
30-45	1.19-1.78	9-7598	50	2.00
32-50	1.25-1.97	9-7599	50	2.00
40-60	1.56-2.34	9-7600	50	2.50
50-70	1.97-2.75	9-7601	50	2.50
60-80	2.34-3.16	9-7602	50	2.50
70-90	2.75-3.53	9-7603	50	2.50
80-100	3.16-3.94	9-7604	50	2.50
90-110	3.54-4.33	9-7605	25	2.50
100-120	3.94-4.72	9-7606	25	2.50
110-130	4.33-5.12	9-7607	25	2.50
120-140	4.72-5.51	9-7608	25	2.50
130-150	5.12-5.91	9-7609	25	3.00
140-160	5.51-6.30	9-7610	25	3.00
150-170	5.91-6.69	9-7611	25	3.00
160-180	6.30-7.09	9-7612	25	3.00
170-190	6.69-7.48	9-7613	10	3.00
180-200	7.09-7.87	9-7614	10	9.00
190-210	7.48-8.27	9-7615	10	4.00
200-220	7.87-8.66	9-7616	10	4.00
210-230	8.27-9.06	9-7617	10	4.00
220-240	8.66-9.45	9-7618	10	4.00

Towline/Wheelmove

PIPE

SECTION THREE



 Tubing	49
 Sprinkler Pipe	50
 Vacuum & Drainage Pipe	51
 Mainline Pipe	52-53
 PVC Underground Pipe	54-55
 Gated Pipe	56-57
 NU-Flex Tubing	58
 Pipe Accessories	59
 Gates & Accessories	60-61

BLACK STEEL TUBING



12ga (.105" Wall)				10ga (.135" Wall)			7ga (.188" Wall)		
Dia. (O.D.)	Part #	Wt/ft	List/ft	Part #	Wt/ft	List/ft	Part #	Wt/ft	List/ft
2" (11ga)	4-0507	2.4	7.00						
2-1/2" (11ga)	4-0508	3.1	8.00						
3" (11ga)	4-0509	2.6	10.00						
4"	4-0510	4.5	18.00	9-5137	5.7	30.00	9-8573	7.4	35.00
5"	4-0511	5.6	25.00	9-5141	7.2	13.50			
6"	4-0512	6.8	34.00	9-5138	8.6	35.00	9-5151	11.6	25.00
6-5/8"	4-0513	7.9	33.00	9-5139	9.6	38.00	9-5152	12.9	27.00
8"	4-0514	9.0	43.00	9-5140	11.6	40.00	9-5153	15.6	40.00
8-5/8"	4-0515	12.2	43.00						
10"	4-0516	11.3	55.00	9-5136	14.5	45.00	9-5150	19.7	60.00
10-3/4"				9-5287	15.6	32.00			
12"	4-0517	13.6	62.00	9-5307	17.5	55.00	9-8123	23.7	119.00
12-3/4"				9-5288	18.6	41.00			

STAINLESS STEEL 304 TUBING



Dia. (O.D.)	Gauge	Wall	Part #	W/ft	List/ft
4"	12ga	.105	9-8284	4.6	46.00
6"	12ga	.105	9-8095	6.9	75.00
8"	12ga	.105	9-8096	9.3	235.00
10"	12ga	.105	9-8097	11.6	259.00
12"	12ga	.105	9-8143	14.0	275.00

ALUMINUM TUBING



Dia. (O.D.)	Wall	Part #	Weight	List
2"	.050	4-0540	0.36/ft	Call
3"	.050	4-0541	0.54/ft	Call
4"	.050	4-0520	0.73/ft	Call
4"	.072	4-0542	1.05/ft	Call
5"	.052	4-0543	0.94/ft	Call
5"	.078	4-0544	1.42/ft	Call
6"	.051	4-0521	1.10/ft	Call
6"	.058	4-0522	1.26/ft	Call
6"	.083	4-0545	1.81/ft	Call
7"	.064	4-0546	1.64/ft	Call
8"	.051	4-0523	1.50/ft	Call
8"	.064	4-0524	1.88/ft	Call
8"	.072	4-0547	2.11/ft	Call
8"	.090	4-0548	2.78/ft	Call
9"	.051	4-0621	1.75/ft	Call
9"	.064	4-0529	2.24/ft	Call
10"	.051	4-0525	1.90/ft	Call
10"	.064	4-0526	2.38/ft	Call
10"	.094	4-0549	3.44/ft	Call
12"	.064	4-0550	2.86/ft	Call
12"	.094	4-0551	4.19/ft	Call



ALUMINUM



Aluminum press-on coupler with 1" riser outlet. Gasket and band & hook included. Price excludes riser and sprinkler.

20' Length				30' Length			40' Length		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
2"	4-0530	.45/ft	Call	4-0531	.42/ft	Call	4-0532	.41/ft	Call
3"	4-0536	.65/ft	Call	4-0537	.61/ft	Call	4-0538	.60/ft	Call
4"	4-0533	.86/ft	Call	4-0534	.82/ft	Call	4-0535	.80/ft	Call

PVC W/SPIKE COUPLER



- Has 3/4" riser outlet.
- See page 90 for spike couplers

30' Length				40' Length		
Size	Part #	Weight	List	Part #	Weight	List
2"	4-3510	-	Call	4-3511	-	Call
2-1/2"	4-3512	-	Call	4-3513	-	Call

PIECES/TRUCKLOAD:

Type	6"	8"	10"	12"
Hook & Band	255	143	90	63
Ringlock	195	120	87	63

VACUUM & DRAINAGE PIPE


ALUMINUM VACUUM PIPE



Bauer Style						Ringlock					
Size	Length	Wall	Type	Part #	List	Size	Length	Wall	Type	Part #	List
4"	5'	0.072	Cast Alum Ball/Socket w/lever	9-5062	289.00	4"	5'	0.072	Cast Alum Ring Lock w/rc	9-5098	195.00
4"	10'	0.072	Cast Alum Ball/Socket w/lever	9-5063	355.00	4"	10'	0.072	Cast Alum Ring Lock w/rc	9-5099	255.00
4"	15'	0.072	Cast Alum Ball/Socket w/lever	9-5064	420.00	4"	15'	0.072	Cast Alum Ring Lock w/rc	9-5100	320.00
4"	20'	0.072	Cast Alum Ball/Socket w/lever	9-5065	485.00	4"	20'	0.072	Cast Alum Ring Lock w/rc	9-5101	385.00
4"	25'	0.072	Cast Alum Ball/Socket w/lever	9-5066	550.00	4"	25'	0.072	Cast Alum Ring Lock w/rc	9-5102	450.00
4"	30'	0.072	Cast Alum Ball/Socket w/lever	9-5067	615.00	4"	30'	0.072	Cast Alum Ring Lock w/rc	9-5103	515.00
6"	5'	0.083	Cast Alum Ball/Socket w/lever	9-5068	490.00	6"	5'	0.083	Cast Alum Ring Lock w/rc	9-5104	270.00
6"	10'	0.083	Cast Alum Ball/Socket w/lever	9-5069	590.00	6"	10'	0.083	Cast Alum Ring Lock w/rc	9-5105	380.00
6"	15'	0.083	Cast Alum Ball/Socket w/lever	9-5070	690.00	6"	15'	0.083	Cast Alum Ring Lock w/rc	9-5106	490.00
6"	20'	0.083	Cast Alum Ball/Socket w/lever	9-5071	790.00	6"	20'	0.083	Cast Alum Ring Lock w/rc	9-5107	600.00
6"	25'	0.083	Cast Alum Ball/Socket w/lever	9-5072	890.00	6"	25'	0.083	Cast Alum Ring Lock w/rc	9-5108	710.00
6"	30'	0.083	Cast Alum Ball/Socket w/lever	9-5073	1,000.00	6"	30'	0.083	Cast Alum Ring Lock w/rc	9-5109	820.00
8"	5'	0.094	Cast Alum Ball/Socket w/lever	9-5074	775.00	8"	5'	0.094	Cast Alum Ring Lock w/rc	9-5110	350.00
8"	10'	0.094	Cast Alum Ball/Socket w/lever	9-5075	920.00	8"	10'	0.094	Cast Alum Ring Lock w/rc	9-5111	515.00
8"	15'	0.094	Cast Alum Ball/Socket w/lever	9-5076	1,070.00	8"	15'	0.094	Cast Alum Ring Lock w/rc	9-5112	685.00
8"	20'	0.094	Cast Alum Ball/Socket w/lever	9-5077	1,220.00	8"	20'	0.094	Cast Alum Ring Lock w/rc	9-5113	850.00
8"	25'	0.094	Cast Alum Ball/Socket w/lever	9-5078	1,370.00	8"	25'	0.094	Cast Alum Ring Lock w/rc	9-5114	1,015.00
8"	30'	0.094	Cast Alum Ball/Socket w/lever	9-5079	1,525.00	8"	30'	0.094	Cast Alum Ring Lock w/rc	9-5115	1,185.00

- Tough, durable aluminum vacuum pipe is available in a number of types of connections.
- We also manufacture vacuum fittings such as elbow, tees, end plugs, etc.

PLASTIC DRAINAGE PIPE




- Available perforated or non-perforated.
- Please call for fittings.

Coorigated				Smooth Interior		
Size	Part #	Weight	List	Part #	Weight	List
3"	4-0700		Call			
4"	4-0701		Call			
5"	4-0702		Call			
6"	4-0703		Call			
8"	4-0704		Call			
10"	4-0705		Call			
12"	4-0706		Call	4-0710		Call
15"	4-0707		Call	4-0711		Call
18"	4-0708		Call	4-0712		Call
24"	4-0709		Call	4-0713		Call

* Quantity and Truckload Discounts available. Please Call



PLAIN



Size	Wall	Max PSI	Part #	Weight	List
4" x 20'	.050	---	4-0110	.8/ft	Call
4" x 30'	.050	---	4-0111	.8/ft	Call
4" x 40'	.050	---	4-0112	.8/ft	Call
6" x 10'	.051	---	4-0130	1.3/ft	Call
6" x 15'	.051	---	4-0131	1.2/ft	Call
6" x 20'	.051	---	4-0132	1.2/ft	Call
6" x 30'	.051	---	4-0133	1.2/ft	Call
6" x 40'	.051	---	4-0134	1.1/ft	Call
8" x 10'	.051	---	4-0160	1.7/ft	Call
8" x 15'	.051	---	4-0161	1.7/ft	Call
8" x 20'	.051	---	4-0162	1.6/ft	Call
8" x 30'	.051	---	4-0163	1.6/ft	Call
8" x 40'	.051	---	4-0164	1.9/ft	Call
10" x 10'	.051	---	4-0190	2.4/ft	Call
10" x 15'	.051	---	4-0191	2.2/ft	Call
10" x 20'	.051	---	4-0192	2.1/ft	Call
10" x 30'	.051	---	4-0193	2.0/ft	Call
10" x 40'	.051	---	4-0194	2.0/ft	Call

BAND & HOOK



Pieces/Truckload:

4" - 575
6" - 255
8" - 143
10" - 90

Size	Wall	Max PSI	Part #	Weight	List
4" x 20'	.050	---	4-0120	.8/ft	Call
4" x 30'	.050	---	4-0121	.8/ft	Call
4" x 40'	.050	---	4-0122	.8/ft	Call
6" x 10'	.051	100#	4-0140	1.5/ft	Call
6" x 15'	.051	100#	4-0141	1.4/ft	Call
6" x 20'	.051	100#	4-0142	1.3/ft	Call
6" x 30'	.051	100#	4-0143	1.2/ft	Call
6" x 40'	.051	100#	4-0144	1.2/ft	Call
8" x 10'	.051	70#	4-0170	2.1/ft	Call
8" x 15'	.051	70#	4-0171	1.9/ft	Call
8" x 20'	.051	70#	4-0172	1.8/ft	Call
8" x 30'	.051	70#	4-0173	1.7/ft	Call
8" x 40'	.051	70#	4-0174	1.7/ft	Call
10" x 10'	.051	60#	4-0195	2.8/ft	Call
10" x 15'	.051	60#	4-0196	2.5/ft	Call
10" x 20'	.051	60#	4-0197	2.4/ft	Call
10" x 30'	.051	60#	4-0198	2.2/ft	Call
10" x 40'	.051	60#	4-0199	2.1/ft	Call

RINGLOCK (STANDARD WALL)



Pieces/Truckload:

6" - 195
8" - 120
10" - 87

Size	Wall	Max PSI	Part #	Weight	List
6" x 10'	.051	125#	4-0150	1.8/ft	Call
6" x 15'	.051	125#	4-0151	1.6/ft	Call
6" x 20'	.051	125#	4-0152	1.5/ft	Call
6" x 30'	.051	125#	4-0153	1.3/ft	Call
6" x 40'	.051	125#	4-0154	1.3/ft	Call
8" x 10'	.051	90#	4-0180	2.5/ft	Call
8" x 15'	.051	90#	4-0181	2.2/ft	Call
8" x 20'	.051	90#	4-0182	1.9/ft	Call
8" x 30'	.051	90#	4-0183	1.8/ft	Call
8" x 40'	.051	90#	4-0184	1.8/ft	Call
10" x 10'	.051	70#	4-0185	3.3/ft	Call
10" x 15'	.051	70#	4-0186	2.8/ft	Call
10" x 20'	.051	70#	4-0187	2.6/ft	Call
10" x 30'	.051	70#	4-0188	2.4/ft	Call
10" x 40'	.051	70#	4-0189	2.3/ft	Call

HEAVY WALL ALUMINUM MAINLINE

RINGLOCK (HEAVY WALL)



Big Gun Female Coupler x Full Male Aluminum Ring. Ringlock Clamp included.

Size	Wall	Max PSI	Part #	Weight	List
6" x 20'	.058	150#	4-0220	1.5/ft	Call
6" x 30'	.058	150#	4-0221	1.4/ft	Call
6" x 40'	.058	150#	4-0222	1.4/ft	Call
8" x 20'	.064	150#	4-0260	2.2/ft	Call
8" x 30'	.064	150#	4-0261	2.1/ft	Call
8" x 40'	.064	150#	4-0262	2.1/ft	Call
10" x 20'	.064	125#	4-0290	2.8/ft	Call
10" x 30'	.064	125#	4-0291	2.7/ft	Call
10" x 40'	.064	125#	4-0292	2.6/ft	Call

TWIST LOCK PIPE



Size	Wall	Max PSI	Part #	Weight	List
4" x 20'	.050	150#	4-0715	--	Call
4" x 30'	.050	150#	4-0716	--	Call
4" x 40'	.050	150#	4-0717	--	Call
5" x 20'	.051	150#	4-0718	--	Call
5" x 30'	.051	150#	4-0719	--	Call
5" x 40'	.051	150#	4-0720	--	Call
6" x 20'	.058	150#	4-0721	--	Call
6" x 30'	.058	150#	4-0722	--	Call
6" x 40'	.058	150#	4-0723	--	Call
8" x 20'	.064	125#	4-0724	--	Call
8" x 30'	.064	125#	4-0725	--	Call
8" x 40'	.064	125#	4-0726	--	Call


Pipe

**Schumacher Irrigation stocks
a selection of USED
Aluminum pipe.**

Call for prices and availability.

PVC UNDERGROUND PIPE


50# PVC GASKETED PIPE



*Solvent


Diameter	O.D.	I.D.	Thickness	SDR	Part #	Weight	List
*6" PIP	6.14	5.989	.760	81	4-0610	1.1/ft	Call
8" PIP	8.16	7.958	.101	81	4-0650	1.7/ft	Call
10" PIP	10.20	9.948	.126	81	4-0681	2.6/ft	Call
12" PIP	12.24	11.938	.151	81	4-0691	3.8/ft	Call
15" PIP	15.30	14.922	.189	81	4-0695	5.8/ft	Call
*16" PIP	16.00	15.608	.196	81	4-0696	6.5/ft	Call

80# PVC GASKETED PIPE




Diameter	O.D.	I.D.	Thickness	SDR	Part #	Weight	List
6" PIP	6.14	5.90	.12	51	4-0620	1.5/ft	Call
8" PIP	8.16	7.84	.16	51	4-0660	2.6/ft	Call
10" PIP	10.20	9.80	.20	51	4-0682	4.1/ft	Call
12" PIP	12.24	11.76	.24	51	4-0692	6.1/ft	Call
15" PIP	15.30	14.70	.30	51	4-0697	9.4/ft	Call
18" PIP	18.70	17.96	.37	51	4-0800	14.3/ft	Call
21" PIP	22.05	21.19	.43	51	4-0802	19.8/ft	Call
24" PIP	24.80	23.83	.49	51	4-0804	26.1/ft	Call
27" PIP	27.95	26.86	.55	51	4-0806	33.6/ft	Call

100# PVC GASKETED PIPE



Diameter	O.D.	I.D.	Thickness	SDR	Part #	Weight	List
4" IPS	4.50	---	---	41	4-0644	1.0/ft	Call
6" IPS	6.63	6.30	.162	41	4-0850	2.2/ft	Call
8" IPS	8.63	8.21	.210	41	4-0851	3.6/ft	Call
10" IPS	10.75	10.23	.262	41	4-0852	5.7/ft	Call
12" IPS	12.75	12.13	.311	41	4-0853	8.0/ft	Call
6" PIP	6.14	5.84	.150	41	4-0630	1.9/ft	Call
8" PIP	8.16	7.76	.199	41	4-0670	3.3/ft	Call
10" PIP	10.20	9.70	.249	41	4-0683	5.1/ft	Call
12" PIP	12.24	11.64	.299	41	4-0693	7.5/ft	Call
15" PIP	15.30	14.46	.373	41	4-0698	11.7/ft	Call
18" PIP	18.7	17.78	.456	41	4-0801	17.6/ft	Call
21" PIP	22.05	20.97	.538	41	4-0803	24.6/ft	Call
24" PIP	24.8	23.59	.605	41	4-0805	32.4/ft	Call
27" PIP	27.95	26.59	.683	41	4-0807	41.8/ft	Call

125# PVC GASKETED PIPE



*Solvent


Diameter	O.D.	I.D.	Thickness	SDR	Part #	Weight	List
1-1/4" IPS*	1.77	1.380	.197	32.5	4-3501	0.4/ft	Call
2" IPS	2.38	2.229	.073	32.5	4-3504	0.3/ft	Call
2-1/2" IPS	2.88	2.195	.088	32.5	4-0814	0.5/ft	Call
3" IPS	3.50	2.830	.108	32.5	4-0815	0.7/ft	Call
4" IPS	4.50	4.224	.138	32.5	4-0639	1.3/ft	Call
6" IPS	6.63	6.217	.204	32.5	4-0855	2.7/ft	Call
8" IPS	8.63	8.095	.265	32.5	4-0856	4.6/ft	Call
10" IPS	10.75	10.088	.331	32.5	4-0857	7.1/ft	Call
12" IPS	12.75	11.966	.392	32.5	4-0858	9.9/ft	Call
6" PIP	6.14	5.762	.189	32.5	4-0640	2.3/ft	Call
8" PIP	8.16	7.658	.251	32.5	4-0680	4.2/ft	Call
10" PIP	10.20	9.572	.314	32.5	4-0684	6.4/ft	Call
12" PIP	12.24	11.49	.377	32.5	4-0694	9.4/ft	Call
15" PIP	15.30	14.36	.471	32.5	4-0699	14.8/ft	Call

Pieces/Truckload:	6"	8"	10"	12"
50# PIP	285	158	103	70
80/100/125# PIP	261	143	90	63
125/160# IPS	210	110	72	--

All PVC is in 20' or 40' lengths. Gaskets are included.
Call for installed prices.

PVC UNDERGROUND PIPE

160# PVC GASKETED PIPE



Diameter	O.D.	I.D.	Thickness	SDR	Part #	Weight	List
1" IPS*	--	--	--	26	4-0816	--	Call
1-1/4" IPS*	1.66	1.532	0.064	26	4-3502	0.2/ft	Call
1-1/2" IPS	1.90	1.754	0.073	26	4-3503	0.3/ft	Call
2" IPS	2.38	2.193	0.091	26	4-3505	0.4/ft	Call
2-1/2" IPS	2.88	2.655	0.110	26	4-3506	0.6/ft	Call
3" IPS	3.50	3.230	0.135	26	4-3508	0.9/ft	Call
4" IPS	4.50	4.154	0.173	26	4-0671	1.6/ft	Call
6" IPS	6.63	6.115	0.255	26	4-0672	3.4/ft	Call
8" IPS	8.63	7.961	0.332	26	4-0673	5.7/ft	Call
10" IPS	10.75	9.924	0.413	26	4-0674	8.9/ft	Call
12" IPS	12.75	11.77	0.490	26	4-0808	12.7/ft	Call

200# PVC GASKETED PIPE



Diameter	O.D.	I.D.	Thickness	SDR	Part #	Weight	List
1/2" IPS*	.84	.716	0.022	13.5	4-0817	0.1/ft	Call
3/4" IPS*	1.05	.930	0.060	21	4-0818	0.1/ft	Call
1" IPS*	1.315	1.189	0.063	21	4-3500	0.2/ft	Call
1-1/4" IPS*	1.660	1.502	0.079	21	4-0819	0.3/ft	Call
1-1/2" IPS	1.900	1.720	0.090	21	4-0820	0.3/ft	Call
2" IPS	2.375	2.149	0.113	21	4-3507	0.5/ft	Call
2-1/2" IPS	2.875	2.601	0.137	21	4-0821	0.8/ft	Call
3" IPS	3.500	3.166	0.167	21	4-0822	1.2/ft	Call
4" IPS	4.500	4.072	0.214	21	4-0809	1.9/ft	Call
6" IPS	6.625	5.993	0.316	21	4-0810	4.2/ft	Call
8" IPS	8.625	7.805	0.410	21	4-0811	7.1/ft	Call
10" IPS	10.75	9.728	0.500	21	4-0812	10.9/ft	Call
12" IPS	12.75	11.54	0.606	21	4-0813	15.5/ft	Call

SCHEDULE 40 PVC PIPE (SOLVENT)



Diameter	O.D.	I.D.	Thickness	SDR	Part #	Weight	List
1/2"	0.840	0.612	0.109	--	4-0823	0.2/ft	Call
3/4"	1.050	0.824	0.113	--	4-0824	0.2/ft	Call
1"	1.315	1.049	0.133	--	4-0825	0.3/ft	Call
1-1/4"	1.660	1.380	0.140	--	4-0826	0.4/ft	Call
1-1/2"	1.900	1.610	0.145	--	4-0827	0.5/ft	Call
2"	2.375	2.067	0.154	--	4-0828	0.7/ft	Call
2-1/2"	2.875	2.469	0.203	--	4-0829	1.1/ft	Call
3"	3.500	3.068	0.216	--	4-0830	1.5/ft	Call
4"	4.500	4.026	0.237	--	4-0831	2.1/ft	Call
6"	6.625	6.065	0.280	--	4-0832	3.7/ft	Call
8"	8.625	7.962	0.332	--	4-0833	5.6/ft	Call

SCHEDULE 80 PVC PIPE (SOLVENT)




Diameter	O.D.	I.D.	Thickness	SDR	Part #	Weight	List
1/2"	0.840	0.546	0.147	--	4-0834	0.2/ft	Call
3/4"	1.050	0.742	0.154	--	4-0835	0.3/ft	Call
1"	1.315	0.957	0.179	--	4-0836	0.4/ft	Call
1-1/4"	1.660	1.278	0.191	--	4-0837	0.6/ft	Call
1-1/2"	1.900	1.500	0.200	--	4-0838	0.7/ft	Call
2"	2.375	1.939	0.218	--	4-0839	0.9/ft	Call
2-1/2"	2.875	2.323	0.276	--	4-0840	1.4/ft	Call
3"	3.500	2.900	0.300	--	4-0841	1.9/ft	Call
4"	4.500	3.826	0.337	--	4-0842	2.8/ft	Call
6"	6.625	5.761	0.432	--	4-0843	5.4/ft	Call
8"	8.625	7.625	0.500	--	4-0844	8.2/ft	Call

All PVC is in 20' or 40' lengths. Gaskets are included.
 Call for installed prices.

Pieces/Truckload:	6"	8"	10"	12"
50# PIP	285	158	103	70
80/100/125# PIP	261	143	90	63
125/160# IPS	210	110	72	--

ALUMINUM GATED PIPE - .051*



- * Gates included, but not installed.

Size x Length	Gate Spacing	Gates/ Pipe	Part #	Weight	List
6" x 20'	20"	12	4-0310	1.2/ft	Call
6" x 20'	30"	8	4-0320	1.2/ft	Call
6" x 20'	40"	6	4-0330	1.2/ft	Call
6" x 30'	20"	18	4-0311	1.2/ft	Call
6" x 30'	30"	12	4-0321	1.2/ft	Call
6" x 30'	36"	10	4-0323	1.2/ft	Call
6" x 30'	40"	9	4-0331	1.2/ft	Call
6" x 40'	20"	24	4-0312	1.1/ft	Call
6" x 40'	30"	16	4-0322	1.1/ft	Call
6" x 40'	40"	12	4-0332	1.1/ft	Call

Size x Length	Gate Spacing	Gates/ Pipe	Part #	Weight	List
8" x 20'	20"	12	4-0340	1.6/ft	Call
8" x 20'	30"	8	4-0350	1.6/ft	Call
8" x 20'	40"	6	4-0360	1.6/ft	Call
8" x 30'	20"	18	4-0341	1.6/ft	Call
8" x 30'	30"	12	4-0351	1.6/ft	Call
8" x 30'	36"	10	4-0353	1.6/ft	Call
8" x 30'	40"	9	4-0361	1.6/ft	Call
8" x 40'	20"	24	4-0342	1.6/ft	Call
8" x 40'	30"	16	4-0352	1.6/ft	Call
8" x 40'	40"	12	4-0362	1.6/ft	Call

Size x Length	Gate Spacing	Gates/ Pipe	Part #	Weight	List
10" x 20'	20"	12	4-0370	2.1/ft	Call
10" x 20'	30"	8	4-0380	2.1/ft	Call
10" x 20'	40"	6	4-0390	2.1/ft	Call
10" x 30'	20"	18	4-0371	2.1/ft	Call
10" x 30'	30"	12	4-0381	2.1/ft	Call
10" x 30'	36"	10	4-0383	2.1/ft	Call
10" x 30'	40"	9	4-0391	2.1/ft	Call
10" x 40'	20"	24	4-0372	2.0/ft	Call
10" x 40'	30"	16	4-0382	2.0/ft	Call
10" x 40'	40"	12	4-0392	2.0/ft	Call

PVC SURFACE GATED PIPE

PVC SURFACE GATED (STANDARD WALL)



- Above w/b&h will take 20-25 psi
- Compatible w/Aluminum pipe and fittings
- Adjustable Telescopic Coupler
- Gates included, but not installed.

Size x Length	Gate Spacing	Gates/ Pipe	Part #	Weight	List
6" x 30'	Plain	-	4-3305	1.5/ft	Call
6" x 30'	20"	18	4-3311	1.5/ft	Call
6" x 30'	30"	12	4-3321	1.5/ft	Call
6" x 30'	36"	10	4-3300	1.5/ft	Call
6" x 30'	40"	9	4-3331	1.5/ft	Call

Size x Length	Gate Spacing	Gates/ Pipe	Part #	Weight	List
8" x 30'	Plain	-	4-3306	2.0/ft	Call
8" x 30'	20"	18	4-3341	2.0/ft	Call
8" x 30'	30"	12	4-3351	2.0/ft	Call
8" x 30'	36"	10	4-3301	2.0/ft	Call
8" x 30'	40"	9	4-3361	2.0/ft	Call

Size x Length	Gate Spacing	Gates/ Pipe	Part #	Weight	List
10" x 30'	Plain	-	4-3307	2.5/ft	Call
10" x 30'	20"	18	4-3371	2.5/ft	Call
10" x 30'	30"	12	4-3381	2.5/ft	Call
10" x 30'	36"	10	4-3302	2.5/ft	Call
10" x 30'	40"	9	4-3391	2.5/ft	Call

Size x Length	Gate Spacing	Gates/ Pipe	Part #	Weight	List
12" x 30'	Plain	-	4-3308	3.0/ft	Call
12" x 30'	20"	18	4-3320	3.0/ft	Call
12" x 30'	30"	12	4-3324	3.0/ft	Call
12" x 30'	36"	10	4-3322	3.0/ft	Call
12" x 30'	40"	9	4-3323	3.0/ft	Call

Pipe

LAYFLAT SURFACE TUBING

(FOR FLOOD/FURROW IRRIGATION)



Call for other sizes, mil thicknesses and tools.

Advantages:

1. Low Cost
2. Reduced Labor Cost
3. New Product Every Season
4. Less friction loss than aluminum pipe
5. Can be used as mainline or gated pipe

Size	Length	Mil	Part #	Weight	List
5"	500'	6	6-9798	19.0	150.00
9"	1320'	7	6-9802	101.0	430.00
10"	1320'	10	9-8552		550.00
12"	1320'	7	6-9808	136.0	455.00
12"	1320'	9	9-8553		590.00
12"	1320'	10	9-8554		650.00
15"	1320'	7	6-9812	174.0	560.00
18"	1320'	10	9-8555		970.00
22"	1320'	10	9-8556		1,190.00




Description	Part #	Weight	List
Blumhardt Slide Gate (100/Box)	9-8557		350.00
Blumhardt Gate Hole Tool	9-8558		35.00



PIPE ACCESSORIES

PIPE TRAILER



Maximum capacity of 4,000 lbs.
 For pipe up to 40' in length
Dimensions:
 -35' overall length
 -102" wide
 -21' from stake pocket to stake pocket
 -14' from tongue to front stake pocket

Tongue	Part #	Weight	List
Single	5-0540	700.0	4,725.00
Double	5-0550	735.0	5,000.00

PIPE TURNER



Size	Part #	Weight	List
6"	4-0475	10.3	230.00
8"	4-0476	11.3	230.00
9"	4-0477	12.3	230.00
10"	4-0478	12.3	230.00
12"	4-0479	12.8	279.00

GATE TOOL



Size	Part #	Weight	List
--	6-1814	-	10.00

REPLACEMENT COUPLER (PVC SURFACE)



Size	Part #	Weight	List
6"	4-3392	1.5	79.00
8"	4-3393	3.0	115.00
10"	4-3394	3.5	118.00
12"	4-4400	4.0	155.00

REPAIR SPLICER (PVC SURFACE)




Size	Part #	Weight	List
6"	4-3395	0.5	63.00
8"	4-3396	1.0	91.00
10"	4-3397	1.0	94.00
12"	4-4401	1.5	120.00

STEEL COLLAR (PVC SURFACE)



Size	Part #	Weight	List
6"	4-3398	1.3	13.00
8"	4-3399	1.6	15.00
10"	4-3400	2.0	17.00
12"	4-3401	2.5	19.00

CAPLOCK (PVC SURFACE)



Features:
 1. Easy to use
 2. Saves time and money
 3. Insert the plug and snap on the caplock

Size	Part #	Weight	List
6"	4-4402	-	34.00
8"	4-4403	-	38.00
10"	4-4404	-	42.00
12"	4-4405	-	48.00

DAM GATE

Fits standard 1-1/4" x 2-5/8" Rectangle Hole



Size	Part #	Weight	List
6"	4-0460	0.1	2.50
8"-10"-12"	4-0461	0.1	2.50

Features:

1. Quick easy installation
2. Designed for use in either PVC or aluminum pipe
3. Fits standard 1 1/4" x 2 5/8" rectangular openings
4. Fits Tex-Flo openings
5. New design allows easier slide adjustments
6. Spring tension is at the center for equal sealing at front and rear of the gate
7. Manufactured from special materials to minimize environmental effects
8. UV inhibitor is added to help protect against the sun's ultra violet radiation
9. Water flow 90 GPM at 6 feet of head

A GATE

Size	Part #	Weight	List
6"	9-8129	-	1.90
8"-10"-12"	9-8130	-	1.90

Features:

1. Fits standard 1 1/4" x 2 5/8" rectangular openings
2. Improved design to correctly fit Tex Flo New Style gate holes with rounded end, DO NOT have to install backwards.
3. Increased length in front of clip pocket to seal better and last much longer.
4. Used in both Aluminum & PVC Pipe.
5. Natural UV inhibitors to help protect from sunlight exposer damage.

KEYHOLE GATE

Size	Part #	Weight	List
6"	4-0436	0.1	3.50
8"-10"-12"	4-0441	0.1	3.75

Features:

1. The triad keyhole gate is a fresh approach to irrigation gate problems. The spring mechanism is so unique a patent has been applied for.
2. Easiest keyhole gate on the market to install.
3. Manufactured from specially selected materials to minimize environmental effects
4. Fits standard keyhole openings
5. Excellent water flow, 60 GPM at 6 feet of head

HASTINGS GATE

Type	Size	Part #	Weight	List
Universal	8"-9"-10"	4-0462	0.1	4.10
Round Front	6"	4-0463	0.1	4.90
Round Front	8"-9"-10"	4-0464	0.1	4.90
Conversion	1-5/8"x4-1/4" Hole	4-0465	0.2	16.00



Universal (will fit round front gate hole)




Round Front

Features:

1. Up to 85 GPM with a 42" head
2. Open, adjust and closes easily from a standing position with just the tap of a stick
3. Yellow Top: made of high strength, long-lasting natural polypropylene
4. Bottom: spring tension holds the gate firmly in any position in which the gate is set. Gasket is firmly molded to the bottom, holding it tightly against the pipe.
5. Gasket: new, improved design of molded synthetic rubber. This new material is more flexible, conforms more readily to the contour of the pipe

NU-SLIDE GATE



Description	Part #	Weight	List
Rubber Bottom only	4-0495	-	4.90
Screw (need 2/gate)	4-0496	-	0.85

OVAL GATE



Size	Part #	Weight	List
One size	4-0470	0.2	3.50

Features:

1. Easily installed in a standard recessed oval hole (ames type)
2. Improved frame design
3. Flow rate 60 gallons per minute at 1 foot of head, full open
4. Easily adjustable slide regulates water flow
5. Manufactured from specially selected materials to improve weatherability

GATE SOCK CLIP



Size	Part #	Weight	List
Round 6"	4-0480	0.2	5.90
Round 8"	4-0481	0.2	5.90
Round 10"	4-0482	0.2	5.90
Round 12"	4-0483	0.2	6.50

GATE SOCK



*36" long with closed end

Description	Part #	Weight	List
Vinyl Coated Polyester	4-0490	0.1	8.50

SECTION FOUR



 Gun Stands & Carts	64-66
 Trailers, Travelers & Accs	67
 Traveler & Drag Hose	67
 Traveler Hose Menders	68
 Hose Pull Couplers	69
 Sprinklers	70-74
 Nozzles	75
 Volume Guns	76-93

Traveler Parts

Soft and Hard Hose Travelers

- Replacement Parts
- Cables
- Turbines
- Etc.




GUN STAND

(FOLD DOWN - MODEL A)
(ALUMINUM)

Hook style. Aluminum.
With 3" male threaded top.

Recommended Guns:

Nelson 100
Komet 101
Skipper




Size	Part #	Weight	List
4"	5-0110	40.0	625.00

GUN STAND

(STANDARD - MODEL B)
(ALUMINUM)

Ideal stand for:

1. Hard to reach corners areas
2. Liquid manure applications
3. Pivot corners



Ringlock. Aluminum.
With 4" male threaded top.
Water filled base for superior stability

Recommended Guns:

Small
Medium
Large


Size	Part #	Weight	List
6"	5-0120	48.0	1,395.00

GIANT SPRINKLER STAND

(GALVANIZED STEEL)

Recommended Guns:

Nelson 100
Komet 101
Skipper



With male or female threaded top. Specify size.

Size	Part #	Weight	List
3"	5-0130	23.0	695.00
4"	5-0131	25.0	755.00
5"	5-0132	26.0	765.00
6"	5-0133	27.0	775.00


GUN CART

(GALVANIZED STEEL)

- With 2" FPT & 2-1/2" MPT top.
- Gun is not included. See pages 66-73.
- Standard Profile
- 57" Wheels
- 4" Male B&H and B&L

Recommended Guns:

Nelson 100
Komet 101
Skipper




Size	Part #	Weight	List
4"	5-0140	116.0	1,310.00

GUN STAND

(MODEL LE)
(ALUMINUM)

Recommended Guns:

Nelson 100
Komet 101
Skipper



- With 2" FPT/2-1/2" MPT Top.
- State mainline size when ordering.
- 30" Riser Length.

Size	Part #	Weight	List
3"	5-0150	20.0	850.00
4"	9-7694	21.0	850.00
5"	9-7695	21.0	790.00

SPRINKLER CARTS

SPRINKLER CART

- To order just the sprinkler, see page 76.
- Full Range of Nozzles Included


1000F

Nozzle Size	PSI	GPM	Diameter
5 mm (0.20")	22	5.3	84
	29	6	92
	44	7	100
	58	9	108
6 mm (0.24")	22	7	86
	29	8.5	96
	44	10	108
7 mm (0.28")	58	12	116
	22	10	92
	29	11	100
9 mm (0.35")	44	14	112
	58	16	122
	22	16.4	100
	29	19	108
	44	23	122
	58	26	128


1250K

Nozzle Size	PSI	GPM	Diameter
7 mm (0.28")	22	10	92
	29	11	100
	44	14	112
	58	16	122
8 mm (0.315")	22	13	102
	29	15	112
	44	18	124
9 mm (0.35")	58	21	134
	22	16	108
	29	19	114
10 mm (0.39")	44	23	128
	58	26	138
	22	20	112
12 mm (0.47")	29	23	118
	44	28	134
	58	33	144
	22	29	112
	29	34	124
	44	41	136
	58	47	154


1500H

Nozzle Size	PSI	GPM	Diameter
12 mm (0.47")	29	40	130
	44	48	156
	58	56	176
	73	62	196
14 mm (0.55")	29	52	138
	44	63	164
	58	73	190
16 mm (0.63")	73	81	202
	29	65	144
	44	80	170
18 mm (0.70")	58	93	196
	73	103	216
	44	100	184
	58	115	202
	73	128	224


2000S

Nozzle Size	PSI	GPM	Diameter
12 mm (0.47")	22	34	124
	29	40	144
	44	48	156
	56	55	176
14 mm (0.55")	29	51	150
	44	63	182
	56	73	202
16 mm (0.63")	70	82	222
	29	65	156
	44	80	196
18 mm (0.71")	56	93	222
	70	103	236
	29	92	156
20 mm (0.78")	44	100	210
	56	115	230
	70	128	250
	29	99	164
	44	121	200
	56	140	244
	70	157	270

Wheeled sprinkler carts are a portable and affordable option for irrigating a variety of areas.

Each assembly uses heavy gauge steel construction, solid steel axles, and commercial grade full or part circle sprinkler heads.

Applications include:

- Large Garden & Hobby Farms
- Pastures
- Deer and Wildlife Plots
- Sports Fields
- Dust Control on Riding Arenas
- Dust Control for Construction Sites


3000R

Nozzle Size	PSI	GPM	Diameter
24 mm (0.94")	29	134	216
	44	164	254
	56	190	290
	70	213	314
26 mm (1.0")	29	158	242
	44	193	268
	56	220	300
28 mm (1.1")	70	250	336
	44	257	290
	56	297	314
30 mm (1.19")	70	332	340
	85	364	362
	44	338	302
32 mm (1.34")	56	378	328
	70	414	354
	85	447	374
	56	382	340
	70	427	368
	85	468	384
	10	505	404



TRAVELER CABLE

(7 X 19)



Size	Length	Part #	Weight	List
5/16"	1,350'	9-5183	-	1,395.00
3/8"	1,350'	9-5182	-	1,795.00
7/16"	2,700'	6-9585	-	5,940.00

BULLET STOP



Size	Part #	Weight	List
5/16"	9-5181	-	49.00
3/8"	9-5180	-	39.00

CLEANOUT BALL



- Heavy duty reusable
- Natural rubber for durability


Size	OD	Part #	Weight	List
5-6"	6.30"	9-8528	0.7	60.00
7-7.25"	7.87"	9-8529	1.7	85.00
8"	8.66"	9-8530	2.3	120.00
10"	11.00"	9-8531	6.0	170.00
12"	12.30"	9-8532	7.4	225.00

FOAM PIG



Size	For Hose Size	Part #	Weight	List
6"	4-5-6"	9-5309	-	41.00
7-1/4"	6"	9-6967	-	35.00
8"	6-8"	9-5310	-	55.00
10"	8-10"	9-6966	-	66.00

SOFT HOSE, TRAVELER (REPLACEMENT)




- 10 year limited warranty
- Cover allows maximum flexibility and good bend radius
- Ease of repair and restoration of damaged hoses to full working performance
- Long term storage stability and extended working life
- Superior resistance to ozone and ultraviolet light

Size	Length	Part #	Weight	List
2"	660'	9-8527	297.0	Call
2-1/2"	660'	6-9616	330.0	Call
3"	660'	6-9617	442.2	Call
3-1/2"	660'	6-9618	528.0	Call
4"	660'	5-0583	660.0	Call
4-1/2"	660'	5-0584	712.8	Call
5"	660'	6-9619	924.0	Call
6"	660'	6-9620	-	Call

SLUDGE INJECTION HOSE (DRAG HOSE)



L.W.T.




Size	Length	Part #	Weight	List
4"	660'	5-0596	627.0	Call
4-1/2"	660'	5-0597	666.6	Call
5"	660'	9-7343	-	Call
5-1/2"	660'	9-7582	-	Call
6"	660'	9-7583	-	Call
8"	660'	9-7827	-	Call
10"	660'	9-7828	-	Call

HOSE MENDERS

HOSE MENDER

(FOR HARD HOSE, BAND-IT)



Hose ID	Part #	Weight	List
2.5"	6-1828	-	424.00
3.0"	6-1829	-	849.00
3.75"	6-1830	-	869.00
4.1"	6-1831	-	919.00
4.5"	6-1832	-	915.00

HOSE MENDER

(FOR HARD HOSE, SCREW)



- Instructions Included

Hose ID	Part #	Weight	List
0.90"	9-7682	-	303.00
1.10"	9-7677	-	139.00
1.18"	9-7573	-	129.00
1.30"	9-7678	-	157.00
1.40"	9-7679	-	162.00
1.43"	9-7574	-	209.00
1.60"	9-7680	-	198.00
1.67"	9-7575	-	244.00
1.80"	9-7681	-	268.00
1.90"	9-7576	-	244.00
2.00"	9-7683	-	324.00
2.10"	6-1820	-	362.00
2.30"	9-7686	-	495.00
2.50"	6-1821	-	630.00
2.70"	9-7684	-	652.00
3.00"	6-1822	-	670.00
3.30"	9-7577	-	652.00
3.70"	6-9792	-	565.00
4.00"	9-7685	-	800.00
4.10"	6-1824	-	785.00
4.20"	9-7579	-	437.00
4.50"	6-1825	-	810.00
4.60"	9-7580	-	470.00

HOSE MENDER W/CLAMPS

(FOR SOFT HOSE)



- 1/4" Wall x 10" Long
- Instructions Included

Size	Complete w/Clamps			Mender Only		
	Part #	Weight	List	Part #	Weight	List
2-1/2"	5-0588	-	273.00	9-7570	-	33.00
3"	5-0589	-	333.00	9-7571	-	35.00
3-1/2"	5-0590	-	494.00	9-7572	-	145.00
4"	5-0585	9.5	185.00	9-6763	7.1	80.00
4-1/2"	5-0586	10.6	189.00	9-6764	8.3	85.00
5"	5-0591	-	236.00	9-6765	-	120.00
6"	5-0592	-	220.00	9-6766	-	105.00

HOSE PULL COUPLER

HOSE PULL COUPLER (WEDGE GRIP)



- Instructions Included
- Cast Aluminum
- Clamps for 4/5"x4" HPC (1/2" Wide) #25229340

Cast Aluminum:

Hose Size	Discharge	Part #	Weight	List
2-1/2"	3"	6-1800	-	302.00
3"	3"	6-1801	-	1,770.00
3"	4"	6-1802	-	1,075.00
4"	4"	6-1804	11.0	895.00
4-1/2"	4"	6-1805	11.0	895.00
4-1/2"	5"	6-1806	-	895.00
5"	5"	6-1807	12.1	895.00
6"	6"	8-1446	-	1,229.00

HOSE PULL COUPLER (SHUG GRIP)



Hose Size	Discharge	Part #	Weight	List
4-1/2"	4"	9-8360	-	988.00

BACK TO BACK COUPLER W/CHAINS



- Painted Steel

Size	Part #	Weight	List
3"	9-7568	5.0	220.00
4"	9-7344	6.0	259.00
5"	9-7345	7.0	267.00
6"	9-7346	8.5	295.00

WELD-ON COUPLER W/CHAINS



- Black Steel

Size	Part #	Weight	List
3"	9-7569	2.5	95.00
4"	9-7347	3.0	98.00
5"	9-7348	3.5	100.00
6"	9-7349	4.3	125.00

3 LINK CHAIN



Size	Part #	Weight	List
-	9-7342	0.8	35.00

- Weld to coupler for hose pull coupler connection.
- Black Steel

SPRINKLERS

1/2" BASE (BRASS)



20 JH

Description	Type	Part #	Weight	List
20 JH w/nozzle-Rainbird	full / brass	7-0109	0.5	39.52

20 JH

Straight Bore Nozzle

Stream Height 6'

PSI @ Nozzle	7/64"		1/8"		9/64"		5/32"	
	Rad.	GPM	Rad.	GPM	Rad.	GPM	Rad.	GPM
35	38	2.05	38	2.68	39	3.39	39	4.19
40	38	2.19	39	2.86	40	3.62	39	4.47
45	39	2.32	39	3.03	40	3.84	40	4.73
50	39	2.45	39	3.20	40	4.05	40	5.00
55	39	2.57	40	3.35	40	4.24	40	5.23
60	39	2.68	40	3.50	41	4.43	41	5.47

1/2" BASE-PART TURN (PLASTIC)



429 PT

Description	Type	Part #	Weight	List
429 PT, w/nozzle-Naan	part / plastic	7-0296	0.2	14.50

429 NOZZLES

PSI @ Nozzle	Orange Nozzle 7/64"		Green Nozzle 1/8"		Blue Nozzle 9/64"		Black Nozzle 5/32"	
	GPM	Dia.	GPM	Dia.	GPM	Dia.	GPM	Dia.
15			1.80	66	2.30	67	2.70	69
20	1.60	66	2.10	68	2.50	69	3.10	70
30	2.00	70	2.60	75	3.00	77	3.80	80
40	2.30	74	3.00	78	3.40	82	4.40	83
50	2.60	77	3.30	82	3.80	84	4.90	85
60	2.90	79	3.70	84	4.20	86	5.40	90

RAINBIRD 3/4" BASE (BRASS)



30 H



35A TNT

Description	Type	Part #	Weight	List
30 H w/nozzles	Full Circle	7-0110	0.9	75.18
35A TNT w/nozzle	Part Circle	7-0150	1.5	136.99

 Straight Bore Nozzle
Stream Height 9'

PSI @ Nozzle	9/64" Rad. GPM	5/32" Rad. GPM	11/64" Rad. GPM	3/16" Rad. GPM
25	40 2.90	41 3.50	41 4.30	42 5.10
30	40 3.10	42 3.90	44 4.70	45 5.60
35	41 3.40	43 4.20	45 5.10	47 6.00
40	41 3.60	44 4.50	46 5.40	48 6.40
45	42 3.80	44 4.70	46 5.70	49 6.80
50	42 4.10	45 5.00	47 6.10	50 7.20
55	43 4.20	45 5.20	48 6.30	50 7.60
60	43 4.40	46 5.50	48 6.60	51 7.90
65	44 4.60	46 5.80	49 6.90	51 8.20
70	44 4.80	47 5.90	49 7.20	52 8.50
75	45 5.00	47 6.10	50 7.40	52 8.80
80	45 5.10	48 6.30	50 7.70	53 9.10

 Straight Bore Nozzle w/Spreaders
Stream Height 9'

PSI @ Nozzle	9/64" x 3/32" Rad. GPM	5/32" x 3/32" Rad. GPM	11/64" x 3/32" Rad. GPM	3/16" x 3/32" Rad. GPM	3/16" x 1/8" Rad. GPM
25	40 4.20	41 4.80	41 5.60	42 6.40	42 7.40
30	40 4.60	42 5.30	44 6.10	45 7.10	45 8.10
35	41 4.90	43 5.70	45 6.60	47 7.50	47 8.70
40	41 5.20	44 6.10	46 7.00	48 8.10	48 9.30
45	42 5.60	44 6.50	46 7.40	49 8.50	49 9.90
50	42 5.90	45 6.80	47 7.90	50 9.00	50 10.40
55	43 6.10	45 7.10	48 8.20	50 9.40	50 10.90
60	43 6.40	46 7.40	48 8.60	51 9.90	51 11.40
65	44 6.70	46 7.80	49 8.90	51 10.20	51 11.80
70	44 6.90	47 8.10	49 9.30	52 10.70	52 12.30
75	45 7.20	47 8.30	50 9.60	52 11.00	52 12.70
80	45 7.50	48 8.70	50 10.00	53 11.50	53 13.10

WADE RAIN 3/4" BASE (BRASS)



WR-33



WR-35

Description	Type	Part #	Weight	List
WR-33 w/nozzles	Full Circle	9-7526	1.0	35.00
WR-35 w/nozzles	Part Circle	9-8125	1.5	55.00

 Single Nozzle w/Plug
27 Deg. Trajectory (No Vane)

PSI @ Nozzle	1/8" Rad. GPM	9/94" Rad. GPM	5/32" Rad. GPM	11/64" Rad. GPM	3/16" Rad. GPM	13/64" Rad. GPM	7/32" Rad. GPM
25	-	40 2.88	41 3.52	42 4.24	43 5.00	43 5.90	44 6.85
30	-	41 3.15	43 3.85	44 4.64	46 5.50	47 6.50	48 7.55
35	-	41 3.40	44 4.16	45 5.02	47 6.00	49 7.05	50 8.20
40	-	42 3.64	44 4.45	46 5.37	48 6.40	50 7.55	51 8.80
45	41 3.05	42 3.86	45 4.72	47 5.70	49 6.80	51 8.00	52 9.35
50	42 3.22	43 4.07	45 4.98	48 6.01	50 7.20	52 8.45	53 9.90
55	42 3.38	43 4.27	46 5.22	48 6.30	51 7.50	52 8.85	54 10.40
60	43 3.53	44 4.46	46 5.45	49 6.57	51 7.90	53 9.25	54 10.75
65	43 3.68	44 4.65	47 5.68	49 6.83	52 8.20	53 9.60	55 11.10
70	43 3.82	45 4.83	47 5.90	50 7.09	52 8.50	54 9.95	55 11.40
75	44 3.96	45 5.00	48 6.11	50 7.34	53 8.80	54 10.25	56 11.70
80	44 4.09	46 5.17	48 6.30	51 7.58	53 9.10	55 10.50	56 12.00

 Double Nozzle
27 Deg. Trajectory (No Vane)

PSI @ Nozzle	9/64" x 3/32" Rad. GPM	5/32" x 3/32" Rad. GPM	11/64" x 3/32" Rad. GPM	3/16" x 3/32" Rad. GPM	3/16" x 1/8" Rad. GPM	13/64" x 1/8" Rad. GPM	7/32" x 1/8" Rad. GPM
25	40 4.18	41 4.83	42 5.55	43 6.31	43 7.40	43 8.30	44 9.25
30	41 4.58	43 5.28	44 6.07	46 6.93	46 8.15	47 9.15	48 10.20
35	41 4.95	44 5.71	45 6.57	47 7.51	47 8.83	49 9.93	50 11.10
40	42 5.29	44 6.11	46 7.03	48 8.03	48 9.46	50 10.65	51 11.90
45	42 5.61	45 6.48	47 7.46	49 8.53	49 10.05	51 11.30	52 12.65
50	43 5.91	45 6.82	48 7.87	50 9.00	50 10.60	52 11.90	53 13.35
55	43 6.20	46 7.15	48 8.25	51 9.45	51 11.10	52 12.50	54 14.00
60	44 6.48	46 7.47	49 8.60	51 9.86	51 11.60	53 13.00	54 14.50
65	44 6.75	47 7.78	49 8.93	52 10.27	52 12.10	53 13.50	55 15.00
70	45 7.00	47 8.08	50 9.25	52 10.66	52 12.50	54 14.00	55 15.45
75	45 7.25	48 8.37	50 9.56	53 11.02	53 12.90	54 14.40	56 15.90
80	46 7.49	48 8.65	51 9.87	53 11.36	53 13.25	55 14.80	56 16.30

SCHUMACHER IRRIGATION OFFERS A WIDE RANGE OF SPRINKERS FOR VARIOUS APPLICATIONS. IF YOU DON'T FIND WHAT YOU ARE LOOKING FOR IN THIS CATALOG VISIT OUR WEBSITE OR GIVE US A CALL AND WE CAN SOURCE IT FOR YOU.

Always Open...

SchumacherIrrigation.com


Your Irrigation Superstore

402-264-3685



SPRINKLERS

1" BASE (BRASS)



70CWH

Description	Type	Part #	Weight	List
70CWH w/nozzles-Rainbird	Full Circle	7-0130	3.0	284.39

Straight Bore Nozzle w/Plug Stream Height 8"

PSI @ Nozzle	7/32"	1/4"	9/32"	5/16"	11/32"	3/8"	13/32"
40	57 8.80	60 11.50	62 14.00	65 17.70	68 21.10	88 24.40	70 28.50
45	58 9.40	61 12.20	64 15.50	66 18.90	68 22.50	70 26.00	72 30.40
50	58 9.90	62 12.90	65 16.30	68 20.00	70 23.80	71 27.50	73 32.30
55	60 10.40	63 13.60	66 17.20	71 21.00	71 25.00	73 29.10	75 34.00
60	61 10.80	64 14.20	67 18.00	71 22.00	73 26.20	74 30.60	77 35.70
65	62 11.40	65 14.80	68 18.80	72 23.00	74 27.40	76 32.00	78 37.30
70	63 11.80	66 15.40	70 19.50	73 23.90	76 28.50	77 33.20	79 38.90
75	64 12.20	67 16.00	71 20.30	74 24.80	77 29.60	78 34.50	81 40.40
80	65 12.60	68 16.50	72 20.90	75 25.70	78 30.60	80 35.70	82 41.80

Straight Bore Nozzle w/Spreader Stream Height 8"

PSI @ Nozzle	7/32" x 1/8"	1/4" x 1/8"	9/32" x 1/8"	5/16" x 1/8"	11/32" x 1/8"	3/8" x 1/8"	13/32" x 1/8"
40	57 11.00	60 14.30	62 17.40	65 20.50	61 23.80	88 27.20	70 31.40
45	58 12.40	61 15.20	64 18.50	66 21.90	68 25.50	70 29.00	72 33.40
50	58 13.00	62 16.00	65 19.40	68 23.10	70 26.90	71 30.60	73 35.50
55	60 13.70	63 16.90	66 20.40	70 24.30	71 28.30	73 32.40	75 37.40
60	61 14.30	64 17.60	67 21.40	71 25.40	73 29.60	74 34.00	77 39.20
65	62 15.00	65 18.40	68 22.40	72 26.60	74 31.00	76 35.60	78 40.90
70	63 15.50	66 19.10	70 23.20	73 27.60	75 32.20	77 36.90	79 42.70
75	64 16.00	67 19.80	71 24.10	74 28.60	77 33.40	78 38.30	81 44.30
80	65 16.50	68 20.40	72 24.80	75 29.60	78 34.50	80 39.60	82 45.80

1" BASE (PLASTIC)



7025




7025 Arm

Description	Type	Part #	Weight	List
7025 w/nozzles-Senninger	Full Circle	7-0140	1.1	81.00
#7025 Arm Only-Senninger	-	7-0141	0.3	26.00

Sprinkler Base Pressure (psi)	35	40	45	50	55	60	65	70
#14 Nozzle (7/32")								
Flow (gpm)	8.11	8.66	9.2	9.69	10.2	10.6	11	11.5
Diam. At 1.5' ht. (ft.)	106	111	113	115	117	119	121	123
Diam. At 6.0' ht. (ft.)	114	118	121	124	126	128	129	130
#16 Nozzle (1/4")								
Flow (gpm)	10.7	11.4	12.1	12.8	13.4	14	14.6	15.1
Diam. At 1.5' ht. (ft.)	111	117	120	123	126	129	131	133
Diam. At 6.0' ht. (ft.)	122	126	129	131	134	136	137	138
#18 Nozzle (9/32")								
Flow (gpm)	13.3	14.2	15	15.9	16.6	17.4	18.1	18.8
Diam. At 1.5' ht. (ft.)	118	124	127	129	134	139	142	144
Diam. At 6.0' ht. (ft.)	128	132	135	137	141	144	146	147
#20 Nozzle (5/16")								
Flow (gpm)	16	17.1	18.2	19.2	20.1	21	21.8	22.7
Diam. At 1.5' ht. (ft.)	124	130	134	137	142	146	150	153
Diam. At 6.0' ht. (ft.)	133	137	140	143	147	151	154	155
#22 Nozzle (11/32")								
Flow (gpm)	19.3	20.5	21.8	22.9	24.1	25.1	26.1	27.1
Diam. At 1.5' ht. (ft.)	126	133	141	148	153	157	160	162
Diam. At 6.0' ht. (ft.)	136	141	146	150	155	159	162	164
#24 Nozzle (3/8")								
Flow (gpm)	22.4	23.9	25.3	26.7	28	29.3	30.4	31.6
Diam. At 1.5' ht. (ft.)	130	138	145	151	156	160	166	169
Diam. At 6.0' ht. (ft.)	138	145	150	155	160	164	167	170

SPRINKLERS

1" BASE-PART TURN (BRASS)



65PJ-ADJ-TNT

Description	Type	Part #	Weight	List
65JADJ-TNT-Rainbird	Part Turn	7-0160	3.6	384.58

Straight Bore Nozzle

Stream Height 10'

PSI @ Nozzle	1/4"	
	Rad.	GPM
50	57	12.90
55	57	13.60
60	58	14.20
65	62	14.90
70	63	15.40
75	64	16.00
80	65	16.50

1-1/4" BASE (BRASS)

85 EHD
27°

Description	Type	Part #	Weight	List
85 EHD w/nozzles-Rainbird	Part Circle	9-7762	5.3	596.16

Straight Bore Nozzle w/Spreader

Stream Height 14'

PSI @ Nozzle	11/32"x 7/32"		3/8" x 7/32"		13/32" x 7/32"		7/16" x 7/32"		15/32" x 7/32"	
	Rad.	GPM	Rad.	GPM	Rad.	GPM	Rad.	GPM	Rad.	GPM
25	61	23.30	62	26.50	64	29.60	66	32.90	66	36.40
30	64	25.60	65	29.10	68	32.40	69	36.10	72	40.00
35	67	27.70	68	31.40	72	35.10	74	39.00	77	43.30
40	69	29.60	71	33.60	75	37.60	77	41.80	80	46.30
45	71	31.50	73	35.70	77	39.90	79	44.40	82	49.20
50	73	33.20	75	37.70	79	42.10	81	46.80	84	51.90
55	75	34.90	77	39.70	81	44.30	83	49.10	86	54.70
60	77	36.50	79	41.40	83	46.60	86	51.50	88	57.20
65	79	38.00	81	43.20	84	48.60	87	53.80	90	59.80
70	81	40.10	83	44.90	86	50.40	89	55.90	91	62.10
75	82	41.00	84	46.70	87	52.40	90	57.90	93	64.30
80	83	42.60	86	48.30	89	54.30	92	60.00	94	66.70
85	85	43.80	87	49.80	90	56.00	93	62.00	96	68.80
90	86	45.70	89	51.40	92	57.90	95	63.90	97	70.70
95	87	46.60	90	53.00	93	59.60	96	65.80	98	72.80
100	88	47.90	91	54.50	94	61.20	97	67.50	99	74.80


NOZZLES & BEARINGS

NOZZLE

(FOR 3/4" SPRINKLER)



Order vane separately.



Description	Size	Part #	Weight	List	
Range	1/8"	.125	7-0360	-	3.21
Range	9/64"	.140625	7-0330	-	3.21
Range	5/32"	.15625	7-0331	-	3.21
Range	11/64"	.171875	7-0332	-	3.21
Range	3/16"	.1875	7-0333	-	3.21
Range	13/64"	.203125	7-0334	-	3.21
Range	7/32"	.21875	7-0335	-	3.21
Range	15/64"	.234375	7-0336	-	3.21
Range	1/4"	.25	7-0337	-	3.21
Range	17/64"	.265625	7-0338	-	3.21
Range	9/32"	.28125	7-0339	-	3.21
Spreader 7°	3/32"	.09375	9-7804	-	2.42
Spreader 7°	7/64"	.109375	9-7805	-	2.42
Spreader 7°	1/8"	.125	9-7806	-	2.42
Spreader 7°	9/64"	.140625	9-7807	-	2.42
Spreader 7°	5/32"	.15625	9-7808	-	2.42
Spreader 7°	11/64"	.171875	9-7809	-	2.42
Spreader 7°	3/16"	.1875	9-7810	-	2.42
Spreader 7°	13/64"	.20313	9-7812	-	2.42
Spreader 7°	7/32"	.21875	9-7811	-	2.42
Spreader 20°	3/32"	.09375	7-0340	-	2.42
Spreader 20°	7/64"	.109375	7-0366	-	2.42
Spreader 20°	1/8"	.125	7-0341	-	2.42
Spreader 20°	9/64"	.140625	7-0362	-	2.42
Spreader 20°	5/32"	.15625	7-0361	-	2.42
Spreader 20°	11/64"	.171875	7-0364	-	2.42
Spreader 20°	3/16"	.1875	7-0365	-	2.42
Spreader 20°	13/64"	.20313	9-7813	-	2.42
Spreader 20°	7/32"	.21875	7-0363	-	2.42
Vanes for #30			6-9692	-	0.70
Back Plug			7-0342	-	1.64

NOZZLE

(FOR 1" SPRINKLER)

Brass:



Description	Size	Part #	Weight	List	
Range	7/32"	.21875	7-0343	-	12.52
Range	1/4"	.25	7-0344	-	12.52
Range	9/32"	.28125	7-0345	-	12.52
Range	5/16"	.3125	7-0346	-	12.52
Range	11/32"	.34375	7-0347	-	12.52
Range	3/8"	.375	7-0348	-	12.52
Range	13/32"	.40625	7-0349	-	12.52

Plastic:

Description	Size	Part #	Weight	List	
Range #14	7/32"	.21875	7-0350	-	2.70
Range #16	1/4"	.25	7-0351	-	2.70
Range #18	9/32"	.28125	7-0352	-	2.70
Range #20	5/16"	.3125	7-0353	-	2.70
Range #22	11/32"	.34375	7-0354	-	2.70
Range #24	3/8"	.375	7-0355	-	2.70

BEARING ASSEMBLY

(FOR #30 RAINBIRD)



Size	Part #	Weight	List
3/4"	7-0356	-	12.00

SMALL SPRINKLERS SIME

Description	Size	Pattern	Radius(ft)	GPM	Part #	Weight	List
Funny	1" FPT	Part & Full	41-64	5.3-26.4	9-7717	-	83.00
K-1	1-1/4" FPT	Part & Full	51-77	12.9-47.3	9-7718	-	128.00
Jolly	1-1/4" FPT	Full	54-95	16.4-82.2	9-8583	-	85.00
Jolly	1-1/4" FPT	Part	54-95	16.4-82.2	9-8584	-	110.00
Ambo	1-1/2" FPT	Full	52-95	22.7-109	9-8582	-	105.00
Hidra	1-1/2" FPT	Part & Full	59-120	29.1-172	9-7719	-	237.00

- Arm balance and spring tension are designed to provide optimum rotation speed.
- Each nozzle has its own jet breaker to ensure a better water distribution.
- The materials chosen by Sime for these sprinklers are of the highest quality, preferring durable materials such as aluminium and brass rather than plastics.
- For all sizes, both single-nozzle model to reduce water consumption and double nozzle model for better water distribution are available.



Funny



K-1 Sprinkler



Jolly Full Circle



Jolly Part Circle



Ambo



Hidra

SMALL SPRINKLERS KOMET

Description	Size	Pattern	Radius(ft)	GPM	Part #	Weight	List
#163	1-1/2" FPT	Part & Full	70-112	26-109	9-7826	-	335.00



NELSON VOLUME GUNS



Description	Type	Part #	Weight	List
F100 w/nozzle	Full Circle	7-0230	20.5	1,194.79
F150R w/nozzle	Full Circle	7-0240	43.0	2,521.00
F200 w/nozzle	Full Circle	7-0280	56.0	4,190.00
SR100 w/nozzle	Part Turn	7-0295	26.5	1,631.79
SR150 w/nozzle	Part Turn	7-0250	49.0	3,119.00
SR200 w/nozzle	Part Turn	7-0290	78.0	5,767.00



Nelson SR100



Nelson SR150



Nelson SR200

- Includes one nozzle on all guns.
- Includes flg x fpt adapter on 150 & 200 guns.

100 TAPER BORE NOZZLE — 24° TRAJECTORY

PSI	0.5"		0.55"		0.6"		0.65"		0.7"		0.75"		0.8"		0.85"		0.9"		1.0"	
	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT
40	47	191	57	202	66	213	78	222	91	230	103	240	118	250	134	256	152	262	—	—
50	50	205	64	215	74	225	87	235	100	245	115	256	130	265	150	273	165	280	204	300
60	55	215	69	227	81	240	96	250	110	260	126	270	143	280	164	288	182	295	224	316
70	60	225	75	238	88	250	103	263	120	275	136	283	155	295	177	302	197	310	243	338
80	64	235	79	248	94	260	110	273	128	285	146	295	165	305	189	314	210	325	258	354
90	68	245	83	258	100	270	117	283	135	295	155	306	175	315	201	326	223	335	274	362
100	72	255	87	268	106	280	123	293	143	305	163	316	185	325	212	336	235	345	289	372
110	76	265	92	278	111	290	129	303	150	315	171	324	195	335	222	344	247	355	304	380

150 TAPER BORE NOZZLE — 24° TRAJECTORY

PSI	0.7"		0.8"		0.9"		1.0"		1.1"		1.2"		1.3"		1.4"	
	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT
50	100	250	130	270	165	290	205	310	255	330	300	345	350	360	408	373
60	110	265	143	285	182	305	225	325	275	345	330	365	385	380	446	396
70	120	280	155	300	197	320	245	340	295	360	355	380	415	395	483	412
80	128	290	165	310	210	335	260	355	315	375	380	395	445	410	516	427
90	135	300	175	320	223	345	275	365	335	390	405	410	475	425	547	442
100	143	310	185	330	235	355	290	375	355	400	425	420	500	440	577	458
110	150	320	195	340	247	365	305	385	370	410	445	430	525	450	605	471
120	157	330	204	350	258	375	320	395	385	420	465	440	545	460	632	481

200 TAPER BORE NOZZLE — 27° TRAJECTORY

PSI	1.05"		1.1"		1.2"		1.3"		1.4"		1.5"		1.6"		1.75"		1.9"	
	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT	GPM	DIAM. FT
60	250	345	285	355	330	375	385	390	445	410	515	430	585	445	695	470	825	495
70	270	360	310	380	355	395	415	410	480	430	555	450	630	465	755	495	890	515
80	290	375	330	395	380	410	445	430	515	450	590	470	675	485	805	515	950	535
90	310	390	350	410	405	425	475	445	545	465	625	485	715	505	855	535	1005	555
100	325	400	370	420	425	440	500	460	575	480	660	500	755	520	900	550	1060	575
110	340	410	390	430	445	450	525	470	605	495	695	515	790	535	945	565	1110	590
120	355	420	405	440	465	460	545	480	630	505	725	530	825	550	985	580	1160	605
130	370	425	425	445	485	465	565	485	655	515	755	540	860	560	1025	590	1210	620

KOMET (TWIN) VOLUME GUNS



Twin 101 Ultra



Twin 140 Ultra



Twin 160 Ultra



Twin 202 Ultra

Description	Pattern	Angle	Connection	Part #	Weight	List
Twin 101 Ultra	Part & Full	18° Pivot	2" Thread	7-0231	20.9	1,639.89
Twin 101 Ultra	Part & Full	24°	Flange/FPT	6-9769	20.9	1,639.89
Twin 101 Ultra	Part & Full	Vari Angle	Flange/FPT	6-9770	23.2	1,961.19
Twin 101 Ultra	Full Circle	24°	Flange/FPT	6-9771	18.7	1,158.99
Twin 101 Ultra Dust Control	Part & Full	44°	Flange/FPT	6-9775	20.9	1,639.89
Twin 101 Ultra Dust Control	Part & Full	Vari Angle	Flange/FPT	6-9776	23.2	1,961.19
Twin 140 Ultra	Part & Full	24°	Flanged	7-0251	22.1	2,147.36
Twin 140 Ultra	Part & Full	Vari Angle	Flanged	6-9777	22.1	2,552.66
Twin 140 Ultra Dust Control	Part & Full	44°	Flanged	6-9778	22.1	2,147.36
Twin 140 Ultra Dust Control	Part & Full	Vari Angle	Flanged	6-9779	25.4	2,552.66
Twin 160 Ultra	Part & Full	24°	Flanged	6-9780	29.8	2,508.88
Twin 160 Ultra	Part & Full	Vari Angle	Flanged	6-9781	34.2	2,983.48
Twin 160 Ultra	Full Circle	24°	Flanged	6-9782	25.4	1,791.73
Twin 202 Ultra	Part & Full	24°	Flanged	7-0300	30.9	2,902.63
Twin 202 Ultra	Part & Full	Vari Angle	Flanged	6-9786	35.3	3,460.18

- Includes one nozzle on all guns.
- Includes flg x 3" fpt adapter and gasket on 140, 160 & 202 guns.
- Vari Angle Guns adjust from 15° to 45°.



Twin 101 Ultra Performance Chart

Pressure PSI	Nozzle Ø12mm 0.47"		Nozzle Ø13mm 0.51"		Nozzle Ø14mm 0.55"		Nozzle Ø15mm 0.59"		Nozzle Ø16mm 0.63"		Nozzle Ø17mm 0.67"		Nozzle Ø18mm 0.71"		Nozzle Ø19mm 0.75"		Nozzle Ø20mm 0.79"		Nozzle Ø21mm 0.83"	
	Flow	Throw	Flow	Throw	Flow	Throw	Flow	Throw	Flow	Throw	Flow	Throw	Flow	Throw	Flow	Throw	Flow	Throw	Flow	Throw
	GPM	ft	GPM	ft	GPM	ft	GPM	ft	GPM	ft	GPM	ft	GPM	ft	GPM	ft	GPM	ft	GPM	ft
30	35	193	41	194	48	195	55	196	62	197	70	198	78	199	87	200	97	201	107	202
40	40	206	47	209	55	213	63	216	71	220	81	224	90	228	101	232	112	236	123	240
50	45	213	53	219	62	224	71	230	80	235	90	241	101	247	113	253	125	259	138	264
60	50	219	58	226	67	233	77	240	87	247	99	254	111	262	124	269	137	276	151	283
70	54	229	63	234	73	242	84	250	94	258	107	266	119	275	134	283	148	291	163	298
80	57	235	67	243	78	252	89	261	101	270	114	279	128	287	143	296	158	305	174	312
90	61	243	71	252	83	262	95	271	107	281	121	290	135	299	151	307	168	316	185	324
100	64	250	75	260	87	269	100	279	113	289	128	298	143	307	160	316	177	325	195	333
110	67	256	79	266	91	276	105	285	118	295	134	304	150	313	167	323	186	332	204	341

SIME VOLUME GUNS



SPRINKLER

Description	Pattern	Angle	Connection	Radius(ft)	GPM	Part #	Weight	List
Wing	Part & Full	18°	2" FPT	72-171	34-252	9-8578	12.8	1,895.00
Royal	Part & Full	25°	2" FPT	75-157	40-196	9-8575	17.2	1,795.00
Reflex	Part & Full	25°	Flange	127-190	138-364	9-8576	23.1	2,495.00
Explorer	Part & Full	25°	Flange	157-249	257-673	9-8577	24.3	2,795.00

- High quality ball bearings to minimize friction and ensure maximum accuracy in movement.
- Adjustable brake for maximum pressure and flow range.
- Special stream straightener inside the main pipe to push water at maximum output speed.
- Adjustable and intermittent jet breaker that interacts with the water flow to irrigate near the gun as well.
- Arm and deflector made entirely of aluminium ensure strength and durability.
- Adjustable arm's spring to be suitable for every situation.



WING



ROYAL



REFLEX



EXPLORER

SIME FLG X THREAD ADAPTER



Size	Part #	Weight	List
3" FNPT	9-8580	-	95.00



Description	Pattern	Angle	Connection	Radius(ft)	GPM	Part #	Weight	List
Skipper	Part & Full	22°/25°/28°	1-1/2" FPT	60-141	23-215	7-0303	9.4	600.00
Klicker	Part & Full	25°	2" FPT	85-164	69-250	9-8574	15.9	1,495.00
Mariner	Part & Full	25°	2-1/2" FPT	137-220	173-571	7-0306	25.3	1,750.00
Gemini	Part & Full	25°	Flanged	164-285	319-1110	7-0307	34.7	1,655.00

- The continuous rotation ensures lighter droplets, a uniform distribution of water even in a single span and removes vibrations and shocks on the support structure.
- A clutch mechanism for manual movement of the gun while starting operations.
- The inlet of the secondary pipe before main pipe ensures that all vorticity is removed at the main nozzle.
- Adjustable and intermittent jet breaker that interacts with the water flow to irrigate near the gun as well.
- Horizontal position of the turbine allows the gun to operate even at very low pressure.



SKIPPER



KLICKEER



MARINER



GEMINI

DISCONTINUED SIME SPRINKLERS

**The Following Sime Turbine Drive Sprinklers
have been discontinued.**

RIVER (P-190)



MERCURY (P-202)



BIG RIVER (P-250)




POLARIS (P-400)



Gun Stands/Sprinklers

Repair parts may still be available.

Schumacher Irrigation is your source repair parts for impact sprinklers, turbine drive sprinklers, and end guns.



Section Five



 Couplers and Male Ends	84-88
 Industrial Groove	89
 Storage Baskets	91
 Ball & Sockets	92-99
 Cam-Locs	100-101
 Fittings (Elbows, Tees, Adapters, Ect)	102-113
 Weld-on Elbows & Tees	114-116
 Weld-on Cones, Flg's & Discs	117-123
 Rings, Bands & Accessories	124-128
 Telescopes	129
 Valves	130-143
 Water Meters & Accessories	144-145
 Pivot Parts	146-151
 Pivot Sprinklers & Accessories	152-154
 Screens	155
 Valve Stubs & Accessories	156-158
 Drain Valves	159
 Threaded Parts (Nipples, Couplings & Fittings)	160-170
 Pressure Gauges	172
 Gaskets	173-177

STEEL COUPLERS

COUPLER (BLACK STEEL)



Standard Punch					Deep Punch			Extra Deep Punch			Extra-Extra Deep		
Size	Part #	Depth	Weight	List	Part #	Depth	List	Part #	Depth	List	Part #	Depth	List
2"	6-0120		1.0	15.00									
3"	6-0121		1.0	17.00	9-5198	3"	35.00	9-5007	4"	34.00			
4"	6-0122	2-3/4"	1.5	25.00	9-5199	4-1/2"	31.00	9-5008	4-1/2"	35.00	9-5200	7"	49.00
5"	6-0123		2.0	30.00	9-5201	4"	26.00	9-5009	5"	47.00			
6"	6-0124	4-1/4"	2.8	42.00	9-5010	5-7/8"	37.00	9-5202	8-1/2"	69.00			
6-5/8"	6-0128		3.8	45.00									
7"	6-0118		3.5	45.00									
8"	6-0125	4"	4.5	50.00	9-5011	5-1/2"	71.00	9-5203	11"	89.00			
8-5/8"	6-0129		6.0	67.00									
10"	6-0126	3"	5.5	55.00	9-5012	6"	72.00						
12"	6-0127		9.0	79.00	9-5013	6"	106.00						

COUPLER-10GA (BLACK OR GALV. STEEL)



10ga Black Steel				10ga Galvanized		
Size	Part #	Weight	List	Part #	Weight	List
4" Rd Back	9-7548	2.3	29.00			
4" Squ Back	6-8030	3.0	51.00			
6"	6-9662	4.5	45.00	6-9664	4.5	55.00
8"	6-9663	5.9	55.00	6-9665	5.9	89.00
10"	9-5305	7.2	65.00	9-8110	7.8	145.00
12"	9-7549	12.0	98.00	9-8111	9.8	210.00

STEEL COUPLERS/MALE ENDS

MALE RL END (BLACK OR GALV. STEEL)



Size	12ga Black Steel			10ga Black Steel			10ga Galv Steel		
	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
3"	6-0169	1.2	18.00						
4" Flat Ring	6-0170	1.5	21.00						
4" Wide Ring				6-8112	3.0	29.00			
5"	6-0171	2.0	28.00						
6"	6-0172	2.8	33.00	6-9764	4.2	39.00	6-9766	4.2	48.00
7"	6-0176	3.5	37.00						
8"	6-0173	4.5	38.00	6-9765	5.9	45.00	6-9767	5.9	85.00
10"	6-0174	5.5	55.00	9-5306	6.7	75.00	9-8145	7.5	85.00
12"	6-0175	9.0	79.00	9-7662	9.3	99.00	9-8146	9.3	85.00

STAINLESS STEEL RL ENDS (STAINLESS STEEL)



Size	Stainless Steel Female			Stainless Steel Male End		
	Part #	Weight	List	Part #	Weight	List
4"	9-7518	1.5	89.00	9-7522	1.5	55.00
5"	9-7519	2.0	125.00	9-7523	2.0	179.00
6"	9-7520	2.8	130.00	9-7524	2.8	190.00
8"	9-7521	4.5	180.00	9-7525	4.5	265.00
10"	9-7891	5.5	230.00	9-8098	5.5	265.00
12"	9-8149	9.0	305.00	9-8218	9.0	290.00

PRESS-ON RL COUPLER/MALE END (GALVANIZED STEEL)



Size	Female RL			Male RL		
	Part #	Weight	List	Part #	Weight	List
3"	6-0223	2.0	28.00	6-0201	2.0	26.00
4"	6-0224	2.5	31.00	6-0202	2.5	29.00
5"	6-0225	3.5	47.00	6-0203	3.5	34.00
6"	6-0220	4.0	42.00	6-0210	4.0	36.00
7"	6-0226	5.5	55.00	6-0204	5.0	49.00
8"	6-0221	8.0	55.00	6-0211	7.0	52.00
10"	6-0222	10.5	81.00	6-0212	11.0	67.00
12"	6-0227	15.0	110.00	6-0205	14.0	86.00

CAST ALUMINUM COUPLERS

COUPLER (CAST ALUMINUM)



Size	Part #	Weight	List
3"	6-0114	1.3	33.00
4"	6-0110	1.5	39.00
5"	6-0115	1.8	47.00
6"	6-0111	2.0	55.00
7"	6-0109	2.5	60.00
8"	6-0112	2.8	70.00
10"	6-0113	3.3	90.00

RL COUPLER SET - SCHUMACHER (CAST ALUMINUM)



Complete Set				Female RL			Male RL		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
4"	6-0145	4.4	93.00	6-0147	1.5	37.00	6-0149	1.2	26.00
5"	6-0146	5.0	112.00	6-0148	1.8	48.00	6-0154	1.4	33.00
6"	6-0130	5.3	121.00	6-0150	2.4	52.00	6-0160	1.8	36.00
7"	6-0134	6.3	145.00	6-0153	2.5	63.00	6-0163	1.9	43.00
8"	6-0131	7.0	146.00	6-0151	2.8	65.00	6-0161	2.0	46.00
10"	6-0132	8.1	183.00	6-0152	3.5	82.00	6-0162	2.3	57.00
12"	6-0133	10.0	274.00	4-0015	5.5	127.00	4-0016	3.5	95.00

Set Includes Standard Ringlock Clamp

RL COUPLER SET - A&M (CAST ALUMINUM)



Complete Set				Female RL			Male RL		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
6"	6-0080	5.3	145.00	6-0089	2.4	58.00	6-0086	1.8	50.00
8"	6-0081	7.0	175.00	6-0090	2.8	75.00	6-0087	2.0	60.00
10"	6-0082	8.1	215.00	6-0091	3.5	95.00	6-0088	2.3	70.00

Set Includes A&M Ringlock Clamp

TWIST LOCK ENDS (CAST ALUMINUM)



Female				Male Ring			Full Male End		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
4"	6-0141	2.3	49.00	6-0136	0.5	18.00			
5"	6-0142	3.3	52.00	6-0137	0.9	20.00			
6"	6-0143	2.8	79.00	6-0138	1.0	41.00	6-0135	2.8	79.00
8"	6-0144	7.0	105.00	6-0139	2.3	41.00			

*200-lbs. max. pressure on all sizes except 8".

LATERAL COUPLERS

LATERAL COUPLER (CAST ALUMINUM)



Press-on				Weld-on		
Size	Part #	Weight	List	Part #	Weight	List
2"	6-0241	1.3	48.00	6-0260	1.2	21.00
3"	6-0242	1.6	51.00	6-0261	1.6	46.00
4"	6-0240	2.0	66.00	6-0262	2.0	60.00

All couplers have 1" outlet.

KNOB STYLE COUPLER (CAST ALUMINUM)



Lateral				Mainline		
Size	Part #	Weight	List	Part #	Weight	List
2" Press-on*	6-0263	1.0	50.00			
3" Weld-on*	6-0264	1.2	48.00			
4" Weld-on*	6-0265	1.8	59.00			
5" Weld-on				6-0266	3.2	68.00
6" Weld-on				6-0267	3.9	85.00

*Lateral couplers have 1" outlet.

COUPLER/MALE ENDS - ABC (GALVANIZED STEEL)



Female Lateral*				Female Mainline			Male		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
2"	6-0180	1.5	76.00	6-0183	0.3	56.00	6-0189	0.5	48.00
3"	6-0181	3.3	124.00	6-0184	2.0	97.00	6-0190	1.3	66.00
4"	6-0182	5.5	177.00	6-0185	4.0	135.00	6-0191	2.0	79.00
5"				6-0186	7.3	175.00	6-0192	4.8	138.00
6"				6-0187	9.5	240.00	6-0193	6.3	170.00
8"				6-0188	15.5	386.00	6-0194	13.0	318.00

- *Lateral couplers have 1" outlet.
- Includes Spring and Gasket
- Call for prices on ABC Fittings.

LATERAL COUPLER SET - BOLT-ON (CAST ALUMINUM)



- Has 1" Female threaded outlet.
- Includes band and hook.

Size	Part #	Weight	List
2"	6-0300	1.9	64.00
3"	6-0301	2.8	81.00
4"	6-0302	3.7	99.00
5"	6-0303	4.8	134.00
6"	6-0304	6.3	159.00

LATERAL COUPLERS

DETACHABLE COUPLER SET - HOOK

(CAST ALUMINUM)



Includes "2" band and hook assemblies

Size	Part #	Weight	List
2"	6-0095	3.0	75.00
3"	6-0096	4.3	100.00
4"	6-0097	5.2	105.00
5"	6-0098	7.6	145.00
6"	6-0099	8.8	170.00

DETACHABLE COUPLER - KNOB

(CAST ALUMINUM)



Size	Part #	Weight	List
2"	6-9512	1.5	69.00
3"	6-9513	1.9	95.00
4"	6-9514	2.3	115.00
5"	6-9515	3.5	145.00
6"	6-9516	4.1	190.00
7"	6-9517	5.8	195.00

SPIKE COUPLER

(PVC-SOLVENT)



- 3/4" riser outlet
- Ideal for row crops, nurseries, or orchards
- Spike riser locks male & female coupler halves and stabilizes the riser in a vertical position
- Substantial savings over aluminum or buried solid set systems
- Improved weatherability PVC compounds
- Highest UV inhibitors.
- Highest impact resistance.
- Easy off season storage, simply remove spike riser.
- Non-corrosive aluminum tubing spike riser
- Quad seal prevents water leakage around spike.
- Slotted male end allows for up to 1-1/4" expansion and contraction of PVC pipe.
- Chevron seal gasket.

Size	Part #	Weight	List
2"	6-0305	1.5	28.00

HOLD BAND

(STEEL)



Size	Part #	Weight	List
3"	6-0235	0.3	4.20
4"	6-0236	0.3	5.10
5"	6-0237	0.4	7.00
6"	6-0230	0.5	10.00
8"	6-0231	0.8	14.00
10"	6-0232	0.9	28.00

INDUSTRIAL GROOVE

INDUSTRIAL GROOVE END



Steel				Aluminum		
Size	Part #	Weight	List	Part #	Weight	List
2"	6-9721	0.8	25.00			
2-1/2"	6-9722	1.5	29.00			
3"	6-9723	1.0	30.00	6-9730	0.7	24.00
4"	6-9724	1.8	39.00	6-9731	1.1	55.00
5"	6-9725	2.3	58.00			
6"	6-9726	2.8	66.00	6-9732	1.9	60.00
8"	6-9727	4.3	100.00	6-9733	2.1	75.00
10"	6-9728	6.5	119.00	6-9734	2.4	85.00
12"	6-9729	8.5	130.00	6-9735	4.5	110.00

Galvanized Steel and Aluminum Groove Fittings Available. Please Inquire.

INDUSTRIAL GROOVE CLAMP



*Includes Gasket

Size	Part #	Weight	List
1-1/2"	9-6776	2.1	8.00
2"	9-6736	2.7	17.00
2-1/2"	9-6737	3.1	20.00
3"	9-6738	2.5	17.00
4"	9-6739	3.5	21.00
5"	9-6740	10.6	30.00
6"	9-6741	6.7	45.00
8"	9-6742	12.5	67.00
10"	9-6743	31.0	120.00
12"	9-6744	35.0	160.00

INDUSTRIAL GROOVE GASKET



*Cut-Away View

Size	Part #	Weight	List
1-1/2"	9-6777	-	11.50
2"	9-6767	-	4.80
2-1/2"	9-6768	-	14.20
3"	9-6769	-	5.50
4"	9-6770	-	6.30
5"	9-6771	-	8.50
6"	9-6772	-	8.00
8"	9-6773	-	15.00
10"	9-6774	-	24.00
12"	9-6775	-	27.00

Fittings

SADDLE COUPLING

(CAST ALUMINUM)



*Weld-on

Size	Part #	Weight	List
3/4"	6-0100	0.2	9.00
1"	4-0011	0.2	11.00

BOLT-ON CENTER RISER

(STEEL GALVANIZED)



Has 1" Female threaded outlet.

Size	Part #	Weight	List
3"	6-0255	3.0	23.00
4"	6-0256	4.0	24.00

QUICK COUPLING RISER VALVE

(CAST ALUMINUM)



Size	Part #	Weight	List
3/4" fpt x 3/4"	6-1579	0.7	20.00
1"mpt x 3/4"	6-1590	0.7	25.00
1"mpt x 1"	6-1591	0.8	27.00

- 3/4" Top outlet require 1.05"ODx.113" wall SCH 40 pipe
- 1" Top outlet require 1.315"ODx.133" wall SCH 40 pipe
- Collar/Screw & Pointers are included with the valve

SPRINKLER DEFLECTOR


(STEEL)



Type	Part #	Weight	List
Bolts to riser	6-1524	1.4	25.00

STORAGE BASKET

STORAGE BASKET (GALVANIZED STEEL)



Size	Part #	Weight	List
X-Large	9-7754	158.0	769.00

High-visibility parts storage for manufacturing and warehousing. Features reinforced under carriage and support legs, fully galvanized finish and collapsible, stackable design for efficient storage. Folds flat for space-saving storage, with front drop-gate for easy access.

Features and Benefits:

- 48" Wide x 40" Deep x 42" Overall Height, Outside measurements.
- Rugged 2-gauge 2"x2" wire mesh with reinforced under-structure.
- Front Drop Gate with side latches for parts accessibility and identification.
- Stackable up to 4 baskets high.
- 4000lbs capacity.



BALL & SOCKET (BAUER STYLE)

BALL - BAUER STYLE



- 8" (194) steel will fit to 8" (203) cast aluminum.
- 4" (108) steel will not fit to 4" (102) cast aluminum.

Size	*Black Steel			Cast Aluminum			Stainless Steel		
	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
2"	6-5000	0.3	12.00	6-5032	0.3	19.00	9-5326	0.3	33.00
3"	6-5001	0.5	12.00	6-5033	0.5	31.00	9-5327	0.7	52.00
3-1/2"	6-5002	0.8	12.00				9-5328	0.8	55.00
4"	6-5003	1.4	14.00	6-5034	1.2	60.00	9-5329	1.5	102.00
5"	6-5005	1.9	15.00	6-5035	1.7	105.00	9-5330	1.8	105.00
6"	6-5006	2.3	32.00	6-5036	2.2	125.00	9-5331	2.3	160.00
8"	6-5007	4.4	35.00	6-8042	3.2	175.00	9-5332	4.3	267.00
10"	9-6955	9.9	70.00	9-6956	6.2	260.00			
12"	9-5816	10.7	129.00						
16"	9-7879	26.0	225.00						

*Galvanized also available.

SOCKET - BAUER STYLE



Size	Black Steel			Cast Aluminum			Stainless Steel		
	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
2"	6-5008	0.2	12.00	6-5038	0.3	25.00	9-5333	0.3	38.00
3"	6-5009	0.5	12.00	6-5039	0.7	41.00	9-5334	0.7	77.00
3-1/2"	6-5010	0.8	23.00				9-5335	0.9	80.00
4"	6-5011	1.5	16.00	6-5040	1.4	69.00	9-5336	1.5	117.00
5"	6-5013	2.2	42.00	6-5041	2.1	110.00	9-5337	2.0	149.00
6"	6-5014	2.5	45.00	6-5042	2.6	130.00	9-5338	2.3	225.00
8"	6-5015	5.2	70.00	6-8043	4.0	200.00	9-5339	4.3	320.00
10"	9-7304	8.3	130.00	9-7305	5.5	230.00			
12"	9-5817	13.4	240.00						
16"	9-7880	20.2	369.00						

LEVER - BAUER STYLE (GALVANIZED STEEL)



*Locking Bar (part # 9-7318) for 10", 12 and 16" Sold Separately

Size	MM	Part #	Weight	List
2"	50	6-5024	1.0	19.00
3"	76	6-5025	2.3	50.00
3-1/2"	89	6-5026	3.8	80.00
4"	108	6-5027	4.3	60.00
5"	127/133	6-5029	6.2	125.00
6"	152/159	6-5030	9.0	105.00
8"	194/203	6-5031	13.3	240.00
*10"	250	9-6979	23.5	375.00
*12"	300	9-5818	34.0	460.00
*16"	400	9-7881	42.7	755.00

LOCKING BAR (GALVANIZED STEEL)



Size	Part #	Weight	List
10", 12", 16	9-7318	1.9	35.00

BALL & SOCKET (BAUER STYLE)

GASKET - BAUER STYLE (BAUER STYLE)



Size	MM	I.D.	Part #	Weight	List
2"	50	2.44"	6-5016	0.1	3.70
3"	76	3.48"	6-5017	0.1	4.00
3-1/2"	89	4.26"	6-5018	0.2	7.00
4"	108	5.20"	6-5019	0.2	6.00
5"	127/133	5.98"	6-5021	0.2	7.00
6"	152/159	6.69"	6-5022	0.5	8.00
8"	194	8.66"	6-5023	0.6	11.50
10"	250	--	9-6969	1.1	15.00
12"	300	--	9-5819	1.6	35.00
16"	400		9-7882	2.8	115.00

WIL-LUBE



Size	Part #	List
1 oz.	9-8345	1.00
1 lbs.	9-8346	7.00


- When properly lubricated and aligned, couplings will no longer require the use of a cheater bar or wrench to close.
- Wil-lube is a vegetable-based lubricant that will not deteriorate specialty O-rings, such as Buna O-rings.
- Wil-lube can be used with any Ball & Socket style, Cam-lock, Pin-lug O-ring or gasket.
- Wil-lube increases labor efficiency by improving clamping times in system set-up and by reducing leaks and maintenance time.
- Wil-lube also decreases corrosion in permanent and semi-permanent systems where metal-on-metal contact points exist.

HOSE ADAPTER - BALL BAUER STYLE



Galvanized Steel				Cast Aluminum			Stainless Steel		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
2"	3-0684	0.7	33.00				9-5340	0.7	73.00
3"	3-0685	1.3	35.00				9-5341	1.5	105.00
4"	3-0686	3.2	50.00				9-5342	3.1	200.00
5"	3-0688	4.2	65.00						
6"	3-0689	5.6	70.00	9-7885	4.8	210.00	9-5343	5.9	260.00
8"	3-0690	9.8	100.00	9-7886	7.3	290.00	9-5344	10.7	448.00
10"	9-6975	19.9	160.00	9-7887	12.2	410.00			
12"	9-7385	22.8	225.00						
16"	9-7883	30.0	379.00						

HOSE ADAPTER - SOCKET BAUER STYLE



Galvanized Steel				Cast Aluminum			Stainless Steel		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
2"	3-0691	0.6	33.00				9-5345	0.8	80.00
3"	3-0692	1.3	35.00				9-5346	1.5	124.00
4"	3-0693	3.3	50.00				9-5347	2.9	244.00
5"	3-0695	4.2	65.00						
6"	3-0696	5.8	90.00	9-7888	5.2	210.00	9-5348	6.6	415.00
8"	3-0697	10.6	125.00	9-7889	8.1	310.00	9-5349	12.0	525.00
10"	9-6977	19.9	225.00	9-7890	11.5	380.00			
12"	9-7386	25.5	295.00						
16"	9-7884	35.0	192.00						



90° ELBOW - BAUER STYLE

(GALVANIZED STEEL)



Size	MM	Part #	Weight	List
2"	50	6-9038	3.5	99.00
3"	76	6-9039	7.2	159.00
3-1/2"	89	6-9040	11.0	260.00
4"	108	6-9041	12.8	210.00
5"	133	6-9042	22.3	295.00
6"	159	6-9043	25.9	304.00
8"	194	6-9044	47.4	465.00
*10"	250	9-6963	61.2	750.00
*12"	300	9-7387	84.3	990.00

* Locking Bar (part # 9-7318) for 10" & 12" Lever is Sold Separately

45° ELBOW - BAUER STYLE

(GALVANIZED STEEL)




Size	MM	Part #	Weight	List
2"	50	6-9045	3.5	75.00
3"	76	6-9046	7.2	165.00
3-1/2"	89	6-9047	10.8	259.00
4"	108	6-9048	12.6	215.00
5"	133	6-9049	16.3	295.00
6"	159	6-9050	19.8	335.00
8"	194	6-9051	47.4	420.00
*10"	250	9-6961	53.9	695.00
*12"	300	9-7388	73.9	920.00

* Locking Bar (part # 9-7318) for 10" & 12" Lever is Sold Separately

LINE TEE - BAUER STYLE

(GALVANIZED STEEL)




Size	MM	Part #	Weight	List
2"	50	6-9052	9.9	235.00
3"	76	6-9053	11.9	275.00
3-1/2"	89	6-9054	14.3	360.00
4"	108	6-9055	16.8	299.00
5"	133	6-9056	27.8	365.00
6"	159	6-9057	30.6	475.00
8"	194	6-9058	49.9	660.00
*10"	250	9-6980	106.1	1,230.00
*12"	300	9-7389	143.5	1,650.00

* Locking Bar (part # 9-7318) for 10" & 12" Lever is Sold Separately

END TEE - BAUER STYLE

(GALVANIZED STEEL)



Size	MM	Part #	Weight	List
2"	50	6-9059	9.9	235.00
3"	76	6-9060	11.9	275.00
3-1/2"	89	6-9061	14.3	360.00
4"	108	6-9062	16.8	299.00
5"	133	6-9063	27.8	365.00
6"	159	6-9064	30.6	475.00
8"	194	6-9065	49.9	660.00
*10"	250	9-6965	106.1	1,230.00
*12"	300	9-7390	143.5	1,650.00

* Locking Bar (part # 9-7318) for 10" & 12" Lever is Sold Separately

END PLUG - BAUER STYLE

(GALVANIZED STEEL)



See page 104 for lever.

Size	MM	Part #	Weight	List
2"	50	6-9024	0.7	55.00
3"	76	6-9025	1.1	55.00
3-1/2"	89	6-9026	1.5	69.00
4"	108	6-9027	2.1	70.00
5"	133	6-9028	3.3	75.00
6"	159	6-9029	3.6	79.00
8"	194	6-9030	8.0	108.00
*10"	250	9-6964	14.2	160.00
*12"	300	9-7392	16.8	210.00

ADAPTER - MPT X BALL

 BAUER STYLE
 (GALVANIZED STEEL)


Size	MM	Part #	Weight	List
2"	50	6-9010	3.1	104.00
3"	76	6-9011	5.5	149.00
4"	108	6-9013	11.8	181.00
5"	133	6-9014	14.7	235.00
6"	159	6-9015	15.9	335.00
8"	194	6-9016	25.2	510.00
*10"	250	9-6949	54.0	715.00
*12"	300	9-7393	51.4	860.00

* Locking Bar (part # 9-7318) for 10" & 12" Lever is Sold Separately

 Lever is included.

ADAPTER - MPT X SOCKET

 BAUER STYLE
 (GALVANIZED STEEL)


Size	MM	Part #	Weight	List
2"	50	6-9017	1.1	40.00
3"	76	6-9018	1.8	55.00
4"	108	6-9020	3.5	75.00
5"	133	6-9021	6.0	130.00
6"	159	6-9022	7.8	175.00
8"	194	6-9023	14.1	245.00
10"	250	9-6950	23.3	405.00
12"	300	9-7394	13.4	410.00

ADAPTER - FLG X BALL

BAUER STYLE (GALVANIZED STEEL)



Size	MM	Part #	Weight	List
2"	50	9-8315	6.1	115.00
3"	76	9-8316	9.6	144.00
4"	108	9-8317	15.4	176.00
5"	133	9-8318	20.4	235.00
6"	159	9-8319	25.7	284.00
8"	194	9-8320	38.0	426.00
*10"	250	9-8321	61.3	709.00
*12"	300	9-8322	85.7	870.00
*16"	400	9-8323	126.9	1,530.00

* Locking Bar (part # 9-7318) for 10" & 12" Lever is Sold Separately


ADAPTER - FLG X SOCKET

BAUER STYLE (GALVANIZED STEEL)



Size	MM	Part #	Weight	List
2"	50	9-8306	4.5	94.00
3"	76	9-8307	6.6	92.00
4"	108	9-8308	10.1	120.00
5"	133	9-8309	12.2	149.00
6"	159	9-8310	14.0	172.00
8"	194	9-8311	21.1	211.00
10"	250	9-8312	28.6	292.00
12"	300	9-8313	40.8	452.00
16"	400	9-8314	57.2	764.00


BAUER STYLE DIMENSIONS (STEEL)



Size	MM	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
2"	50	2.01	1.91	0.24	2.83	0.67	3.27	1.22	2.44	0.37	1.91	2.01	0.28	1.97	2.17	2.76
3"	76	3.07	2.99	0.28	3.86	0.87	4.57	1.46	3.48	0.51	2.99	3.07	0.55	3.19	2.87	3.86
3-1/2"	89	3.62	3.50	-	4.76	0.98	5.40	1.85	4.26	0.51	3.50	3.62	0.55	3.66	2.99	4.72
4"	108	4.37	4.25	0.47	5.79	1.10	6.50	2.32	5.20	0.59	4.25	4.37	0.59	4.41	4.21	5.71
5"	133	5.39	5.20	0.47	6.42	1.34	7.52	2.13	5.98	0.71	5.20	5.39	0.67	5.39	3.78	6.26
6"	159	6.42	6.22	0.59	7.17	1.34	8.31	2.05	6.69	0.75	6.22	6.42	0.75	6.10	4.06	7.09
8"	194	7.95	7.64	0.71	9.09	1.34	10.51	2.99	8.66	0.75	7.64	7.87	0.67	7.87	5.00	9.06
10"	250	9.84	9.53	0.39	11.93	-	13.62	4.13	-	-	9.25	9.53	-	9.92	6.73	11.81
12"	300	11.81	11.42	0.47	13.70	-	15.78	4.21	-	1.10	11.54	11.81	-	11.81	6.89	13.46
16"	400	15.80	15.37	.39	17.77		20.09	4.79			15.29	15.76		15.29	8.27	17.61

BALL & SOCKET COUPLERS (100/200 STYLE)

BALL/SOCKET 100/200 STYLE (BLACK STEEL)



Gasket is included with socket.

Ball w/Loose Ring

Size	MM	Part #	Weight	List
4"	100	6-5044	1.8	13.00
6"	150	6-5045	4.6	30.00
8"	200	6-5050	10.8	100.00
10"	250	6-5051	17.8	125.00
12"	300	6-5052	30.1	305.00
16"	400	9-7555	64.1	330.00

Socket w/Lever Attached

Size	MM	Part #	Weight	List
4"	100	6-5046	2.4	26.00
6"	150	6-5047	3.8	50.00
6" (3-Hook)	150	9-6947	5.0	69.00
8"	200	6-5053	9.8	145.00
8" (3-Hook)	200	9-7648	12.5	125.00
10"	250	6-5054	13.4	139.00
*12"	300	6-5055	30.3	379.00
**16"	400	9-7556	57.7	399.00

* Galvanized Steel Locking Bar (part # 9-7877) for 12" Lever is Sold Separately.
 ** Galvanized Steel Locking Bar (part # 9-7878) for 16" Lever is Sold Separately.

LOCKING BAR 100/200 STYLE



Locking Bar (Galvanized)

Size	MM	Dimension	Part #	Weight	List
12"	300	3/4"x13"	9-7877	5.0	16.00
16"	400	1"x14"	9-7878	10.0	5.00

GASKET 100/200 STYLE



Size	MM	I.D.	Part #	Weight	List
4"	100	4.75"	6-5048	0.2	3.00
6"	150	6.97"	6-5049	0.5	6.50
8"	200	9.22"	6-5056	0.6	13.00
10"	250	11.07"	6-5057	1.1	27.00
12"	300	13.99"	6-5058	1.3	37.00
16"	400	--	9-7557	3.3	90.00

WIL-LUBE



Size	Part #	List
1 oz.	9-8345	1.00
1 lbs.	9-8346	7.00

- When properly lubricated and aligned, couplings will no longer require the use of a cheater bar or wrench to close.
- Wil-lube is a vegetable-based lubricant that will not deteriorate specialty O-rings, such as Buna O-rings.
- Wil-lube can be used with any Ball & Socket style, Cam-lock, Pin-lug O-ring or gasket.
- Wil-lube increases labor efficiency by improving clamping times in system set-up and by reducing leaks and maintenance time.
- Wil-lube also decreases corrosion in permanent and semi-permanent systems where metal-on-metal contact points exist.

HOSE ADAPTER - BALL

100/200 STYLE (GALVANIZED STEEL)



Size	MM	Part #	Weight	List
4"	100	6-9073	3.6	61.00
6"	150	6-9074	7.9	97.00
8"	200	6-9075	16.2	175.00
10"	250	6-9076	27.8	250.00
12"	300	6-9077	42.2	455.00
16"	400	9-7558	82.9	520.00

HOSE ADAPTER - SOCKET

100/200 STYLE (GALVANIZED STEEL)



Size	MM	Part #	Weight	List
4"	100	6-9078	4.2	70.00
6"	150	6-9079	7.1	115.00
8"	200	6-9080	15.2	235.00
10"	250	6-9081	23.4	259.00
*12"	300	6-9082	42.4	530.00
**16"	400	9-7559	76.5	545.00

* Locking Bar (part # 9-7318) for 12" Lever is Sold Separately

** Straight Bar for 16" Lever is included

90° ELBOW

100/200 STYLE (GALVANIZED STEEL)



Size	MM	Part #	Weight	List
4"	100	6-9083	9.9	175.00
6"	150	6-9084	20.5	225.00
8"	200	6-9085	34.6	350.00
10"	250	6-9086	50.7	450.00
12"	300	6-9087	86.6	950.00

45° ELBOW

100/200 STYLE (GALVANIZED STEEL)



Size	MM	Part #	Weight	List
4"	100	6-9088	9.7	150.00
6"	150	6-9089	14.4	200.00
8"	200	6-9090	29.6	300.00
10"	250	6-9091	43.4	400.00
12"	300	6-9092	76.3	875.00

BALL & SOCKET FITTINGS (100/200 STYLE)

ADAPTER - FLG X BALL

100/200 STYLE (GALVANIZED STEEL)



Size	MM	Part #	Weight	List
4"	100	9-8330	11.2	125.00
6"	150	9-8331	17.3	164.00
8"	200	9-8332	28.2	253.00
10"	250	9-8333	40.0	321.00
12"	300	9-8334	59.9	535.00
16"	400	9-8335	104.2	740.00





ADAPTER - FLG X SOCKET

100/200 STYLE (GALVANIZED STEEL)



Size	MM	Part #	Weight	List
4"	100	9-8324	14.0	147.00
6"	150	9-8325	19.9	201.00
8"	200	9-8326	34.9	323.00
10"	250	9-8327	41.3	354.00
12"	300	9-8328	71.4	660.00
16"	400	9-8329	116.0	855.00

100/200 STYLE DIMENSIONS



		Socket				O Ring		Ball					Ring			
Size	MM	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
4"	100	3.62	3.78	5.16	2.36	0.45	4.88	3.66	3.78	5.08	3.98	3.51	4.65	6.30	1.18	0.51
6"	150	5.44	5.63	7.17	2.76	0.57	6.97	5.44	5.63	6.90	5.59	4.14	6.66	8.78	1.50	0.59
8"	200	7.25	7.56	9.69	3.62	0.73	9.22	7.33	7.60	9.53	7.45	5.75	8.67	11.43	1.85	1.06
10"	250	9.38	9.73	11.86	4.33	0.87	11.07	9.22	9.57	11.82	9.93	6.74	11.15	14.11	2.40	1.30
12"	300	11.36	12.21	14.66	4.93	0.93	13.99	11.66	12.02	14.58	11.98	8.35	13.36	17.57	2.76	1.69
16"	400	15.91						15.91								

CAM-LOC FITTINGS

FEMALE THREAD X MALE CAM-LOC

(Cast Aluminum)

"A"
Series

| ← w → |



Size	OD Width	Part #	Weight	List
1/2"	1.024"	9-5889	0.1	7.00
3/4"	1.375"	9-5890	0.1	4.50
1"	1.563"	9-5891	0.1	5.00
1-1/4"	1.938"	9-5892	0.2	7.00
1-1/2"	2.188"	9-5893	0.3	6.00
2"	2.625"	6-6918	0.4	7.00
2-1/2"	3.125"	6-6919	0.6	18.50
3"	3.719"	6-6920	0.7	13.00
4"	4.875"	6-6921	1.3	21.00
5"	5.906"	6-6922	1.6	92.70
6"	7.063"	6-6923	2.0	44.00
8"	9.125"	6-6897	10.9	235.00
10"	11.875"	9-7584	9.9	510.00

FEMALE THREAD X FEMALE CAM-LOC

(Cast Aluminum)

"D"
Series

| ← w → |



Size	ID Width	Part #	Weight	List
1/2"	1.024"	9-5904	0.2	13.00
3/4"	1.375"	9-5905	0.2	10.00
1"	1.563"	9-5906	0.4	12.00
1-1/4"	1.938"	9-5907	0.7	15.00
1-1/2"	2.188"	9-5908	0.8	14.00
2"	2.625"	6-6924	0.9	17.00
2-1/2"	3.125"	6-6925	1.2	33.60
3"	3.719"	6-6926	1.8	27.00
4"	4.875"	6-6927	2.8	40.00
5"	5.906"	6-6928	3.4	118.00
6"	7.063"	6-6929	5.1	80.00
8"	9.125"	6-9788	9.5	250.00
10"	11.875"	9-7585	12.5	810.00

MALE THREAD X MALE CAM-LOC

(Cast Aluminum)

"F"
Series

| ← w → |



Size	OD Width	Part #	Weight	List
1/2"	1.024"	9-5914	0.1	7.00
3/4"	1.375"	9-5915	0.2	6.00
1"	1.563"	9-5916	0.2	7.00
1-1/4"	1.938"	9-5917	0.3	9.00
1-1/2"	2.188"	9-5918	0.5	7.00
2"	2.625"	6-6930	0.7	9.00
2-1/2"	3.125"	6-6931	1.0	23.00
3"	3.719"	6-6932	1.3	18.00
4"	4.875"	6-6933	2.3	29.00
5"	5.906"	6-6934	2.9	112.00
6"	7.063"	6-6935	3.9	68.00
8"	9.125"	9-6959	7.9	269.00
10"	11.875"	9-7586	10.6	555.00

MALE THREAD X FEMALE CAM-LOC

(Cast Aluminum)

"B"
Series

| ← w → |



Size	ID Width	Part #	Weight	List
1/2"	1.024"	9-5894	0.2	10.00
3/4"	1.375"	9-5895	0.2	10.00
1"	1.563"	9-5896	0.4	12.00
1-1/4"	1.938"	9-5897	0.6	14.00
1-1/2"	2.188"	9-5898	0.7	14.00
2"	2.625"	6-6936	0.9	17.00
2-1/2"	3.125"	6-6937	1.0	33.00
3"	3.719"	6-6938	1.6	27.00
4"	4.875"	6-6939	2.4	36.00
5"	5.906"	6-6940	3.3	123.00
6"	7.063"	6-6941	5.0	79.00
8"	9.125"	9-7587	8.0	365.00
10"	11.875"	9-7588	12.1	810.00

CAM-LOC FITTINGS

Working Pressure:

Size	Max PSI
1/2" through 2"	250
2-1/2" through 4"	150
5" through 6"	75
8" through 12"	50

*Note: Plastic, Stainless Steel, and Brass Cam-Loc Fittings available, please Call

*Note: Cam-Loc fittings can also be used for fast & easy suction fittings.

* Please note: 5" & 8" mfg. by different companies may not interchange.

CAM-LOC FITTINGS

HOSE BARB X MALE

CAM-LOC

(Cast Aluminum)

"E"

Series

| ← w → |



Size	OD Width	Part #	Weight	List
1/2"	1.024"	9-5909	0.1	52.00
3/4"	1.375"	9-5910	0.1	5.00
1"	1.563"	9-5911	0.2	6.00
1-1/4"	1.938"	9-5912	0.3	8.00
1-1/2"	2.188"	9-5913	0.4	8.00
2"	2.625"	6-6900	0.6	10.00
2-1/2"	3.125"	6-6901	0.9	21.00
3"	3.719"	6-6902	1.3	18.00
4"	4.875"	6-6903	2.1	30.00
5"	5.906"	6-6914	3.6	97.00
6"	7.063"	6-6915	6.2	77.00
8"	9.125"	6-6899	10.0	270.00
10"	11.875"	9-7589	12.9	695.00

HOSE BARB X FEMALE

CAM-LOC

(Cast Aluminum)

"C"

Series

| ← w → |



Size	ID Width	Part #	Weight	List
1/2"	1.024"	9-5899	0.2	23.00
3/4"	1.375"	9-5900	0.3	9.00
1"	1.563"	9-5901	0.4	10.00
1-1/4"	1.938"	9-5902	0.7	14.00
1-1/2"	2.188"	9-5903	0.7	14.00
2"	2.625"	6-6904	1.0	16.00
2-1/2"	3.125"	6-6905	1.3	32.00
3"	3.719"	6-6906	2.2	26.00
4"	4.875"	6-6907	3.2	39.00
5"	5.906"	6-6916	3.9	130.00
6"	7.063"	6-6917	7.7	96.00
8"	9.125"	6-6898	15.5	465.00
10"	11.875"	9-7590	16.7	1,020.00

END CAP (DUST CAP)

CAM-LOC

(Cast Aluminum)

"DC"


| ← w → |

Size	ID Width	Part #	Weight	List
1/2"	1.024"	9-5919	0.2	9.00
3/4"	1.375"	9-5920	0.2	9.00
1"	1.563"	9-5921	0.3	10.00
1-1/4"	1.938"	9-5922	0.6	14.00
1-1/2"	2.188"	9-5923	0.6	12.00
2"	2.625"	9-5924	0.8	14.00
2-1/2"	3.125"	9-5925	1.0	16.00
3"	3.719"	9-5926	1.3	25.00
4"	4.875"	9-5927	2.3	29.00
5"	5.906"	9-5928	3.1	100.00
6"	7.063"	9-5929	4.7	73.00
8"	9.125"	9-6832	9.0	250.00
10"	11.875"	9-7592	12.5	710.00

END PLUG (DUST PLUG)

CAM-LOC

(Cast Aluminum)

"DP"


| ← w → |

Size	OD Width	Part #	Weight	List
1/2"	1.024"	9-5930	0.1	5.00
3/4"	1.375"	9-5931	0.1	4.00
1"	1.563"	9-5932	0.1	5.00
1-1/4"	1.938"	9-5933	0.2	6.00
1-1/2"	2.188"	9-5934	0.3	5.00
2"	2.625"	9-5935	0.3	8.50
2-1/2"	3.125"	9-5936	0.5	12.50
3"	3.719"	9-5937	0.7	11.00
4"	4.875"	9-5938	1.2	18.00
5"	5.906"	9-5939	1.5	61.00
6"	7.063"	9-5940	2.5	40.00
8"	9.125"	9-7593	4.0	165.00
10"	11.875"	9-7594	5.4	365.00

GASKET, CAM-LOC



Size	OD	ID	Part #	Weight	List
1/2"	1.024	0.669	9-6748	0.0	1.50
3/4"	1.375	0.875	9-6749	0.0	1.50
1"	1.563	1.063	9-6750	0.0	1.50
1-1/4"	1.938	1.359	9-6751	0.0	1.50
1-1/2"	2.188	1.625	9-6752	0.0	1.50
2"	2.625	2.000	6-6908	0.0	1.10
2-1/2"	3.125	2.375	6-6909	0.0	1.50
3"	3.719	3.000	6-6910	0.0	1.60
4"	4.875	4.000	6-6911	0.1	1.70
5"	5.906	4.875	6-6912	0.1	3.10
6"	7.063	6.000	6-6913	0.1	3.40
8"	9.125	8.000	9-5876	0.2	10.00
10"	11.875	9.875	9-7591	0.4	24.00

Fittings

RINGLOCK ELBOW
(GALVANIZED STEEL)


Size	45° Ringlock			90° Ringlock		
	Part #	Weight	List	Part #	Weight	List
3"	9-7395	4.8	75.00	9-7399	7.4	120.00
4"	9-7396	5.1	100.00	9-7400	6.5	135.00
5"	9-7397	9.6	110.00	9-7401	15.2	140.00
6"	6-0310	8.3	130.00	6-0320	11.5	150.00
8"	6-0311	10.8	175.00	6-0321	16.0	195.00
10"	6-0312	13.8	229.00	6-0322	21.5	295.00
12"	9-7398	28.2	285.00	9-7402	36.1	380.00

Ringlock clamp is not included.

**RINGLOCK ELBOW WITH
2" MALE THREAD**
(GALVANIZED STEEL)


Ringlock clamp is not included.

Size	Part #	Weight	List
6"	9-8008	18.6	185.00
8"	9-8009	25.4	230.00
10"	9-8010	31.1	330.00

**RINGLOCK 90° ELBOW
MALE X MALE**
(GALVANIZED STEEL)


Ringlock clamp is not included.

Size	Part #	Weight	List
3"	9-7403	7.6	120.00
4"	9-7404	12.0	135.00
5"	9-7405	15.2	140.00
6"	9-5350	12.9	150.00
8"	9-5351	22.9	195.00
10"	9-5352	28.1	295.00
12"	9-7406	45.2	380.00

**RINGLOCK 90° ELBOW
FEMALE X FEMALE**
(GALVANIZED STEEL)


Ringlock clamp is not included.

Size	Part #	Weight	List
3"	9-8534	7.4	120.00
4"	9-8535	12.0	135.00
5"	9-8536	15.2	140.00
6"	9-8537	18.1	150.00
8"	9-85378	24.9	195.00
10"	9-8539	30.6	295.00
12"	9-8540	45.2	380.00

RINGLOCK ELBOW

(CAST ALUMINUM)



45° Ringlock				90° Ringlock		
Size	Part #	Weight	List	Part #	Weight	List
4"	9-7407	3.7	118.00	9-7410	4.4	155.00
5"	9-7408	4.7	159.00	9-7411	5.5	205.00
6"	6-0370	6.2	180.00	6-0380	8.2	235.00
8"	6-0371	8.3	225.00	6-0381	10.8	285.00
10"	6-0372	10.3	290.00	6-0382	15.3	399.00
12"	9-7409	14.5	570.00	9-7412	20.0	790.00

Ringlock clamp is not included.

TWIST LOCK ELBOW

(CAST ALUMINUM)



45° Twist Lock				90° Twist Lock		
Size	Part #	Weight	List	Part #	Weight	List
6"	6-0313	5.6	266.00	6-0314	6.1	312.00

Call for other twist-lock sizes

HOOK STYLE ELBOW

(CAST ALUMINUM)



45° Hook Style				90° Hook Style		
Size	Part #	Weight	List	Part #	Weight	List
2"	6-0390	3.0	115.00	6-0395	3.0	88.00
3"	6-0391	4.0	140.00	6-0396	4.0	115.00
4"	6-0392	5.0	172.00	6-0397	5.0	145.00

KNOB STYLE ELBOW

(CAST ALUMINUM)



45° Knob Style				90° Knob Style		
Size	Part #	Weight	List	Part #	Weight	List
2"	6-0403	2.1	141.00	6-0398	2.1	102.00
3"	6-0404	2.8	170.00	6-0399	2.8	130.00
4"	6-0405	4.1	217.00	6-0400	4.1	177.00
5"	6-0406	6.9	289.00	6-0401	6.9	250.00
6"	6-0407	9.1	345.00	6-0402	9.1	305.00

ELBOWS

PLAIN ELBOW (ALUMINUM)



45° Alum. Plain				90° Alum. Plain		
Size	Part #	Weight	List	Part #	Weight	List
2"	6-0354	1.7	95.00	6-0364	2.0	108.00
3"	6-0355	1.8	100.00	6-0365	2.3	115.00
4"	6-0350	2.6	110.00	6-0360	2.8	120.00
5"	6-0356	3.2	115.00	6-0366	4.6	145.00
6"	6-0351	3.3	145.00	6-0361	4.5	165.00
8"	6-0352	4.6	150.00	6-0362	6.5	186.00
10"	6-0353	5.6	175.00	6-0363	8.0	221.00
12"	6-9001	-	368.00	6-8021	-	415.00

SURFACE ELBOW (PVC)



45° Surface PVC				90° Surface PVC		
Size	Part #	Weight	List	Part #	Weight	List
6"	6-0340	-	172.00	6-0344	-	190.00
8"	6-0341	-	205.00	6-0345	-	245.00
10"	6-0342	-	260.00	6-0346	-	330.00
12"	6-0343	-	334.00	6-0347	-	425.00

FLANGED FITTINGS

FLANGED ELBOW (GALVANIZED STEEL)



Flanged 45°				Flanged 90°		
Size	Part #	Weight	List	Part #	Weight	List
4"	9-7941	18.5	150.00	9-7415	19.9	175.00
6"	9-7942	25.7	225.00	9-5825	28.3	240.00
8"	9-7943	35.7	259.00	9-5826	39.8	350.00
10"	9-7944	46.5	305.00	9-5827	53.9	410.00
12"	9-7945	63.0	450.00	9-7416	70.9	570.00

• Also Available in Cast Aluminum or Stainless Steel, call for prices.

FLANGE X RINGLOCK ELBOW (GALVANIZED STEEL)



Flange x MRL				Flange x FRL		
Size	Part #	Weight	List	Part #	Weight	List
6"	9-7993	19.5	295.00	9-7996	20.3	295.00
8"	9-7994	27.4	330.00	9-7997	28.4	330.00
10"	9-7995	36.3	395.00	9-7998	34.5	395.00

• Also Available in Cast Aluminum or Stainless Steel, call for prices.

FLANGED TEE & CROSS (GALVANIZED STEEL)



Tee				Cross		
Size	Part #	Weight	List	Part #	Weight	List
4"	9-7423	32.6	250.00	9-8516	37.0	240.00
6"	9-5822	42.6	310.00	9-8517	56.5	370.00
8"	9-5823	65.7	425.00	9-8518	87.6	490.00
10"	9-5824	91.2	579.00	9-8519	121.0	775.00
12"	9-7424	127.9	750.00	9-8520	171.3	950.00

• Also Available in Cast Aluminum or Stainless Steel, call for prices.

FLANGED FITTINGS

FLANGED SPOOLS & ADAPTERS

(GALVANIZED STEEL)



Size	Length	Part #	Weight	List
4" x 4"	12" Long	9-7946	18.7	120.00
6" x 4"	3.5" Long	9-7999	17.6	130.00
6" x 6"	12" Long	9-7947	25.4	160.00
8" x 6"	3.5" Long	9-8000	24.7	195.00
8" x 8"	12" Long	9-7948	34.8	220.00
10" x 8"	3.5" Long	9-8001	32.7	250.00
10" x 10"	12" Long	9-7949	44.5	250.00
12" x 10"	3.5" Long	9-8299	43.6	290.00
12" x 12"	12" Long	9-7950	59.6	390.00

- Also Available in Cast Aluminum or Stainless Steel, call for prices.

FLANGE X RL ADAPTERS

(GALVANIZED STEEL)



Size	Flg x Female RL				Flg x Male RL		
	Part #	Weight	List		Part #	Weight	List
4"	9-6830	8.6	60.00		9-6831	8.6	60.00
6"	6-6450	12.1	135.00		6-6459	13.7	135.00
8"	6-6451	17.4	185.00		6-6549	18.5	185.00
10"	6-6449	22.1	205.00		6-6458	23.6	205.00
12"	6-6448	32.0	295.00		6-6457	32.0	295.00

- Also Available in Cast Aluminum or Stainless Steel, call for prices.

FLANGE X FRL INCREASERS - REDUCERS

(GALVANIZED STEEL)



	Size	Part #	Weight	List
Increaser:	6" Flange x 8" FRL	9-8002	16.3	160.00
	8" Flange x 10" FRL	9-8003	21.6	210.00
Reducer:	8" Flange x 6" FRL	9-8004	18.1	175.00
	10" Flange x 8" FRL	9-8005	24.3	190.00

- Flange x Male Ringlock adapters are also available.
- Also Available in Cast Aluminum or Stainless Steel, call for prices.

RINGLOCK END TEE (GALVANIZED STEEL)


 Ringlock clamp is not included.

Size	Part #	Weight	List
3"	9-7417	9.0	150.00
4"	9-7418	13.6	180.00
5"	9-7419	17.0	185.00
6"	6-0410	15.6	205.00
8"	6-0411	17.3	270.00
10"	6-0412	32.4	360.00
12"	9-7420	52.0	480.00

RINGLOCK END TEE (CAST ALUMINUM)


 Ringlock clamp is not included.

Size	Part #	Weight	List
4"	9-7421	6.2	230.00
5"	9-7422	7.5	280.00
6"	6-0430	9.6	305.00
8"	6-0431	13.4	400.00
10"	6-0432	17.3	495.00

PLAIN END TEE (ALUMINUM)



Size	Part #	Weight	List
2"	6-0444	3.3	145.00
3"	6-0445	3.6	150.00
4"	6-0440	3.9	175.00
5"	6-0446	6.6	205.00
6"	6-0441	6.6	225.00
8"	6-0442	8.9	255.00
10"	6-0443	11.5	305.00
12"	6-8026	16.1	780.00

PLAIN END TEE (SURFACE PVC)



Size	Part #	Weight	List
6"	6-0447	-	245.00
8"	6-0448	-	310.00
10"	6-0449	-	385.00
12"	6-0453	-	515.00

HOOK STYLE END TEE (CAST ALUMINUM)



Size	Part #	Weight	List
2"	6-0450	2.6	130.00
3"	6-0451	3.8	150.00
4"	6-0452	4.8	265.00

TWIST LOCK END TEE (CAST ALUMINUM)



Size	Part #	Weight	List
6"	6-0316	9.1	352.00

KNOB STYLE END TEE (ALUMINUM)



Size	Part #	Weight	List
2"	6-0460	2.6	165.00
3"	6-0461	3.5	180.00
4"	6-0462	6.4	205.00
*5"	6-0463	7.3	289.00
*6"	6-0464	8.8	375.00

* Fabricated Aluminum.

LINE TEES & Y TEES

RINGLOCK LINE TEE

(GALVANIZED STEEL)



Size	Part #	Weight	List
3"	9-7426	9.0	150.00
4"	9-7427	13.6	180.00
5"	9-7428	17.0	185.00
6"	6-0610	19.6	205.00
8"	6-0611	27.1	270.00
10"	6-0612	33.3	360.00
12"	9-7429	52.0	480.00

RINGLOCK LINE TEE

(CAST ALUMINUM)



Size	Part #	Weight	List
4"	9-7430	6.2	230.00
5"	9-7431	7.5	280.00
6"	6-0630	9.6	305.00
8"	6-0631	13.4	400.00
10"	6-0632	17.3	495.00

PLAIN LINE TEE

(ALUMINUM)



Size	Part #	Weight	List
2"	6-0644	3.3	145.00
3"	6-0645	3.6	150.00
4"	6-0640	3.9	175.00
5"	6-0646	6.6	205.00
6"	6-0641	6.6	225.00
8"	6-0642	8.9	255.00
10"	6-0643	11.5	305.00
12"	6-8025	16.1	780.00

PLAIN LINE TEE


(SURFACE PVC)



Size	Part #	Weight	List
6"	6-0647	-	245.00
8"	6-0648	-	310.00
10"	6-0649	-	385.00
12"	6-0653	-	515.00

TWIST LOCK LINE TEE

(CAST ALUMINUM)



Size	Part #	Weight	List
6"	6-0317	9.1	352.00

HOOK STYLE LINE TEE

(CAST ALUMINUM)



Size	Part #	Weight	List
2"	6-0650	4.0	145.00
3"	6-0651	5.0	180.00
4"	6-0652	7.0	235.00

LINE TEES & Y TEES

KNOB STYLE LINE TEE


(CAST ALUMINUM)



Size	Part #	Weight	List
2"	6-0660	2.8	165.00
3"	6-0661	3.8	190.00
4"	6-0662	5.0	219.00
5"	6-0663	11.9	310.00
6"	6-0664	14.0	389.00

PLAIN LINE Y TEE


(ALUMINUM)



Size	Part #	Weight	List
6"	6-0550	-	160.00
8"	6-0551	-	182.00
10"	6-0552	-	210.00

PLAIN Y TEE


(ALUMINUM)



Size	Part #	Weight	List
6"	6-0540	7.2	290.00
8"	6-0541	9.6	330.00
10"	6-0542	12.5	399.00
12"	6-8027	-	706.00

RINGLOCK Y TEE

(GALVANIZED STEEL)



Size	Part #	Weight	List
6"	6-0510	24.7	430.00
8"	6-0511	33.8	450.00
10"	6-0512	41.8	485.00

RINGLOCK Y TEE

(ALUMINUM)



Size	Part #	Weight	List
6"	6-0530	7.7	339.00
8"	6-0531	10.5	349.00
10"	6-0532	13.5	429.00

REDUCERS

PLAIN REDUCER (ALUMINUM)



Size	Part #	Weight	List
3" x 2"	6-0614	1.8	95.00
4" x 3"	6-0615	2.0	95.00
5" x 4"	8-1428	3.7	165.00
6" x 4"	6-0710	2.8	105.00
8" x 4"	6-0713	7.2	205.00
8" x 6"	6-0711	3.9	115.00
10" x 8"	6-0712	5.1	125.00
12" x 10"	6-9002	-	344.00

RINGLOCK REDUCER (GALVANIZED STEEL)



Size	Part #	Weight	List
6" x 4"	6-0730	7.1	120.00
8" x 4"	6-0733	10.4	205.00
8" x 6"	6-0731	10.1	140.00
10" x 8"	6-0732	13.7	175.00

HOOK STYLE REDUCER (CAST ALUMINUM)



Size	Part #	Weight	List
3" x 2"	6-0720	2.0	91.00
4" x 3"	6-0721	3.0	96.00

KNOB STYLE REDUCER (CAST ALUMINUM)



Size	Part #	Weight	List
3" x 2"	6-0717	1.6	147.00
4" x 3"	6-0718	2.3	180.00
5" x 4"	6-0719	2.8	219.00
6" x 4"	6-0709	4.8	239.00

REDUCER & INCREASERS

SURFACE REDUCER (PVC)



Size	Part #	Weight	List
8" x 6"	6-0714	-	135.00
10" x 8"	6-0715	-	165.00
12" x 10"	6-0716	-	200.00

PLAIN INCREASER (ALUMINUM)




Size	Part #	Weight	List
4" x 6"	6-0740	4.8	140.00
6" x 8"	6-0741	6.3	185.00
8" x 10"	6-0742	9.1	229.00
10" x 12"	6-9003	-	374.00

RINGLOCK INCREASER (GALVANIZED STEEL)



Size	Part #	Weight	List
6" x 8"	6-0760	10.8	140.00
8" x 10"	6-0761	13.5	175.00

SURFACE INCREASER (PVC)



Size	Part #	Weight	List
6" x 8"	6-0743	-	135.00
8" x 10"	6-0744	-	165.00
10" x 12"	6-0745	-	200.00

END PLUGS

PLAIN END PLUG

(ALUMINUM)



Size	Part #	Weight	List
4"	6-0810	1.4	75.00
5"	6-0814	2.4	90.00
6"	6-0811	2.5	95.00
8"	6-0812	3.8	100.00
10"	6-0813	4.6	105.00
12"	6-8020	-	135.00

RINGLOCK END PLUG

(GALVANIZED STEEL)



Size	Part #	Weight	List
3"	9-7432	1.8	75.00
4"	9-7433	2.3	85.00
5"	9-7434	3.5	95.00
6"	6-0830	4.9	105.00
8"	6-0831	6.9	110.00
10"	6-0832	9.9	115.00
12"	9-7435	15.1	185.00

RINGLOCK END PLUG W/2" MPT

(GALVANIZED STEEL)



Size	Part #	Weight	List
4"	9-8006	2.4	85.00
5"	9-8007	3.6	96.00
6"	9-8113	6.1	110.00
8"	9-8114	9.6	135.00
10"	9-8115	12.8	170.00

HOOK STYLE END PLUG

(CAST ALUMINUM)



Size	Part #	Weight	List
2"	6-0821	1.0	39.00
3"	6-0822	1.5	45.00
4"	6-0820	2.0	63.00
5"	6-0823	3.0	84.00
6"	6-0824	4.0	91.00

TWIST LOCK END PLUG

(CAST ALUMINUM)



Size	Part #	Weight	List
6"	6-0315	3.5	165.00

END PLUGS & END CAPS

KNOB STYLE END PLUG (CAST ALUMINUM)



Size	Part #	Weight	List
2"	6-0833	0.8	45.00
3"	6-0834	1.3	47.00
4"	6-0835	1.8	60.00
5"	6-0836	2.3	78.00
6"	6-0837	3.0	87.00

SURFACE END PLUG (PVC)



Size	Part #	Weight	List
6"	6-0815	-	65.00
8"	6-0816	-	78.00
10"	6-0817	-	99.00
12"	6-0818	-	125.00

RINGLOCK END CAP (GALVANIZED STEEL)



Size	Part #	Weight	List
3"	9-7436	1.6	75.00
4"	9-7437	2.3	85.00
5"	9-7438	3.5	95.00
6"	6-0870	4.1	110.00
8"	6-0871	8.2	135.00
10"	9-7439	9.9	115.00
12"	9-7440	15.1	185.00

END PLUG COVER, W/HANDLE, WELD-ON (CAST ALUMINUM)



Aluminum end plug cover fits a coupler's weld socket for fabricating end plugs and end caps.

Size	Part #	Weight	List
6"	9-7620	1.5	75.00
8"	9-7621	2.5	99.00
10"	9-7622	3.3	115.00

WELD-ON ELBOWS

SWEEPING ELBOW - WELD-ON (CAST ALUMINUM)




Cast Alum 45° Sweep				Cast Alum 90° Sweep		
Size	Part #	Weight	List	Part #	Weight	List
3"	6-0270	1.0	45.00	6-0275	1.5	76.00
4"	6-0271	1.0	47.00	6-0276	1.7	83.00
5"	6-9943	1.5	70.00	6-9942	2.3	110.00
6"	6-0272	2.0	79.00	6-0277	4.0	130.00
8"	6-0273	3.5	98.00	6-0278	6.0	156.00
10"	6-0274	4.8	142.00	6-0279	9.5	238.00
12"	9-7413	5.5	330.00	9-7414	11.0	550.00

SWEEPING ELBOW - WELD-ON (BLACK STEEL)



Black Steel 45° Sweep					Black Steel 90° Sweep				
Size	Part #	Thickness	Weight	List	Part #	Thickness	"A"	Weight	List
2"	6-0075		2.0	20.00	6-0001			2.0	53.00
3"	6-0076		4.0	51.00	6-0002			4.0	60.00
4"	6-0077	.080"	5.5	79.00	6-0003	.080"	7.00"	5.7	78.00
4-1/2"	9-7755	.134"	3.0	22.00	9-7758	.134"		6.0	30.00
5"	9-8112		-	56.00	9-5017			-	95.00
5-5/8"	9-7894	.188"	-	39.00	9-7897	.188"		-	105.00
6"					9-7658	.072"	16.25"	9.7	135.00
6"	6-0078	.190"	6.1	88.00	6-0004	.190"	8.50"	12.1	115.00
6-5/8"	9-7756	.190"	6.0	47.00	9-7759	.190"		12.0	78.00
8"	9-6813	.190"	12.1	70.00	6-9939	.190"	11.50"	24.5	110.00
8-5/8"	9-7757	.190"	11.1	93.00	9-7760	.190"		22.1	230.00
10"	9-7776	.190"	18.5	75.00	9-7777	.190"		37.0	130.00
10-3/4"	9-7895	.250"	-	149.00	9-7898	.250"		-	235.00
12-3/4"	9-7896	.250"	-	259.00	9-7899	.250"		-	319.00



WELD-ON ELBOWS

MITERED ELBOW - WELD-ON (BLACK STEEL)


45°

Measurements (Inside):

- 45 deg 3"x3" extensions
- 90 deg 3"x2"x3"



90°

Size	10ga (.135")			7ga (.188")		
	Part #	Weight	List	Part #	Weight	List
3"	6-0280	1.5	60.00			
4"	6-0281	3.6	105.00	9-8569	4.7	125.00
6"	6-0282	6.1	100.00	9-8196	8.2	153.00
8"	6-0283	9.0	120.00	9-8197	14.5	187.00
10"	6-0268	12.3	130.00	9-8198	16.6	202.00
12"	6-0269	15.9	150.00	9-8199	21.6	234.00

Size	10ga (.135")			7ga (.188")		
	Part #	Weight	List	Part #	Weight	List
3"	6-0284	2.1	75.00			
4"	6-0285	5.4	159.00	9-8570	6.9	175.00
6"	6-0286	9.3	160.00	9-8200	12.5	258.00
8"	6-0287	13.9	180.00	9-8201	19.0	296.00
10"	6-0288	19.6	200.00	9-8202	26.7	344.00
12"	6-0289	26.3	220.00	9-8203	35.4	399.00

Stainless Steel also available


90° ELBOW - SCH 40 (BLACK STEEL)



- Long Radius
- Other sizes available. Please Call

Size	Wall	OD	ID	"A"	Part #	Weight	List
3"	.216"	3.50"	3.07"	4.5"	9-5231	4.8	26.00
4"	.237"	4.50"	4.03"	6.0"	9-5233	8.9	45.00
6"	.280"	6.62"	6.06"	9.0"	9-5235	24.0	95.00
8"	.322"	8.62"	7.97"	12.0"	9-5237	47.8	190.00
10"	.365"	10.75"	10.02"	15.0"	9-5227	83.4	335.00
12"	.375"	12.75"	12.00"	18.0"	9-5229	123.0	600.00

45° ELBOW - SCH 40 (BLACK STEEL)



* Other sizes available. Please Call

Size	Wall	OD	ID	"B"	Part #	Weight	List
3"	.216"	3.50"	3.07"	2.0"	9-5230	2.5	15.00
4"	.237"	4.50"	4.03"	2.5"	9-5232	4.5	30.00
6"	.280"	6.62"	6.06"	3.75"	9-5234	11.7	53.00
8"	.322"	8.62"	7.97"	5.0"	9-5236	23.3	100.00
10"	.365"	10.75"	10.02"	6.25"	9-5226	40.9	180.00
12"	.375"	12.75"	12.00"	7.5"	9-5228	61.4	400.00

WELD-ON TEES

WELD-ON TEE (CAST ALUMINUM)



Size	Part #	Weight	List
3"	9-7425	1.5	110.00
4"	6-9940	2.0	120.00
5"	6-9941	2.5	130.00
6"	6-0290	3.0	146.00
8"	6-0291	5.8	200.00
10"	6-0292	8.0	240.00

WELD-ON TEE (BLACK STEEL)



Measurements:
4"x4" extensions

Size	10ga (.135")			7ga (.188")		
	Part #	Weight	List	Part #	Weight	List
4"	6-0293	8.2	105.00	9-8571	10.6	150.00
5"	6-0294	15.4	105.00			
6"	6-0295	14.3	135.00	9-8204	19.3	214.00
8"	6-0296	21.8	150.00	9-8205	28.5	265.00
10"	6-0297	31.1	170.00	9-8206	39.4	321.00
12"	6-0298	40.8	215.00	9-8207	51.5	393.00

Stainless Steel also available


WELD-ON WYE TEE (BLACK STEEL)



Stainless Steel also available

Size	10ga (.135")			7ga (.188")		
	Part #	Weight	List	Part #	Weight	List
4"	9-8212	9.5	152.00	9-8572	12.2	195.00
5"	9-8213	12.0	125.00			
6"	9-8214	14.3	177.00	9-8208	19.3	259.00
8"	9-8215	21.2	212.00	9-8209	28.5	310.00
10"	9-8216	29.0	261.00	9-8210	39.4	366.00
12"	9-8217	38.0	304.00	9-8211	51.5	437.00

TEE - SCH 40 (BLACK STEEL)



Size	Wall	OD	ID	"C"	Part #	Weight	List
3"	.216"	3.50"	3.07"	3.38"	9-5282	7.2	46.00
4"	.237"	4.50"	4.03"	4.12"	9-5283	12.7	65.00
6"	.280"	6.62"	6.06"	5.62"	9-5284	33.1	165.00
8"	.322"	8.62"	7.97"	7.00"	9-5285	56.5	195.00
10"	.365"	10.75"	10.02"	8.50"	9-5280	90.9	395.00
12"	.375"	12.75"	12.00"	10.00"	9-5281	136.0	530.00

* Other sizes available. Please Call

ECCENTRIC CONES

ECCENTRIC CONE (BLACK STEEL)



Size	Part #	Weight	List
3" x 2"	6-1124	2.3	52.00
4" x 2"	6-1139	3.0	67.00
4" x 3"	6-1145	2.5	60.00
5" x 3"	6-1146	3.8	77.00
5" x 4"	6-1147	3.3	74.00
6" x 3"	6-1148	5.0	97.00
6" x 4"	6-1140	4.3	94.00
6" x 5"	6-1149	3.8	87.00
8" x 4"	6-1141	10.5	121.00
8" x 5"	6-1154	10.0	117.00
8" x 6"	6-1142	8.8	110.00
10" x 6"	6-1180	14.0	168.00
10" x 8"	6-1143	12.5	168.00
12" x 6"	6-1181	15.0	195.00
12" x 8"	6-1182	13.5	185.00
12" x 10"	6-1144	13.0	175.00
14" x 12"	9-8109	-	359.00


ECCENTRIC CONE (CAST ALUMINUM)



Can be cut to fit fabricated size.

Size	Part #	Weight	List
2-1/2" x 6"	6-1177	3.3	125.00
3" x 8"	6-1178	5.3	170.00

ECCENTRIC CONE - SCH 40 (BLACK STEEL)



* Other sizes available. Please Call

Size	"H"	Part #	Weight	List
3" x 2"	3.5	9-5218	2.0	33.00
3" x 2-1/2"	3.5	9-5219	2.2	35.00
4" x 2-1/2"	4.0	9-5220	3.2	41.00
4" x 3"	4.0	9-5221	3.3	42.00
6" x 4"	5.5	9-5222	7.4	80.00
6" x 5"	5.5	9-5223	7.6	60.00
8" x 4"	6.0	9-5224	10.8	190.00
8" x 6"	6.0	9-5225	12.3	165.00
10" x 6"	7.0	9-5214	20.7	190.00
10" x 8"	8.0	9-5215	22.1	140.00
12" x 10"	8.0	9-5216	32.4	210.00
12" x 8"	8.0	9-5217	30.5	265.00

CONCENTRIC CONES

CONE (BLACK STEEL)



14/12ga				10ga			7ga		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
3" x 2"	6-1185	0.5	11.00						
4" x 2"	6-1186	1.0	15.00						
4" x 3"	6-1187	0.5	10.00						
5" x 3"	6-1188	1.5	27.00						
5" x 4"	6-1189	0.7	27.00						
6" x 3"	6-1190	2.0	27.00						
6" x 4"	6-1130	1.2	19.00	6-9747	2.3	28.00	9-7873	-	42.00
6" x 5"	6-1191	0.9	19.00	9-8297	-	27.00	9-8298	-	55.00
7" x 5"	6-1192	1.0	36.00						
7" x 6"	6-1193	1.0	22.00						
8" x 7"	6-1194	1.4	23.00						
8" x 4"	6-1131	2.5	50.00						
8" x 5"	6-1195	3.0	39.00						
8" x 6"	6-1132	2.5	29.00	6-9748	3.2	52.00	9-7874	-	58.00
9" x 8"	6-1196	1.7	27.00						
10" x 9"	6-1197	2.2	35.00						
10" x 8"	6-1133	3.2	43.00	6-9749	4.1	65.00	9-7875	-	75.00
12" x 10"	6-1138	4.0	49.00	6-9750	5.0	71.00	9-7876	-	115.00
12" x 8"	6-1198	7.5	179.00						
14" x 10"				6-8100	9.0	210.00			
14" x 12"				6-8101	5.0	125.00			
15" x 10"	9-7690	-	135.00						
16" x 10"				9-7689	-	285.00			
16" x 12"				6-8102	11.0	160.00			
16" x 14"				6-8103	6.0	140.00			
18" x 14"				6-8104	15.0	275.00			
18" x 16"				6-8105	7.0	185.00			
20" x 16"				6-8106	16.0	315.00			
20" x 18"				6-8107	7.5	189.00			
22" x 18"				6-8108	-	288.00			
22" x 20"				6-8109	10.8	265.00			
24" x 20"				6-8110	-	715.00			
24" x 22"				6-8111	15.8	320.00			

CONCENTRIC CONES

CONE

(CAST ALUMINUM)



Size	Material	Part #	Weight	List
3" x 2"	Cast Aluminum	6-1125	0.3	24.00
4" x 2"	Cast Aluminum	6-1126	0.3	44.00
4" x 3"	Cast Aluminum	6-1127	1.5	33.00
5" x 4"	Cast Aluminum	6-1128	0.8	48.00
6" x 4"	Cast Aluminum	6-1134	1.8	48.00
6" x 5"	Cast Aluminum	6-1129	1.0	48.00
8" x 4"	Cast Aluminum	6-1135	4.1	119.00
8" x 6"	Cast Aluminum	6-1136	2.3	65.00
10" x 8"	Cast Aluminum	6-1137	4.0	86.00
12" x 10"	Cast Aluminum	6-0865	5.0	125.00

CONE


(STAINLESS STEEL)



Size	Material	Part #	Weight	List
6" x 4"	304 Stainless Steel	9-8147	1.2	115.00
8" x 6"	304 Stainless Steel	9-8107	2.5	240.00
10" x 8"	304 Stainless Steel	9-8108	3.2	372.00
12" x 10"	304 Stainless Steel	9-8148	4.0	430.00

CONCENTRIC CONE - SCH 40

(BLACK STEEL)



Size	"H"	Part #	Weight	List
3" x 2"	3.5"	9-5190	2.0	21.00
3" x 2-1/2"	3.5"	9-5191	2.2	20.00
4" x 2-1/2"	4.0"	9-5192	3.2	55.00
4" x 3"	4.0"	9-5193	3.3	25.00
6" x 4"	5.5"	9-5194	7.4	55.00
6" x 5"	5.5"	9-5195	7.6	50.00
8" x 4"	6.0"	9-5196	10.8	90.00
8" x 6"	6.0"	9-5197	12.3	70.00
10" x 6"	7.0"	9-5186	20.7	125.00
10" x 8"	8.0"	9-5187	22.1	130.00
12" x 10"	8.0"	9-5188	32.4	165.00
12" x 8"	8.0"	9-5189	30.5	185.00

* Other sizes available. Please Call

FLANGES

FLANGE (BLACK STEEL)



Includes Gasket

Specifications:

- Carbon Steel (either A36 plate OR A283-C plate)
- Polyurethane coating (to avoid rust in transit)
- Mil finished plate x machined (125-250-rms) facing
- 1/2" thick; #150 psi test
- Full Face flanges; Standard Bolt Holes
- 1/16" red rubber flange gasket included
- DIN Flanges also available (please call)

Larger sizes available, please call for pricing and availability.

Size	Part #	Weight	List
OD Size:			
2"	6-1104	3.5	20.00
2-1/2"	6-1105	4.5	27.00
3"	6-1106	5.3	20.00
4"	6-1107	7.1	22.00
5"	6-1108	8.2	47.00
6"	6-1110	9.3	45.00
8"	6-1111	12.9	65.00
10"	6-1112	16.6	72.00
12"	6-1109	23.0	112.00
14"	8-1440	26.5	159.00
16"	8-1441	31.0	239.00
18"	8-1442	32.0	275.00
20"	8-1443	37.5	335.00
22"	8-1444	38.5	312.00
24"	8-1445	51.0	375.00
IPS Size:			
4-1/2"	9-6915	6.6	35.00
6-5/8"	6-9674	8.7	45.00
8-5/8"	6-9675	11.7	62.00
10-3/4"	6-9676	14.9	79.00
12-3/4"	6-9677	22.1	115.00
For Valve Outlet:			
6"	6-9678	6.1	40.00
8"	6-9679	8.9	47.00
10"	6-9680	-	100.00
12"	6-9681	-	175.00

Size	Part #	Thickness	ID	OD	Bolt Circle	# of Holes	Hole Size	Bolt Size
2"	6-1104	1/2"	2-1/16"	6"	4-3/4"	4	3/4"	5/8"
2-1/2"	6-1105	1/2"	2-9/16"	7"	5-1/2"	4	3/4"	5/8"
3"	6-1106	1/2"	3-1/16"	7.5"	6"	4	3/4"	5/8"
4"	6-1107	1/2"	4-1/16"	9"	7-1/2"	8	3/4"	5/8"
4-1/2" IPS Size	9-6915	1/2"	4.57"	9"	7-1/2"	8	3/4"	5/8"
5"	6-1108	1/2"	5-1/16"	10"	8-1/2"	8	7/8"	3/4"
6"	6-1110	1/2"	6-1/16"	11"	9-1/2"	8	7/8"	3/4"
6-5/8" IPS Size	6-9674	1/2"	6.72"	11"	9-1/2"	8	7/8"	3/4"
6" For Valve Outlet	6-9678	1/2"	8-1/16"	11"	9-1/2"	8	7/8"	3/4"
8"	6-1111	1/2"	8-1/16"	13.5"	11-3/4"	8	7/8"	3/4"
8-5/8" IPS Size	6-9675	1/2"	8.72"	13.5"	11-3/4"	8	7/8"	3/4"
8" For Valve Outlet	6-9679	1/2"	10-1/16"	13.5"	11-3/4"	8	7/8"	3/4"
10"	6-1112	1/2"	10-1/16"	16"	14-1/4"	12	1"	7/8"
10-3/4" IPS Size	6-9676	1/2"	10.88"	16"	14-1/4"	12	1"	7/8"
10" For Valve Outlet	6-9680	1/2"	12-1/16"	16"	14-1/4"	12	1"	7/8"
12"	6-1109	1/2"	12-1/16"	19"	17"	12	1"	7/8"
12-3/4"	6-9677	1/2"	12.88"	19"	17"	12	1"	7/8"
12" For Valve Outlet	6-9681	1/2"	14.13"	19"	17"	12	1"	7/8"
14"	8-1440	1/2"	14.13"	21"	18-3/4"	12	1-1/8"	1"
16"	8-1441	1/2"	16.13"	23.5"	21-1/4"	16	1-1/8"	1"
18"	8-1442	1/2"	18.13"	25"	22-3/4"	16	1-1/4"	1-1/8"
20"	8-1443	1/2"	20.13"	27.5"	25"	20	1-1/4"	1-1/8"
22"	8-1444	1/2"	22.13"	29.5"	27-1/4"	20	1-3/8"	1-1/4"
24"	8-1445	1/2"	24.13"	32"	29-1/2"	20	1-3/8"	1-1/4"

FLANGES

FLANGE (CAST ALUMINUM)



Includes Gasket

Size	Part #	Weight	List
3"	6-1055	3.0	100.00
4"	6-1116	4.2	105.00
5"	6-1117	5.2	115.00
6"	6-1113	6.3	125.00
8"	6-1114	8.1	159.00
10"	6-1115	12.3	239.00
12"	6-1103	17.5	370.00

FLANGE (STAINLESS STEEL)



Includes Gasket

Size	Part #	Weight	List
6"	9-8101	9.3	295.00
8"	9-8102	12.9	360.00
10"	9-8103	16.6	495.00

FLANGE GASKET (RED RUBBER)



(Full Face)

Size	1/16" Thick			1/8" Thick		
	Part #	Weight	List	Part #	Weight	List
2"	6-1101	-	3.00	6-9666	-	2.50
2-1/2"	9-6814	-	2.60	9-7802	-	3.00
3"	6-1102	-	3.00	6-9667	-	3.50
4"	6-1118	0.2	4.00	6-9668	-	5.00
5"	6-1119	0.2	5.00	6-9669	-	7.00
6"	6-1120	0.3	6.00	6-9670	-	8.00
8"	6-1121	0.3	7.00	6-9671	-	11.00
10"	6-1122	0.3	8.00	6-9672	-	13.00
12"	6-1123	0.5	10.00	6-9673	-	18.00
14"	9-7797	-	13.00	8-1340	-	22.00
16"	9-7798	-	15.00	8-1341	-	29.00
18"	9-7799	-	17.00	8-1342	-	31.00
20"	9-7800	-	19.00	8-1343	-	39.00
22"	9-8300	-	23.00	8-1344	-	76.00
24"	9-7801	-	23.00	8-1345	-	79.00

FLANGE - SQUARE (BLACK STEEL)



Round Bolt Hole



Elongated Bolt Hole

Size	Part #	Weight	List
4" (Round Bolt Hole)	9-5466	3.0	15.00
6" (Round Bolt Hole)	9-5467	1.9	27.00
8" (Round Bolt Hole)	9-5468	3.1	60.00
6" (Elongated Bolt Hole)	9-8550	2.0	30.00
8" (Elongated Bolt Hole)	9-8551	3.2	45.00

FLANGE GASKET - SQUARE

Size	Part #	Weight	List
4"/6"	9-8164	-	23.00
8"	9-8165	-	39.00

FLANGES

FLANGE - BLIND (BLACK STEEL)



Includes Gasket

Size	OD	Thickness	Part #	Weight	List
2"	6"	1/2"	6-9707	4.0	31.00
2-1/2"	7"	1/2"	6-9708	5.5	32.00
3"	7-1/2"	1/2"	6-9709	6.5	33.00
4"	9"	1/2"	6-9710	9.2	46.00
5"	10"	1/2"	9-8163	11.5	62.00
6"	11"	1/2"	6-9711	13.8	50.00
8"	13-1/2"	1/2"	6-9712	21.3	65.00
10"	16"	1/2"	6-9713	28.1	99.00
12"	19"	1/2"	6-9714	42.3	215.00
14"	21"	1/2"	9-7724	51.5	405.00
16"	23-1/2"	1/2"	9-7725	60.0	415.00
18"	25"	1/2"	9-7726	70.0	420.00
20"	27-1/2"	1/2"	9-7727	90.0	425.00
24"	32"	1/2"	9-7728	125.0	430.00

FLANGE - FEMALE THREADED (CAST IRON)



Includes Gasket

Thread Size	OD	Thickness	Part #	Weight	List
2"	6"	5/8"	6-9639	5.1	25.00
2-1/2"	7"	5/8"	6-9640	7.1	35.00
3"	7-1/2"	5/8"	6-9641	7.9	49.00
4"	9"	5/8"	6-9642	13.2	50.00
5"	10"	3/4"	6-9643	15.2	69.00
6"	11"	3/4"	6-9644	19.0	125.00
8"	13-1/2"	1"	6-9645	30.3	135.00
10"	16"	1"	6-9646	43.3	185.00
12"	19"	1"	6-9647	64.4	265.00

Female pipe thread ID

FLANGE INSULATION KIT



Includes:

- Nitrile-Face Phenolic Full Face Flange Gasket
- Mylar Sleeves
- Phenolic Washers (single washer kit)
- Steel Washers (single washer kit)
- Bolts & Nuts NOT included

This cathodically insulated kit prevents stray currents which cause undue corrosion and eventual breakdown of the metal. Also prevents leakage.

Size	Part #	Weight	List
2"	9-6928	0.4	18.00
2-1/2"	9-6929	0.6	24.00
3"	9-6930	0.6	25.00
4"	9-6931	0.8	54.00
5"	9-6932	1.0	41.00
6"	9-6933	1.2	139.00
8"	9-6934	1.6	175.00
10"	9-6935	3.0	185.00
12"	9-6936	3.2	195.00
14"	9-6937	4.2	200.00
16"	9-6938	5.6	210.00
18"	9-6939	6.4	220.00
20"	9-6940	7.2	245.00
22"	9-6941	8.5	275.00
24"	9-6942	9.8	305.00

DISC - WELD-ON (ALUMINUM)



Size	Thickness	Part #	Weight	List
2"	.090"	6-1156	0.1	3.50
3"	.090"	6-1157	0.3	4.00
4"	.090"	6-1159	0.5	7.00
5"	.090"	6-1158	0.8	8.00
6"	.090"	6-1160	1.0	9.00
7"	.090"	9-5808	-	10.00
8"	.090"	6-1161	1.7	12.00
9"	.090"	9-5809	0.5	12.50
10"	.090"	6-1162	2.0	19.00
12"	.090"	6-1163	2.5	19.00

DISC - WELD-ON (BLACK STEEL)



Size	Thickness	Part #	Weight	List
2"	3/16"	6-1170	0.1	3.00
3"	3/16"	6-1171	0.2	4.00
4"	3/16"	6-1150	0.4	5.00
5"	3/16"	6-1172	1.1	9.50
6"	3/16"	6-1151	1.0	10.00
7"	1/4"	6-1173	2.8	13.00
8"	3/16"	6-1152	3.3	16.00
9"	1/4"	6-1175	4.6	24.00
10"	3/16"	6-1153	4.0	22.00
11"	1/4"	6-1176	6.8	37.00
12"	3/16"	6-1174	5.8	29.00

RINGS

RINGLOCK CLAMP

(BAIL SPRING)



Schumacher Standard				Oversized (TL)			A&M (small)			Pierce (small)		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
3"	6-1047	1.4	28.00									
4"	6-1038	1.6	30.00							9-8220	1.6	25.00
5"	6-1039	1.8	31.00									
6"	6-1040	2.0	33.00	6-1043	2.0	36.00	6-0083	2.0	37.00	6-1060	2.0	30.00
7"	6-1036	2.3	39.00									
8"	6-1041	2.7	35.00	6-1044	2.5	39.00	6-0084	2.5	40.00	9-8221	2.7	33.00
10"	6-1042	3.5	44.00				6-0085	3.5	50.00	9-8222	3.5	39.00
12"	6-1037	5.3	52.00							9-8223	5.3	49.00

BAIL SPRING

(FOR RINGLOCK CLAMPS)



Size	Part #	Weight	List
-	6-1046	0.5	7.00

RINGLOCK CLAMP

(SPRING LOADED HOOK)



Size	Part #	Weight	List
3"	9-8347	1.5	65.00
4"	9-8348	1.8	68.00
5"	9-8349	1.9	69.00
6"	9-8350	2.2	72.00
8"	9-8351	3.1	77.00
10"	9-8352	3.8	95.00
12"	9-8353	4.4	125.00

HORSESHOE CLAMP

(PAINTED STEEL)



Size	Part #	Weight	List
6"	6-1050	1.5	24.00
7"	6-1054	1.6	19.00
8"	6-1051	1.7	35.00
10"	6-1052	2.1	38.00

Up to 50 psi

RING - WELD-ON

(BLACK STEEL)



Steel



Aluminum

Steel				Aluminum		
Size	Part #	Weight	List	Part #	Weight	List
4"	9-8131	-	7.00			
6"	6-1020	1.0	10.00	6-1010	0.6	20.00
8"	6-1021	1.1	21.00	6-1011	0.9	24.00
10"	6-1022	1.4	23.00	6-1012	1.1	31.00
12"	9-8142	-	27.00			

RINGS & BANDS

RING - BOLT-ON (GALVANIZED STEEL)



Max. 50 psi

Size	Part #	Weight	List
4"	9-5806	1.2	17.00
6"	6-1032	1.7	20.00
8"	6-1033	2.1	22.00
10"	6-1035	2.6	25.00
12"	9-5807	-	55.00

SINGLE BAND & HOOK (GALVANIZED STEEL)

 Single, Complete Assembly
 includes 1 band, 1 hook, 2 bolts,
 2 nuts and 1 ferrule.

 Single Band Only Assembly
 includes 1 band and 1 nut & bolt.


Size	Complete			Band Only		
	Part #	Weight	List	Part #	Weight	List
2"	6-0913	0.5	15.70	6-0915	0.4	8.00
3"	6-0914	0.6	17.70	6-0916	1.3	10.00
4"	6-0910	0.6	20.70	6-0911	0.8	13.00
5"	6-0922	0.8	21.70	6-0924	1.9	14.00
6"	6-0920	2.8	31.70	6-0921	2.2	24.00
7"	6-0923	3.0	22.70	6-0925	-	15.00
8"	6-0930	3.8	40.70	6-0931	2.8	33.00
9"	6-0932	4.0	36.70	6-0933	2.1	29.00
10"	6-0940	4.5	42.70	6-0941	3.4	35.00
12"	6-0945	5.0	43.70	6-0942	-	36.00

DOUBLE BAND & HOOK (GALVANIZED STEEL)

 Double, Complete Assembly
 includes 1 band, 2 hooks, 3
 bolts, 3 nuts and 2 ferrules.


Size	Complete			Band Only		
	Part #	Weight	List	Part #	Weight	List
4"	6-0950	1.6	35.40	6-0951	1.1	20.00
6"	6-0960	3.8	45.40	6-0961	2.5	30.00
8"	6-0970	4.8	55.40	6-0971	3.1	40.00
10"	6-0980	5.5	56.40	6-0981	3.7	41.00
12"	6-0990	6.0	60.40	6-0991	0.3	45.00

HOOK (GALVANIZED STEEL)


Universal

Part #	Weight	List
6-0904	0.5	6.00


Anderson

Part #	Weight	List
4-0012	0.5	5.00


A&M Long

Part #	Weight	List
4-0013	0.3	7.00


A&M Short

Part #	Weight	List
4-0014	0.4	7.50

BAND & LATCH ACCESSORIES

BAND & LATCH

(KNOB STYLE)

**2", 3"****4", 5", 6"**

Size	Complete			Band Only		
	Part #	Weight	List	Part #	Weight	List
2"	6-0992	0.4	14.50	6-0953	0.6	7.00
3"	6-0993	0.5	16.00	6-0954	0.7	8.20
4"	6-0994	0.9	21.50	6-0955	0.8	14.00
5"	6-0995	1.6	27.00	6-0956	1.4	19.00
6"	6-0996	1.8	34.00	6-0957	1.7	27.00

LATCH ONLY

(KNOB STYLE)

**CX****DX**

Size	Type	Part #	Weight	List
2"-3"-4"	CX	6-0946	0.3	7.50
5"-6"	DX	6-0952	0.3	8.00

KNOB - WELD-ON

(CAST ALUMINUM)



Type	Part #	Weight	List
Cast Alum.	6-0844	0.1	4.50

U - HOLDER



Type	Part #	Weight	List
Aluminum	6-0861	0.1	10.00
Steel	6-0860	0.3	5.00

U - HOLDER FOR TELESCOPE

(CAST ALUMINUM)



Size	Part #	Weight	List
-	6-0862	0.5	23.00

BAND & LATCH ACCESSORIES

LOCKING BLOCK



Steel



Aluminum

Type	Part #	Weight	List
Aluminum	6-0840	0.3	10.00
Steel	6-0850	0.3	5.00

LOCK RING - WELD-ON (STEEL)



Type	Part #	Weight	List
Steel	6-0841	-	12.00

LOCK RING - BOLT-ON (CAST ALUMINUM)



Type	Part #	Weight	List
Cast Alum.	6-0842	0.4	14.00

LOCK PLATE (CAST ALUMINUM)



*Older lock plates are steel

Type	Part #	Weight	List
Cast Alum.	6-0843	-	13.00

BAIL RING



Type	Part #	Weight	List
3",4",5" w/Aluminum Bracket	6-0848	-	24.00
6" w/Steel Bracket	6-0846	-	45.00
6" w/Aluminum Bracket	6-0847	-	45.00

LUG - WELD-ON (ALUMINUM)



Type	Part #	Weight	List
4" Aluminum	6-0851	0.1	6.00
6" Aluminum	6-0849	0.2	10.00

* To match above Bail Rings

NUTS & BOLTS

BOLT KITS

(FOR STEEL FLG X FLG)



Flg Size	Kit Size	Dimension	Part #	Weight	List
2", 3"	Set of 4	5/8"x 2" long	9-5882	-	8.50
4"	Set of 8	5/8"x 2" long	9-5883	-	15.00
5", 6", 8"	Set of 8	3/4"x 2" long	9-5884	4.9	29.00
10", 12"	Set of 12	7/8"x 2" long	9-5881	10.7	75.00

BOLT KITS

(FOR WAFER VALVES)



Wafer Valve Kit for Steel Flanges						Wafer Valve Kit for PVC Flanges			
Flg Size	Kit Size	Dimension	Part #	Weight	List	Dimension	Part #	Weight	List
2", 3"	Set of 4	5/8"x 4"	9-5886	-	11.00	5/8"x 5"	9-6864	-	12.00
4"	Set of 8	5/8"x 4-1/2"	9-5887	5.0	51.00	5/8"x 6"	9-6865	-	55.00
5", 6", 8"	Set of 8	3/4"x 5"	9-5888	7.8	37.00	3/4"x 7"	9-6866	-	63.00
10", 12"	Set of 12	7/8"x 5-1/2"	9-5885	17.7	105.00	7/8"x 8"	9-6863	-	130.00
16"	Set of 16	1" x 5-1/2"	9-7663	-	121.00				
18"	Set of 16	1-1/8" x 5-1/2"	9-7664	-	365.00				

NUTS & BOLTS

(FOR BAND & HOOK)



Type	Size	Grade	Part #	Weight	List
Bolt	3/8" x 1-1/2"	5	6-0901	0.1	0.60
Nut	3/8"	2	6-0902	0.1	0.10
Ferrule	5/16" Wide		6-0903	0.1	1.00
Ferrule	1/2" Wide		6-0899	-	1.20
Bolt	3/4" x 2"	5	6-0905	0.4	1.80
Nut	3/4"	2	6-0906	0.1	0.50

CARRIAGE BOLT & NUT


(KNOB STYLE BAND & LATCH)



Type	Size	Description	Part #	Weight	List
Bolt	5/16" x 1"	For 4" Back	6-0947	0.1	0.20
Bolt	5/16" x 1-1/2"	For 2", 3", 4" Front	6-0962	0.1	0.30
Bolt	3/8" x 1-1/4"	For 5", 6" Back (2 req)	6-0963	0.1	0.30
Bolt	3/8" x 1-3/4"	For 5", 6" Front	6-0964	0.1	0.50
Nut	5/16"		6-0965	0.1	0.10
Nut	3/8"		6-0966	0.1	0.15

TELESCOPES & DROP PIPE

TELESCOPE (ALUMINUM)



RINGLOCK:




Heavy wall aluminum construction.
 Male x Female Ends.
 Includes gaskets and chain.
 Ringlock clamp **not** included.

Size	Part #	Weight	List
6" x 2-4'	6-1220	15.7	390.00
6" x 5-10'	6-1221	26.7	455.00
6" x 10-20'	6-1222	44.9	520.00
8" x 2-4'	6-1223	20.7	505.00
8" x 5-10'	6-1224	33.9	575.00
8" x 10-20'	6-1225	55.8	645.00
10" x 2-4'	6-1226	21.9	595.00
10" x 5-10'	6-1227	37.3	675.00
10" x 10-20'	6-1228	62.9	755.00

Double Chain Telescopes for High Pressure or long extensions also available.

Size	Part #	Weight	List
-	DOUBLECHAIN	-	85.00

DROP PIPE (ALUMINUM)



Size	Part #	Weight	List
6" x 7-15'	6-1310	32.2	675.00
6" to 8" x 7-15**	6-1320	39.3	785.00

- Heavy wall aluminum construction.
- Female x Female ends.
- Complete with gaskets & chain.
- Larger fitting is on elbow end.
- Specify make & model of pivot when ordering.

Drop Hose also available. Please call for price.

CHAIN



Horizontal Working Load Limit = 880 lbs.

Type	Part #	W/ft	List/ft
5/0 Size, Plated	3-0640	0.5	6.50

GATE VALVES

FLANGED GATE VALVE

(CAST IRON)



Size	Part #	Weight	List
3"	6-1347	57.0	410.00
4"	6-1348	66.1	590.00
5"	6-1349	153.0	815.00
6"	6-2070	130.1	1,495.00
8"	6-2080	213.0	2,275.00
10"	6-1350	282.2	3,115.00
12"	6-1351	392.0	4,840.00
16"	9-7778	1,224.0	7,760.00

IPS GASKETED GATE VALVE

(CAST IRON)



Size	Part #	Weight	List
4" IPS	6-9717	70.0	805.00
6" IPS	6-9718	132.0	1,155.00
8" IPS	6-9719	214.0	1,775.00

With 2" operation nut

GATE VALVE

(PVC)

- IPS Slip x Slip (Solvent weld)
- Unrestricted Flow
- Quick Opening
- Trouble Free Simplicity
- Low Pressure
- Low Vacuum
- Low Cost

Applications include:

- Liquids
- Gases
- Dry Bulk/Solids
- Slurry

Size	Handle	Max PSI	Part #	Weight	List
4"	Stainless Steel	20 psi	9-5323	4.5	189.00
6"	Stainless Steel	10 psi	9-5324	16.0	769.00
8"	Stainless Steel	10 psi	9-5325	18.0	1,075.00
10"	Stainless Steel	10 psi	9-7691	53.0	1,899.00
12"	Stainless Steel	10 psi	9-7692	55.0	1,995.00

FEMALE THREAD GATE VALVE

(BRASS)



Size	Part #	Weight	List
1/2"	6-1336	0.6	13.00
3/4"	6-1338	0.8	18.00
1"	6-1339	1.2	29.00
2"	6-1340	3.2	75.00
3"	6-1341	9.9	160.00
4"	6-1342	17.5	245.00

FEMALE THREAD GATE VALVE

(PVC)



Size	Part #	Weight	List
1/2"	6-1352	0.5	55.00
3/4"	6-1353	0.5	67.00
1"	6-1354	0.7	79.00
2"	6-1355	2.0	179.00

BALL VALVES

FEMALE THREAD BALL VALVE

(BRASS)



Size	Part #	Weight	List
1/2"	6-1331	0.5	14.00
3/4"	6-1332	0.4	20.00
1"	3-0560	0.8	29.00
2"	6-1333	1.6	98.00
3"	6-1334	13.5	240.00
4"	6-1335	11.6	390.00

FEMALE THREAD BALL VALVE

(PVC)



Size	Part #	Weight	List
1/2"	6-1343	0.2	2.00
3/4"	6-1344	0.4	2.50
1"	6-1345	0.5	3.50
2"	6-1346	1.6	10.50
3"	6-9697	4.7	67.00
4"	6-9698	9.3	125.00

WAFER BUTTERFLY VALVES

WAFER VALVE - LEVER



Max 200psi (2"-12")

Size	Ductile Iron Disc			Stainless Steel Disc		
	Part #	Weight	List	Part #	Weight	List
2"	9-7495	6.6	110.00	8-1351	6.6	145.00
2-1/2"	9-7496	8.2	115.00	8-1352	8.2	159.00
3"	9-7497	9.0	120.00	8-1353	9.0	195.00
4"	9-7501	11.9	135.00	6-2050	11.9	240.00
5"	9-7502	17.2	220.00	6-2055	17.2	295.00
6"	9-7503	19.0	180.00	6-2051	19.0	335.00
* 8"	9-7504	32.0	280.00	6-2052	32.0	485.00
* 10"	9-7505	48.5	329.00	6-2053	48.5	670.00
* 12"	9-7506	80.5	500.00	6-2054	80.5	950.00

* Due to torque on the internal shaft 8", 10" and 12" Lever operated valves may not close 100% over time. For perfect water shut off, on these sizes, the Gear operated valves listed below are recommended.

WAFER VALVE - GEAR




Size	Ductile Iron Disc			Stainless Steel Disc		
	Part #	Weight	List	Part #	Weight	List
2"	9-7498	18.7	240.00	8-1354	18.7	245.00
2-1/2"	9-7499	20.3	245.00	8-1355	20.3	250.00
3"	9-7500	21.2	255.00	8-1356	21.2	290.00
4"	9-7507	24.0	160.00	6-2056	24.0	370.00
5"	9-7508	28.7	470.00	6-2057	28.7	435.00
6"	9-7509	30.4	230.00	6-2058	30.4	450.00
8"	9-7510	47.8	350.00	6-2059	47.8	630.00
10"	9-7511	60.6	450.00	6-2060	60.6	810.00
12"	9-7512	112.0	650.00	6-2061	112.0	1,125.00
14"	9-7513	134.0	1,280.00	8-1205	122.0	1,629.00
16"	9-7514	181.0	1,960.00	8-1206	190.0	2,189.00
18"	9-7515	240.0	2,450.00	8-1207	240.0	3,259.00
20"	9-7516	395.0	3,400.00	8-1208	395.0	4,470.00
24"	9-7517	525.0	5,240.00	8-1209	525.0	6,830.00
30"	9-7649		19,250.00			
36"	9-7650		19,500.00			

Features:

- Cast Iron Body
- Stainless Steel Stem
- Disc: Ductile Iron-Nickel Plated or Stainless Steel
- Fusion Bonded Epoxy Coating
- 200 psi 2"-12" / 150 psi 14"-16"

WAFER BUTTERFLY VALVES

WAFER VALVE W/EXT GEAR



Valve Size	Extension Length	Ductile Iron Disc			Stainless Steel Disc		
		Part #	Weight	List	Part #	Weight	List
4"	24"	6-9882	33.5	415.00	9-7360	31.6	570.00
4"	36"	6-9883	37.0	425.00	9-7361	35.1	590.00
4"	48"	6-9884	40.3	465.00	9-7362	38.4	610.00
4"	60"	6-9885	43.6	480.00	9-7363	41.8	635.00
4"	72"	6-9886	46.9	540.00	9-7364	45.1	655.00
6"	24"	8-1380	40.5	499.00	9-7365	39.4	669.00
6"	36"	8-1381	44.3	507.00	9-7366	43.1	695.00
6"	48"	8-1382	47.8	548.00	9-7367	46.7	718.00
6"	60"	8-1383	51.6	594.00	9-7368	50.4	764.00
6"	72"	8-1384	55.1	637.00	9-7369	53.9	807.00
8"	24"	8-1385	61.7	763.00	9-7370	61.7	1,016.00
8"	36"	8-1386	65.7	803.00	9-7371	65.7	1,056.00
8"	48"	8-1387	69.6	830.00	9-7372	69.6	1,083.00
8"	60"	8-1388	73.8	863.00	9-7373	73.8	1,116.00
8"	72"	8-1389	77.8	896.00	9-7374	77.8	1,149.00
10"	24"	8-1390	76.0	899.00	9-7350	76.0	1,411.00
10"	36"	8-1391	80.7	939.00	9-7351	80.7	1,450.00
10"	48"	8-1392	85.1	1,209.00	9-7352	85.1	1,466.00
10"	60"	8-1393	89.7	1,249.00	9-7353	89.7	1,510.00
10"	72"	8-1394	94.3	1,289.00	9-7354	94.3	1,544.00
12"	24"	8-1395	132.1	1,251.00	9-7355	131.4	1,990.00
12"	36"	8-1396	137.6	1,293.00	9-7356	136.9	2,032.00
12"	48"	8-1397	143.1	1,770.00	9-7357	142.4	2,073.00
12"	60"	8-1398	148.6	1,368.00	9-7358	147.9	2,107.00
12"	72"	8-1399	153.9	1,418.00	9-7359	153.2	2,157.00
14"	24"	9-7375	154.1	1,688.00			
14"	36"	9-7376	159.6	1,730.00			
14"	48"	9-7377	165.1	1,770.00			
14"	60"	9-7378	170.6	1,805.00			
14"	72"	9-7379	175.9	1,854.00			
16"	24"	9-7380	212.7	3,036.00			
16"	36"	9-7381	219.8	3,067.00			
16"	48"	9-7382	226.6	3,184.00			
16"	60"	9-7383	233.7	3,302.00			
16"	72"	9-7384	240.5	3,344.00			

- 2", 2-1/2", 3", and 5", 18", 20" and 24" Valves w/Extensions are also available.
- Measurements are from center of valve to top.
- Call for taller extensions, such as 96".

WAFER BUTTERFLY VALVES

WAFER VALVE - 2" SQ NUT (STAINLESS STEEL DISC)



Size	Part #	Weight	List
2"	6-9630	17.0	430.00
2-1/2"	6-9631	18.0	450.00
3"	6-9632	18.0	475.00
4"	6-9633	22.0	510.00
5"	6-9634	26.0	570.00
6"	6-9635	37.0	670.00
8"	6-9636	44.0	810.00
10"	6-9637	62.0	1,095.00
12"	6-9638	77.0	1,380.00

WAFER VALVE - ELECTRIC



- 110/120 volt (call for 24 volt DC & 50 hz)
- EPDM seat
- Epoxy coated cast iron body

Ductile Iron Disc				Stainless Steel Disc		
Size	Part #	Weight	List	Part #	Weight	List
2"	9-7474	32.0	1,278.00	6-8082	32.0	1,308.00
2-1/2"	9-7475	33.0	1,289.00	6-8083	33.0	1,332.00
3"	9-7476	33.0	1,750.00	6-8084	33.0	1,350.00
4"	9-7477	39.0	1,839.00	6-8085	39.0	2,535.00
5"	9-7478	42.0	1,870.00	6-8086	42.0	1,933.00
6"	9-7479	59.0	2,198.00	6-8087	59.0	3,670.00
8"	9-7480	68.0	3,012.00	6-8088	68.0	4,630.00
10"	9-7481	90.0	2,873.00	6-8089	90.0	4,820.00
12"	9-7482	105.0	4,071.00	6-8090	105.0	5,099.00

LEVER HANDLE - WAFAER VALVE



- Specify make of valve when ordering

Size	Part #	Weight	List
2"/3"	9-7779	-	30.00
4"	9-7780	-	33.00
5"/6"	9-7781	-	37.00
8"	9-7782	-	120.00
10"	9-7783	-	115.00
12"	9-7784	-	120.00

INDEX PLATE - WAFAER VALVE



- Specify make of valve when ordering

Size	Part #	Weight	List
2"/3"	9-7785	-	6.00
4"/5"/6"	9-7786	-	10.00
8"/10"/12"	9-7787	-	16.00

HAND WHEEL - WAFAER VALVE



- Specify make of valve when ordering

Size	Part #	Weight	List
2"/3"	9-7788	-	18.00
4"	9-7789	-	20.00
5"/6"	9-7790	-	25.00
8"	9-7791	-	42.00
10"	9-7792	-	42.00
12"/14"	9-7793	-	40.00

GEARBOX WITH WHEEL - WAFAER VALVE



- Specify make of valve when ordering

Size	Part #	Weight	List
2"/3"	9-7820	-	122.00
4"	9-7821	-	122.00
5"/6"	9-7822	-	122.00
8"	9-7823	-	212.00
10"	9-7824	-	212.00
12"/14"	9-7825	-	236.00

ELECTRIC ON/OFF HYDRAULIC WAFER VALVE



Size	Part #	Weight	List
4"	9-7706	-	1,220.00
6"	9-7707	-	1,250.00
8"	9-7708	-	2,190.00

- Five-Year Diaphragm Warranty
- Hot dipped galvanized and oven baked powder coatings
- Pilot control options: pressure reducing, pressure sustaining and pressure relief
- Electric on/off with Parker Skinner solenoid and manual three-way controller
- Solenoid available in 12v DC, 24v AC, 24v DC or 120v AC
- Available with P-6000 brass pilot
- Bolt Kit Included

ALFALFA VALVE STUB (FOR PIP PVC PIPE)



Size	Part #	Weight	List
*6"	6-2102	19.0	289.00
8"	6-2103	29.0	315.00
10"	6-2104	40.0	290.00
12"	6-2105	55.0	445.00

- * Solid Arch
- * Spigot for PIP PVC Pipe

UNIVERSAL HYDRANT



Size	Part #	Weight	List
6" x 6"	6-2106	16.0	439.00
8" x 8"	6-2107	23.0	490.00
10" x 10"	6-2108	32.0	600.00
12" x 12"	6-2109	34.0	690.00

Call for other sizes.

SURGE GATE VALVE



Size	Part #	Weight	List
6"	6-1505	39.0	Call
8"	6-1506	46.0	Call
10"	6-1507	58.0	Call
12"	9-8141	-	Call

STEM GATE VALVE

THREADED STEM GATE VALVE (BRASS)



Size	Type	Max PSI	Part #	Weight	List
4"	Threaded*	45	6-9890	20.9	469.00
6"	Threaded*	37	6-9891	26.9	585.00

- Includes Handle
- Option: Stainless Steel disc valves can take up to 60psi on 4", 6", & 8" Valves

- Comes in easy to assembly 4 piece construction with high tensile hexagonal bolts and nylock nuts.
- Works as an operating device in the slurry industry, ideal for usage in confined spaces.

FLANGED STEM GATE VALVE (BRASS)



Size	Type	Max PSI	Part #	Weight	List
4"	4-Bolt Flange*	45	9-5472	19.4	470.00
6"	4-Bolt Flange*	37	9-5473	23.4	550.00
8"	4-Bolt Flange*	22	9-5474	46.4	995.00

- Includes two O-Ring Gaskets
- Includes Handle
- Option: Stainless Steel disc valves can take up to 60psi on 4", 6", & 8" Valves

- Comes in easy to assembly 4 piece construction with high tensile hexagonal bolts and nylock nuts.
- Works as an operating device in the slurry industry, ideal for usage in confined spaces.

ACCESSORIES - STEM GATE VALVE



<u>Handle:</u>	Size	Part #	Weight	List
	4"	9-6972	-	105.00
	6"	9-6973	6.4	135.00
	8"	9-6974	-	140.00

<u>O-Ring Gasket:</u>	Size	Part #	Weight	List
	4", 6"	9-6970	-	4.00
	8"	9-6971	-	6.00

THREADED LEVER GATE VALVE (BRASS)



Size	Type	Max PSI	Part #	Weight	List
2"	Threaded	45	9-7702	4.0	105.00
3"	Threaded	45	9-7703	9.0	195.00
4"	Threaded	45	9-7704	15.0	315.00
6"	Threaded	22	9-7705	27.0	575.00

LOW PRESSURE VALVES


LOW PRESSURE VALVE (ALUMINUM)

45 psi max pressure



Size	Part #	Weight	List
6"	6-1460	10.0	250.00
8"	6-1461	15.0	310.00
10"	6-1462	20.0	360.00
12"	6-8028	-	381.00

LOW PRESSURE END TEE VALVE (ALUMINUM)




Size	Part #	Weight	List
6"	6-1301	21.0	505.00
8"	6-1302	27.0	680.00
10"	6-1303	34.0	730.00
12"	9-8144	-	790.00

LOW PRESSURE VALVE (PVC)



Size	Part #	Weight	List
6"	6-1356	-	505.00
8"	6-1357	-	555.00
10"	6-1358	-	630.00
12"	6-1359	-	759.00

LOW PRESSURE VALVE KIT



Instructions included

Size	Part #	Weight	List
6"	6-1473	-	355.00
8"	6-1474	9.9	370.00
10"	6-1475	-	455.00

RUBBER MOLDED DISC (FOR LOW PRESSURE VALVE)



Size	Part #	Weight	List
6"	6-1013	4.0	60.00
8"	6-1014	-	75.00
10"	6-1367	6.2	133.00

RUBBER WASHER (FOR LOW PRESSURE VALVE)



Size	Part #	Weight	List
5/8"	6-1015	-	1.50

RINGLOCK CHEMIGATION VALVE

(GALVANIZED STEEL)



Includes: 2" ARV, 3/4" nuts & bolts, flange gaskets

Size	Part #	Weight	List
4"	9-6826	51.7	835.00
6"	6-1401	78.2	863.00
8"	6-1402	110.3	1,187.00
10"	6-1403	150.1	1,370.00
12"	9-6829	216.5	2,655.00

FLANGE X COUPLER CHEMIGATION VALVE

(GALVANIZED STEEL)



Includes: 2" ARV, 3/4" nuts & bolts, flange gaskets

Size	Part #	Weight	List
4"	9-6824	43.3	760.00
6"	6-1360	64.5	699.00
8"	6-1361	91.8	973.00
10"	6-1362	126.5	1,090.00
12"	9-6827	174.4	2,360.00

FLANGED CHEMIGATION VALVE

(GALVANIZED STEEL)



Includes: 2" ARV, & flange gaskets

Size	Part #	Weight	List
3"	9-8524	25.9	618.00
4"	9-6825	34.9	685.00
6"	6-1370	48.2	535.00
8"	6-1371	70.1	759.00
10"	6-1372	94.3	810.00
12"	9-6828	132.2	1,915.00

INJECTION VALVE

(PVC-MISTER MIST'R)



- 3/4" Male Pipe Thread
- 15 psi release is standard (optional 9, 25, 65 or 80 psi available.)
- Stainless Steel are also available

Size	Part #	Weight	List
3/4" MPT	6-1523	0.1	65.00

CHECK VALVES

SWING CHECK VALVE - FPT (BRASS)




Size	Part #	Weight	List
3"	8-1330	7.3	173.00

WAFER CHECK VALVE (CAST IRON)



Size	Ductile Iron Disc			Stainless Steel Disc		
	Part #	Weight	List	Part #	Weight	List
2"	9-7483	3.0	315.00	8-1400	3.0	169.00
2 1/2"	9-7484	4.0	200.00	8-1401	4.0	210.00
3"	9-7489	8.0	130.00	6-1770	8.0	149.00
4"	9-7490	13.0	180.00	6-1771	13.0	225.00
6"	9-7491	20.0	330.00	6-1772	20.0	390.00
8"	9-7492	38.0	575.00	6-1773	38.0	680.00
10"	9-7493	58.0	825.00	6-1774	58.0	975.00
12"	9-7494	93.0	1,180.00	6-1775	93.0	1,469.00
16"	9-7485	140.0	3,340.00	8-1402	140.0	3,495.00
18"	9-7486	400.0	4,695.00	8-1403	300.0	4,910.00
20"	9-7487	500.0	5,750.00	8-1404	400.0	7,110.00
24"	9-7488	500.0	8,570.00	8-1405	500.0	8,975.00


CHECK VALVE - WELD ON (BLACK STEEL)



Galvanized or Epoxy-coated available at a nominal charge.

Size	Part #	Weight	List
3"	9-8521	7.5	360.00
4"	6-1463	12.0	240.00
5"	6-1464	15.0	710.00
6"	6-1465	16.2	440.00
8"	6-1466	28.2	520.00
10"	6-1467	41.6	630.00
12"	6-1468	68.0	535.00

CHECK VALVE - WELD ON (CAST ALUMINUM)



Size	Part #	Weight	List
4"	6-9682	5.1	227.00
5"	6-9683	6.9	255.00
6"	6-9684	9.3	315.00
8"	6-9685	14.5	395.00
10"	6-9686	19.7	400.00

RINGLOCK CHECK VALVE

Includes:

- One Flg x Flg Check Valve
- One Flg x FRL Adapter
- One Flg x MRL Adapter
- Two Flange Bolt Kits and gaskets



Size	Part #	Weight	List
6"	6-1470	35.9	860.00
8"	6-1471	55.0	1,020.00
10"	6-1472	79.9	1,329.00

CHECK VALVES

FLANGED CHECK VALVE

(GALV. STEEL, CAST ALUM, & HDPE)



Galvanized Steel				Cast Aluminum			HDPE		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
3"	9-8523	15.5	436.00						
4"	6-1710	27.0	528.00	6-9687	13.5	450.00	9-8559	9.3	449.00
5"	6-1711	29.0	730.00	6-9688	17.3	495.00			
6"	6-1712	34.1	662.00	6-9689	21.9	590.00	9-8560	18.3	557.00
8"	6-1713	56.6	774.00	6-9690	30.6	735.00	9-8561	28.7	683.00
10"	6-1714	73.0	926.00	6-9691	44.3	899.00	9-8562	32.4	949.00
12"	6-9751	106.0	1,599.00				9-8563	60.2	1,287.00
14"	8-1346	225.0	6,126.00						
16"	8-1347	325.0	4,785.00						
20"	8-1348	400.0	6,858.00						
22"	8-1349	-	3,452.00						
24"	8-1350	638.0	8,197.00						

CHECK VALVE PARTS

(GALV. STEEL & CAST ALUM)




Plate & Spring:

Size	Bolt Spacing	Part #	Weight	List
3"	1"	9-8522	-	217.00
4"	1-1/8"	6-1736	-	307.00
	2"	6-1738	-	375.00
	2-1/2"	9-6916	-	175.00
5"	2-1/4"	6-1737	-	490.00
	2-1/2"	9-6917	-	189.00
6"	2-5/16"	6-1733	3.4	400.00
	2-1/2"	6-1500	5.0	275.00
	3-1/2"	9-5425	5.0	312.00
8"	3"	6-1501	10.0	550.00
	3-1/2"	6-1731	4.1	430.00
10"	3-1/2"	9-5427	14.0	475.00
	4-1/4"	6-1735	6.8	705.00
	4-1/2"	6-1502	14.0	320.00
12"	4-1/4"	9-7660	14.8	890.00
	4-1/2"	9-7661	-	420.00

Springs Only:

4"	9-7550	-	16.00
6"	9-7551	-	16.00
8"	9-7619	-	18.00
10"	9-7552	-	20.00

HDPE Repair Kit:

4"	9-8564	-	120.00
6"	9-8565	-	149.00
8"	9-8566	-	162.00
10"	9-8567	-	181.00
12"	9-8568	-	210.00

HDPE Repair Kit includes Gasket, Springs, Screws, Washer and Pins.

COMBO VALVES

WELD -ON COMBO VALVE (GALVANIZED STEEL)



130 maximum psi

Size	Part #	Weight	List
4"	6-1480	18.0	715.00
6"	6-1481	25.0	900.00
8"	6-1482	55.0	1,165.00
10"	6-1483	77.0	1,575.00
12"	6-1700	108.0	2,120.00

HOOK STYLE COMBO VALVE (GALVANIZED STEEL)



130 maximum psi

Size	Part #	Weight	List
3"	6-1477	16.0	865.00
4"	6-1478	18.0	918.00
6"	6-1479	26.0	1,135.00
8"	6-1493	65.0	1,250.00

RINGLOCK COMBO VALVE (GALVANIZED STEEL)



130 maximum psi

Size	Part #	Weight	List
4"	6-1476	17.0	770.00
6"	6-1484	27.0	940.00
8"	6-1485	58.0	1,260.00
10"	6-1486	88.0	1,760.00
12"	6-1701	120.0	2,125.00

FLANGE COMBO VALVE (GALVANIZED STEEL)



130 maximum psi

Size	Part #	Weight	List
4"	9-8126	-	910.00
6"	6-1487	47.0	1,220.00
8"	6-1488	85.0	1,650.00
10"	6-1489	113.0	1,890.00
12"	6-1702	166.0	2,900.00

COMBO VALVE PARTS



Description	Size	Part #	Weight	List
Disc:	4"	9-7770	-	119.00
	6"	6-1490	5.3	159.00
	8"	6-1491	7.8	290.00
	10"	6-1492	9.8	385.00
	12"	9-7771	-	420.00
Packing Ring Set: (2-pieces/set)	4"-6"	9-6815	-	22.00
	8"-12"	9-6816	-	35.00
Packing Nut:	4"-6"	9-7768	-	22.00
	8"-12"	9-7769	-	45.00
Handle:	4"	9-7764	-	145.00
	6"	9-7765	-	160.00
	8"-10"	9-7766	-	210.00
	12"	9-7767	-	225.00
Hinge Pin:	4"	9-7772	-	20.00
	6"	9-7773	-	22.00
	8"-10"	9-7774	-	40.00
	12"	9-7775	-	42.00

Fittings

INLINE VALVE

RINGLOCK INLINE VALVE (GALVANIZED STEEL)



150 max. psi on 4", 6", & 8" valves
80 max psi on 10" valves

Size	Part #	Weight	List
6"	6-1440	19.0	430.00
8"	6-1441	29.0	590.00
10"	6-1442	43.0	850.00

HOOK STYLE INLINE VALVE (GALVANIZED STEEL)



150 max. psi on 4", 6", & 8" valves
80 max psi on 10" valves

Size	Part #	Weight	List
4"	6-1450	14.0	410.00
5"	6-1458	15.8	460.00
6"	6-1451	24.0	510.00
8"	6-1452	35.0	675.00
10"	6-1459	41.0	1,090.00


WELD-ON INLINE VALVE (GALVANIZED STEEL)



150 max. psi on 4", 6", & 8" valves
80 max psi on 10" valves

Size	Part #	Weight	List
4"	6-1453	12.0	300.00
5"	6-1454	13.5	330.00
6"	6-1455	20.0	389.00
8"	6-1456	31.0	470.00
10"	6-1457	36.0	660.00

HOOK STYLE INLINE VALVE TEE (GALVANIZED STEEL)






*Also available in Ringlock
*Also available in Line Valve Tees.

150 max. psi on 4", 6", & 8" valves
80 max psi on 10" valves

Size	Part #	Weight	List
4"	6-1443	26.0	750.00
5"	6-1444	33.0	850.00
6"	6-1445	47.0	915.00
8"	6-1446	56.0	1,825.00


INLINE VALVE PARTS



Description	Item #	Size	Part #	Weight	List
	1	4"	6-1495	-	38.00
	1	5"	6-1496	-	40.00
Disc:	1	6"	6-1497	2.3	61.00
	1	8"	6-1498	4.1	95.00
	1	10"	6-1499	5.0	199.00
Shaft:	2	4" (8" Long)	6-4250	-	38.00
	2	5" (9" Long)	6-4251	-	39.00
	2	6" (10" Long)	6-4252	-	61.00
	2	8" (12" Long)	6-4253	-	64.00
	2	10" (14" Long)	6-4254	-	76.00
Hex Bolt: (Req 2, 3 for 10")	3	4"-5"	6-4255	-	2.50
	3	6"-8"	6-4256	-	3.50
	3	10"	6-4257	-	3.60
Washer: (Req 2)	4	4"-5"	6-4258	-	0.80
	4	6"-8"	6-4259	-	0.45
Hex Nut: (Req 2)	5	4"-5"	6-4260	-	1.20
	5	6"-8"	6-4261	-	1.40
Chevron Gasket: (Req 2)	6	4"-5"	6-4262	-	2.40
	6	6"-8"-10"	6-4263	-	4.10
Washer Reducer: (Req 2)	7	4"-5"	6-4264	-	1.10
	7	6"-8"-10"	6-4265	-	1.60
Retainer Ring: (Req 4)	8	4"-5"	6-4266	-	2.80
	8	6"-8"-10"	6-4267	-	2.80
Arm Linkage (Req 2)	9		6-4268	0.2	4.10
Crank Assembly (includes 10, 17, 18, 19, 20)			6-4269	-	87.10
Washer, Star	11		6-4270	-	1.10
Jam Nut	12		6-4271	0.1	1.10
Ferrule SS	13		6-4272	-	1.10
Hex Bolt, Eg.	14		6-4273		0.70
Washer SAE	15		6-4274	-	0.60
Hex Nut, 3/8"	16		6-4275		0.40
Collar (req 2)	17		6-4276	-	3.70
Roll Pin (req 2)	18		6-4277	-	1.90
Stem & Handle	10		6-4278	-	50.00
Thrust Nut	19		6-4279	-	18.00
Yoke	20		6-4280	0.4	13.50

METERS

BOLT-ON WATER METER



Size	Hole Size	GPM	Part #	Standard		* Reverse Impeller		
				Weight	NET	Part #	Weight	NET
4"	4"	50-900	6-1930	18.0	1,846.00	8-1431	14.0	2,083.00
6"	5"	90-1800	6-1931	22.0	1,919.00	8-1432	19.0	2,156.00
8"	5-1/8"	100-2250	6-1932	26.0	2,022.00	8-1433	23.0	2,259.00
10"	6"	0-2700	6-1933	30.0	2,157.00	8-1434	26.0	2,394.00
12"	7"	0-4000	6-1934	34.0	2,319.00	8-1435	30.0	2,556.00

* Reverse Impeller Meters are for Liquid waste manure or other surface water applications.

- Above includes an overrun bearing, anti-reverse register & canopy boot for 3-year warranty.
- State wall thickness & O.D. when ordering.
- + or - 2% Accuracy
- (12ga = .072, .064)

MAG METER (SEAMETRIC)




Size	Model	Max GPM	Part #	Stand Alone		For Pivot Panel		
				Weight	NET	Part #	Weight	NET
6"	AG3000	2891	9-8137	49.0	2,599.00	9-8138	49.0	2,725.00
8"	AG3000	5140	9-8139	70.0	2,995.00	9-8140	70.0	3,121.00
10"	AG3000	8031	9-8135	130.0	3,534.00	9-8136	130.0	3,660.00

- No moving parts or bearings to replace.
- Backed by our industry leading 5-year warranty.
- 4-year battery life with a Free battery replacement.
- Saddle mount option easily replaces dated propeller meters (Call for prices).

BUMP PIPE (FOR WATER METERS)

Bump pipe are used after water meters in flood irrigation applications to ensure a full pipe flow for accurate readings.

- Fabricated to the customer's specifications.
- Available in Aluminum, Galvanized Steel, or Black Steel.
- Please call for pricing.



WATER METER FLOW TUBE (ALUMINUM)



M x F Ringlock					Flange x Flange		
Size	Length	Part #	Weight	List	Part #	Weight	List
4"	5'	9-5295	8.0	295.00	9-5299	14.2	420.00
6"	7'	9-5296	13.6	355.00	9-5300	22.0	499.00
8"	9'	9-5297	22.7	465.00	9-5301	34.0	649.00
10"	10.5'	9-5298	32.8	590.00	9-5302	51.6	895.00

- Includes straightening vanes
- Also available in Black or Galvanized Steel.
- Call for Custom configurations and lengths.

STRAIGHTENING VANES (FOR WATER METERS)



OD Pipe Size	Aluminum Weld-in			Steel Weld-in			Steel Bolt-in Tri-Vane		
	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
4"	9-6868	0.5	33.00	9-6877	1.0	45.00	9-6873	-	240.00
6"	9-6869	0.6	35.00	9-6878	2.0	40.00	9-6874	-	250.00
8"	9-6870	1.0	37.00	9-6879	3.0	45.00	9-6875	-	300.00
10"	9-6867	2.0	42.00	9-6876	4.0	50.00	9-6871	-	320.00
12"							9-6872	-	335.00

STRAIGHTENING VANE (FLOW STRAIGHTENER) (STAINLESS STEEL)



Size	OD Pipe Size			IPS Pipe Size		
	Part #	Weight	NET	Part #	Weight	NET
6"	9-6880	-	519.00	9-6883	-	519.00
8"	9-6881	-	561.00	9-6884	-	561.00
10"	9-6882	-	607.00	9-6885	-	607.00


* Bolt's on with a single bolt

Outside body is NOT included in price.

Flow straightener is a cone-shaped device that sits upstream from the meter and conditions the fluid to remove flow irregularities prior to measurement. The conditioned flow supports high accuracy flow measurement and virtually eliminates the need for space-consuming, costly upstream/downstream straight-pipe runs.

CENTER PIVOT PARTS

DRIVE COUPLER ASSEMBLY



Size	Style	Part #	Weight	List
1" Round x 1" Square	Old Valley, Gifford Hill	6-1531	2.5	40.00
1" Round x 7/8" Square	New Valley	6-1532	2.5	40.00
1" Round x 3/4" Square	Gifford Hill, Olson, Lindsay, Electrogator	6-1533	2.5	40.00
1" Round w/KW x 3/4" Square	Old Lockwood	6-1534	2.5	40.00
1" Round w/KW x 1" Square	New Lockwood	8-1422	2.5	27.00
1-1/8" Round x 3/4" Square		8-1423	2.5	27.00
1-1/8" Round x 1" Square	Gifford Hill	8-1424	2.5	27.00

Description	Part #	Weight	List
Puck Only	2-0046	-	6.00

Features:

1. Clover leaf style with live rubber insert absorbs shock and reduces wear on drive-line components.
2. Casting design holds bolt in place and requires only one wrench to install.
3. Aluminum alloy and five piece design makes this "U-Joint" easy to install or remove. No more rust.

UNIVERSAL DRIVE COUPLER ASSEMBLY (CAST ALUM)



Black Max BX



UMC C-X

Description	Part #	Weight	List
Black Max BX	9-8361	-	41.00
UMC C-X	9-8362	-	33.00

Features:

1. Universal Design - Fits 3/4", 7/8" and 1" Square Shafts
2. One Wrench Installation
3. Pre-Assembled

PIVOT DRAINS



Style	Description	Part #	Weight	List
Quick Drain: (Mushroom)	Lindsay Type, 5-30 psi	2-1184	-	5.00
	Lindsay Type, 20-75 psi	2-1183	-	5.00
Star Drain Valve:	Complete w/Plastic Base	2-1182	-	18.00
	Neoprene Rubber Star	SDRS-1	-	Call

CENTER PIVOT PARTS

PIVOT RUBBER BOOT



Description	Size	OD	Part #	Weight	List/ft
4-PLY:	6-5/8" x 16" long	7.01"	6-1535	3.5	59.00/ea
	6 5/8"/foot	7.01"	6-9580	-	60.00
	7"/foot		2-1270	-	100.00
	8"/foot		2-1271	-	50.00
	8-5/8"/foot		2-1272	-	67.00
2-PLY:	6"/foot	6.38"	6-9576	2.0	24.00
	6-5/8"/foot	7.01"	6-9577	2.2	29.00
	8"/foot	8.46"	6-9578	2.9	45.00
	10"/foot	10.63"	6-9579	5.1	50.00

PIVOT BOOT CLAMP (STAINLESS STEEL)



* 7/8" Wide, Hybrid

Size	Part #	Weight	List
4-1/2"	2-1275	-	Call
5"	2-1559	-	Call
6"	2-1278	-	13.00
*6 5/8"	6-1536	0.5	17.00
7"	2-1279	-	16.00
8"	6-9581	0.2	19.00
8-5/8"	2-1280	-	20.00
10"	2-1281	-	20.00

PIVOT FLANGE GASKET



Description	Part #	Weight	List
5-9/16"	2-1317	-	4.50
6" (5" id x 8" od)	9-5436	-	19.00
6-5/8" (6-5/8" id x 8" od)	9-5437	-	15.00
8", Lindsay Style	2-1319	-	8.00

END GUN BOOSTER PUMP (MOTOR & PUMP)



- All Parts are interchangeable with
 Berkeley Model #C2MPS
 - With Leeson 2-HP (TEFC) 3-phase
 Motor, 460 volt

Description	Part #	Weight	List
2-HP, 130 GPM (2-1/2" Suction x 2" Discharge)	2-1106	-	1,106.00

END GUN BOOSTER PUMP (COMPONENTS)



Description	Part #	Weight	List
Volute Case	2-1115	-	185.61
Motor Bracket	2-1111	-	172.25
Impeller, Cast Iron	2-1113	-	198.29
Impeller, Brass	2-1559	-	Call
Impeller, Stainless Steel	2-1560	-	159.50
Motor Bracket Gasket	2-1110	-	4.79
Volute Gasket	2-1114	-	4.79
Impeller Spacer	2-1561	-	3.85
Mechanical Seal	2-1112	-	30.65
Motor Only, 2-HP, 3-Phase, 460V	2-1118	-	859.70

PIVOT END GUN VALVE



Description	Part #	Weight	List
3/4"	9-7651	-	130.00
1"	9-7652	-	130.00
2"	9-7653	-	210.00
2" 90°	9-7654	-	210.00

* Includes automatic drain and plug.

CENTER PIVOT PARTS

PIVOT WEIGHT



- Ends of pipe are rounded for attractive appearance and functionality
- Strong UV inhibitors added to weight for longevity

Description	Length	Part #	Weight	List
Polyethylene:	15"	6-9548	1.0	5.00
	20"	6-9549	1.4	5.00
	24"	6-9550	1.5	7.00
	30"	6-9551	2.0	9.00
PVC (FPT x FPT):	10"	6-9552	2.0	9.00
	11"	6-9553	2.0	9.00
	13-3/4"	6-9554	2.5	10.00
	16-1/2"	6-9555	3.1	10.00

PIVOT DROP ELBOW



Steel Galvanized



PVC, Single



PVC, Double

Type	Description	Part #	Weight	List
Single, Steel Galv:	3/4", MxF	--	-	Call
	3/4" MxM	--	-	Call
Single, PVC:	125 Degree, 3/4" FPT x Barb	--	-	Call
	125 Degree, 3/4" FxM	--	-	Call
	180 Degree, 3/4" FPT x Barb	--	-	Call
	180 Degree, 3/4" MxF	--	-	Call
	180 Degree, 3/4" MxM	--	-	Call
	180 Degree, 3/4" MPT x Barb	--	-	Call
Double, PVC:	125 Degree, 3/4" FPT x Barb	--	-	Call
	125 Degree, 3/4" FxM	--	-	Call

- U Pipes have 6" radius
- PVC Drop Elbow has strong UV inhibitors for year round use.

DROP RISER (GALVANIZED OR POLY)



- 3/4" MPT x 3/4" FPT



- 3/4" MPT x 3/4" FPT

Polyethylene Drop Riser Features:

- Strongest clamp on the market, 100% guaranteed.
- Strong UV inhibitors for year round use.
- These heavy duty drops are made from top quality polyethylene materials and the heaviest duty clamp on the market. These drops are engineered to withstand tough use conditions and are perfect for use in areas with corrosive water.

Size	Galvanized			Polyethylene		
	Part #	Weight	List	Part #	Weight	List
24"	--	--	Call	--	--	Call
30"	--	--	Call	--	--	Call
36"	--	--	Call	--	--	Call
42"	--	--	Call	--	--	Call
48"	--	--	Call	--	--	Call
54"	--	--	Call	--	--	Call
60"	--	--	Call	--	--	Call
66"	--	--	Call	--	--	Call
72"	--	--	Call	--	--	Call
78"	--	--	Call	--	--	Call
84"	--	--	Call	--	--	Call
90"	--	--	Call	--	--	Call
96"	--	--	Call	--	--	Call
102"	--	--	Call	--	--	Call
108"	--	--	Call	--	--	Call
114"	--	--	Call	--	--	Call
120"	--	--	Call	--	--	Call

CENTER PIVOT PARTS

UNIVERSAL DRIVE GEAR BOX



Features

1. Heavy-Duty gearbox with universal mounting.
2. Totally enclosed internal air expansion chamber.
3. High tensile strength worm shaft.
4. Most durable worm gear available.
5. One-piece high strength output shaft.
6. Heavy-duty taper roller bearings.
7. Extreme-duty ductile iron end caps.
8. New self-contained cartridge style input and output shaft seals eliminating oil leaks.
9. Plates seal cover for protection of unused input shaft

Description	Shaft Size	Gear Ratio	Type	Style
Universal Gearbox				
725-U Series	2-1/4" Short	50:1	Non-Tow	Universal
740-U Series	2-1/4" Short	50:1	Non-Tow	Universal
745-U Series	2-1/2" Short	50:1	Non-Tow	Universal
760-U Series	2-1/2" Short	50:1	Non-Tow	Universal
Durst	-	50:1	Non-Tow	Universal
TNT-2-U Series	2-1/4" Short	50:1	Towable	Universal
Valley Style Gearbox				
740-UV Series	2-1/4" Extended	52:1	Non-Tow	Valley
760-UV Series	2-1/2" Long	52:1	Non-Tow	Valley
Durst		52:1	Non-Tow	Valley
TNT-2-U Series	2-1/4" Extended	52:1	Towable	Valley
*** Call For Pricing ***				

HELICAL GEAR MOTORS & STATOR ASSEMBLIES



Features

1. 460/380 Volt, 3 phase motor, 60/50 hz
2. Motor is thermally protected with automatic reset.
3. Class F2 Insulation, UL & CSA Certified.
4. Corrosion resistant finned aluminum motor frame.
5. Aluminum motor frame is sealed at junction points.
6. Integral heat-treated pinion gear on motor shaft.

Complete Helical Gear Motor			
Description	Gear Ratio	Motor HP	RPM
UMC	60:1	3/4 HP	29
UMC	50:1	3/4 HP	35
Durst	50:1	3/4 HP	34
UMC	40:1	3/4 HP	44
Durst	40:1	3/4 HP	43
UMC	30:1	1.5 HP	58
Durst	30:1	1.5 HP	57
UMC	25:1	1.5 HP	68
Durst	25:1	1.5 HP	68
UMC	20:1	1.5 HP	86
Durst	20:1	1.5 HP	86
*** Call For Pricing ***			



Features

1. 460/380 Volt, 3 phase motor, 60/50 hz
2. Available in 3/4 and 1-1/2 HP models
3. Class F insulation.
4. Totally interchangeable with Valmont Stators.
5. Includes the 4 mounting bolts, strain relief and wire nuts.
6. Aluminum motor frame resists corrosion.

Replacement Stator		
Description	Style	Motor HP
UMC	Power Saver	3/4 HP
Durst	Lindsay/Emerson	3/4 HP
Durst	Valley	3/4 HP
UMC	Power Saver	1.5 HP
Durst	Lindsay/Emerson	1.5 HP
Durst	Valley	1.5 HP
*** Call For Pricing ***		

CENTER PIVOT PARTS

SPLINED GEARMOTOR, GEAR, & MOTOR MODULES (U.S. MOTORS)



Features

1. 460/380 Volt, 3 Phase, 60/50 hz
2. Special CorroGuard insulation for longer motor life.
3. Stainless steel motor frame for corrosion resistance.
4. Motor is thermally protected.
5. Splined motor/gearbox design.



Features

1. Top quality gear motor from the most experienced American mfg of center pivot gear motors.
2. Designed to operate in extreme environments. The gear motor has a corrosion resistant housing and incorporates an inherit overload protection for the motor.
3. Simplicity, flexibility and reliability.
4. 100% of all motors are factory tested before packaging.



Complete Splined Center Drive

U.S. Motors #	Gear Ratio	Motor HP	RPM
7843	58:1	1 HP	30
A856	47:1	1 HP	37
A799	31:1	1.5 HP	56
*** Call For Pricing ***			

Splined Motor Module

U.S. Motors #	Motor HP	RPM
A726	1 HP	1750
A728	1.5 HP	1750
*** Call For Pricing ***		

Splined Gear Module

U.S. Motors #	Gear Ratio	RPM
A732	58:1	30
A730	47:1	37
A800	31:1	56
*** Call For Pricing ***		

NEMA 56 C-FACE GEAR BOX & MOTOR

Features

1. Universal mounting pattern.
2. Multiple available ratios available.
3. Aluminum gearbox housing.
4. Includes key-way coupling for the motor to gearbox connection.
5. Includes 2 seal savers for the output shafts.
6. High strength aluminum bronze bull gear.



Features

1. Fits on any NEMA 56 C flanged center drive gearbox
2. Stainless steel motor frame for corrosion resistance.
3. CorroGuard insulation for longer motor life.
4. Motor is thermally protected

UMC 56 C-Face Gear Box

UMC #	Gear Ratio	RPM
09333-154A	60:1	29
09333-151A	50:1	35
09333-153A	40:1	43
09333-152A	30:1	58
*** Call For Pricing ***		

UMC 56 C-Face Motor

Description	Motor HP	RPM
U.S. #5622	1	1800
Bluffton #UF17565	1	1725
UMC	1.5	1725
U.S. #5624	1.5	1800
Bluffton #UF12317	1.5	1725
*** Call For Pricing ***		

CENTER PIVOT PARTS

PIVOT TIRE, MACH II (FIBERGLASS)



Features

1. Superior Traction
2. Will Not Go Flat
3. Chemical, Fertilizer & UV Resistant
4. Less Stress on Drive Train Components
5. Price Comparable
6. Improved Tire Track

Type	Description	Size	Part #	Weight	List
Tire Only:		11.2 x 24	9-7560	76.0	Call
	For 8" Rim	14.9 x 24	9-7561	90.0	Call
	For 10" Rim	14.9 x 24	9-7562	96.0	Call
Tire & Rim:		11.2 x 38	9-7563	96.0	Call
	With 8" Rim	11.2 x 24	9-7564	180.0	Call
	With 8" Rim	14.9 x 24	9-7565	195.0	Call
	With 10" Rim	14.9 x 24	9-7566	205.0	Call
	With 10" Rim	11.2 x 38	9-7567	270.0	Call

PIVOT OR END TOWER LIGHT KIT



Description	Part #	List
Rough Duty Light Bulb Kit, Complete	2-0536	Call
TOMAR Strobe Light Kit, Complete	2-0538	Call

Universal light kit for installation at the pivot point or end tower. The kit comes complete with the flange adapter, extended gooseneck, shielded cable, globe assembly, and rough duty light assembly or TOMAR strobe light.

Tomar Pivot Strobe Lights

Type	Description	Part #	List
485 Micro Strobe Light Effective Candela 50 (Screw in Socket)	1.75J Strobe 120V	485S-#-W	Call
	Replacement Bulb	5001-W	Call
	Replacement Lens	470S-L-W	Call
801 Mini I Strobe Light Effective Candela 400 (1/2" FPT)	8 J Strobe 120V	801-110-#-W	Call
	8 J Strobe 12-74VDC	801-1274-#-W	Call
	Replacement Bulb for T801	4001-W	Call
490 Micro Strobe Light Effective Candela 50 (1/2" FPT)	Replacement Lens	801S-L-W	Call
	1.75J Strobe 120V	490S-#-W	Call
	Replacement Bulb	5001-W	Call
824 Multi Pulse StrobeLight Effective Candela 1200 (1/2" FPT)	Replacement Lens	470S-L-W	Call
	23 J Strobe 120V	824-110-#-W	Call
	Replacement Bulb	4001-W	Call
	Replacement Lens	1700-W	Call

"#" Specify Lens Color when ordering (**A**mber, **B**lue, **C**lear, **G**reen, **P**urple, **R**ed)

Code 3® Pivot Strobe Lights (3/4" FPT)

Type	Description	Part #	List
LI1HD Ultra Lite® Strobe Light Effective Candela 230	4 Joule HD Strobe 110VAC	L1001#TH-W	Call
	3/4" FPT Pipe Mount Kit	LL1-PMK-W	Call
	Replacement Bulb	T15597-W	Call
	Replacement Lens	LL2-#L-LP-W	Call
LI8HD Astro Flash® Strobe Light Effective Candela 575	15 Joule HD Strobe 110VAC	L8001RTH-W	Call
	Replacement Bulb	T13074-W	Call
	Replacement Lens	T130#-W	Call

"#" Specify Lens Color when ordering (**A**mber, **B**lue, **C**lear, **G**reen, **R**ed)



485



801



490



824



LI1HD



LI8HD

CENTER PIVOT SPRINKLERS

R3000 ROTATOR®



Description	Part #	Weight	List
R3000 Rotator Complete	2-1037	-	Call

* Indicate 3" N Nozzle Size and Plate type when ordering.

* The Orange Plate is considered the corn plate.

A3000 ACCELERATOR



Description	Part #	Weight	List
A3000 Accelerator Complete	2-1050	-	Call

* Indicate 3" N Nozzle Size and Plate type when ordering.

D3000 SPRAYHEAD



Description	Part #	Weight	List
D3000 Sprayhead Complete	2-1063	-	Call

* Indicate 3" N Nozzle Size and Plate type when ordering.

I-WOB™



Description	Part #	List
Standard-angle 9-groove, Black Deflector	iWobSA9GUP3	Call
Standard-angle 6-groove, Grey Deflector	iWobSA6GUP3	Call
Low-angle 9-groove, Blue Deflector	iWobLA9GUP3	Call
Low-angle 6-groove, Blue Deflector	iWobLA6GUP3	Call
Nozzles, Color Coded (#6-#24)	UP3 Nozzles	Call

* Indicate UP3 Nozzle Size when ordering.

XI-WOB™



Description	Part #	List
6-Grooves, 10°, Blue Deflector	XiWob610UP3	Call
6-Grooves, 15°, Black Deflector	XiWob615UP3	Call
9-Grooves, 10°, Grey Deflector	XiWob910UP3	Call
Top-of-Pipe, 6-Grooves, 5°, White Deflector	XiWob605TOPUP3	Call
Nozzles, Color Coded (#7-#24)	UP3 Nozzles	Call

* Indicate UP3 Nozzle Size when ordering.

PIVOT-MASTER IMPACT SPRINKLER (6°)



Type	Description	GPM	Nozzle	Part #	List
Single Nozzle	3006H	2.40 - 4.35	#8-9	3006H13/4 M PM	Call
	4006H	3.80 - 7.70	#10-12	4006H13/4 M PM	Call
	5006H	6.20 - 16.00	#13-18	5006H13/4 M PM	Call
Double Nozzle	4006H	4.55 - 15.08	#10-12, #7-12	4006H23/4 M PM	Call
	5006H	12.32 - 30.47	#13-18, #7-18	5006H23/4 M PM	Call

* Specify Nozzle Size when ordering.

* With Brass Swivel & Stem

CENTER PIVOT REGULATORS

PRESSURE REGULATOR UNIVERSAL FLOW



Type	PSI	GPM	Part #	Weight	List
3/4" Barb x Square Thread	6	0.5-8	10167-001	-	Call
	10	0.5-10	10167-002	-	Call
	15	0.5-12	10167-003	-	Call
	20	0.5-12	10167-004	-	Call
	25	0.5-12	10167-005	-	Call
	30	0.5-12	10167-006	-	Call
	40	0.5-12	10167-007	-	Call
	50	0.5-12	10167-008	-	Call
3/4" FPT x Square Thread	6	0.5-8	9572-001	-	Call
	10	0.5-10	9572-002	-	Call
	15	0.5-12	9572-003	-	Call
	20	0.5-12	9572-004	-	Call
	25	0.5-12	9572-005	-	Call
	30	0.5-12	9572-006	-	Call
	40	0.5-12	9572-007	-	Call
	50	0.5-12	9572-008	-	Call
3/4" FPT x FPT	6	0.5-8	9491-001	-	Call
	10	0.5-10	9491-002	-	Call
	15	0.5-12	9491-003	-	Call
	20	0.5-12	9491-004	-	Call
	25	0.5-12	9491-005	-	Call
	30	0.5-12	9491-006	-	Call
	40	0.5-12	9491-007	-	Call
	50	0.5-12	9491-008	-	Call
3/4" FHT x MHT	6	0.5-8	9561-001	-	Call
	10	0.5-10	9561-002	-	Call
	15	0.5-12	9561-003	-	Call
	20	0.5-12	9561-004	-	Call
	25	0.5-12	9561-005	-	Call
	30	0.5-12	9561-006	-	Call
	40	0.5-12	9561-007	-	Call
	50	0.5-12	9561-008	-	Call
3/4" FPT x MHT	6	0.5-8	9581-001	-	Call
	10	0.5-10	9581-002	-	Call
	15	0.5-12	9581-003	-	Call
	20	0.5-12	9581-004	-	Call
	25	0.5-12	9581-005	-	Call
	30	0.5-12	9581-006	-	Call
	40	0.5-12	9581-007	-	Call
	50	0.5-12	9581-008	-	Call



CENTER PIVOT REGULATORS

PRESSURE REGULATOR HI-FLOW



Type	PSI	GPM	Part #	Weight	List
3/4" FPT x Square Thread	6	0.5-8	9611-001	-	Call
	10	0.5-10	9611-002	-	Call
	15	0.5-12	9611-003	-	Call
	20	0.5-12	9611-005	-	Call
	25	0.5-12	9611-006	-	Call
	30	0.5-12	9611-007	-	Call
	40	0.5-12	9611-008	-	Call
	50	0.5-12	9611-009	-	Call
3/4" FPT x FPT	6	0.5-8	9071-001	-	Call
	10	0.5-10	9071-002	-	Call
	15	0.5-12	9071-003	-	Call
	20	0.5-12	9071-005	-	Call
	25	0.5-12	9071-006	-	Call
	30	0.5-12	9071-007	-	Call
	40	0.5-12	9071-008	-	Call
	50	0.5-12	9071-009	-	Call



PRESSURE REGULATOR



Type	PSI	Part #	Weight	List
3/4" FPT x 3/4" FPT	15	7-0310	0.4	19.00
	20	7-0311	0.4	19.00
	25	7-0312	0.4	19.00
	30	7-0313	0.4	19.00
	40	7-0314	0.4	19.00
	50	7-0315	0.4	19.00
1-1/4" FPT x 1" FPT	10	7-0316	0.6	39.60
	15	7-0317	0.6	39.60
	20	7-0318	0.6	39.60
	30	7-0319	0.6	39.60
	40	7-0320	0.6	39.60
	50	7-0321	0.6	39.60

Both ends are Female threaded.
Male available upon request.
Also available as 1" x 1". Please
call for price.

SCREEN, E-Z




Type	Part #	Weight	List
Square Grid	9-7316	-	3.20
Bar Grid	9-7317	-	3.20

Features:

- Stops Nozzle Plugging on Even the Smallest Nozzles, 3/64" Hose Size
- Self Flushing Design-Never Needs Cleaning
- Can Be Used on Any System
- Two Sizes to Accommodate Nozzle Flow Rates
- Threaded Mounting

INLINE SCREEN (PLATED, GALVANIZED, OR STAINLESS STEEL)



Size	Outside Diameter of inlet of Screen			Length	Part #	Weight	List
	BE Bullnose End	RE Rolled End	OE Open End				
2"	2"	2"	2"	18"	6-1513	0.5	100.00
3"	3"	3"	3"	18"	6-1514	0.5	100.00
4"	4"			36"	6-1510-BE	1.3	120.00
4"		3-7/8"		36"	6-1510-RE	1.3	120.00
4"			4"	36"	6-1510-OE	1.3	120.00
5"	4-7/8"			36"	6-1515-BE	2.0	145.00
5"		4-3/4"		36"	6-1515-RE	2.0	145.00
5"			5"	36"	6-1515-OE	2.0	145.00
6"	5-3/4"			36"	6-1511-BE	3.5	230.00
6"		5-5/8"		36"	6-1511-RE	3.5	230.00
6"			6"	36"	6-1511-OE	3.5	230.00
8"	7-3/4"			36"	6-1512-BE	5.0	235.00
8"		7-5/8"		36"	6-1512-RE	5.0	250.00
8"			8"	36"	6-1512-OE	5.0	240.00
10"	9-3/4"			36"	6-1469-BE	7.0	320.00
10"		9-5/8"		36"	6-1469-RE	7.0	315.00
10"			10"	36"	6-1469-OE	7.0	335.00

Features:

- Keeps sprinkler heads from plugging
- Makes couplers easier to connect and disconnect
- Works with large volumes of water up to 1000 gallons per minute.
- Collects large amounts of sand, gravel, and debris without cleaning.
- Hole size = 3/32" (.09375"). Special order available on smaller .05" hole size.
- Specify Plated, Galvanized or Stainless Steel construction when ordering.

SCREEN FILTER, GALVANIZED (FLANGE X FLANGE)

Size	GPM	Screen	Part #	Weight	List
8"	1200	1/16"	9-7312	225.0	3,610.00
8"	1200	3/32"	9-7313	225.0	3,390.00
8"	1750	1/16"	9-7314	350.0	6,130.00
8"	1750	3/32"	9-7315	360.0	5,330.00

Fittings



VALVE STUBS

WELD-ON VALVE STUB (BLACK & STAINLESS STEEL)



Size	Black Steel			Stainless Steel		
	Part #	Weight	List	Part #	Weight	List
3"	6-1377	2.0	61.00			
4"	6-1414	2.8	65.00	9-8219	2.8	330.00
5"	6-1378	3.8	97.00			
6"	6-1415	5.8	105.00	9-8104	5.8	310.00
8"	6-1416	15.0	269.00	9-8105	15.0	665.00
10"	6-9846	19.0	530.00	9-8106	19.0	1,023.00

WELD-ON VALVE STUB (CAST ALUMINUM)



Size	Part #	Weight	List
3"	6-1363	3.5	85.00
4"	6-1364	3.5	90.00
5"	6-1365	3.5	135.00
6"	6-1366	4.5	170.00

WELD-ON VALVE STUB WITH SADDLE (CAST ALUMINUM)



Size	Part #	Weight	List
4" x 4"	6-1373	3.5	85.00
5" x 4"	6-1374	3.5	85.00
6" x 4"	6-1411	3.5	79.00
7" x 4"	6-1375	3.5	85.00
8" x 4"	6-1412	3.5	79.00
10" x 4"	6-1413	3.5	85.00
12" x 4"	6-1376	3.5	89.00

THREADED VALVE STUB (GALVANIZED STEEL)



Female



Male

Size	Female Threaded			Male Threaded		
	Part #	Weight	List	Part #	Weight	List
2" x 3"	6-1421	4.0	108.00	6-1427	4.0	99.00
3" x 3"	6-1423	4.5	128.00	6-1428	4.5	119.00
3" x 4"	6-1424	5.0	125.00	6-1429	5.0	130.00
4" x 4"	6-1420	6.0	157.00	6-1399	6.0	200.00
6" x 6"	6-1425	8.5	300.00	6-1388	9.0	250.00
8" x 8"	6-1426	28.0	569.00	6-1387	25.0	495.00

THREADED VALVE STUB (CAST ALUMINUM)



Female



Male

Size	Female Threaded			Male Threaded		
	Part #	Weight	List	Part #	Weight	List
4" x 4"	6-9612	4.5	59.00	6-9613	3.0	115.00
6" x 6"	6-9614	5.0	325.00	6-9615	5.0	405.00

RISER VALVE DISC



* Domed

Size	Hole Size	Part #	Weight	List
3"	5/8"	6-1404	0.4	19.00
4"	5/8"	6-1405	0.6	10.00
5"	5/8"	6-1409	1.0	26.00
6"	5/8"	6-1406	1.3	37.00
8"	1"	6-1410	2.5	102.00
10"	1"	9-7546	-	125.00

RISER VALVE STEM



* Zinc Plated

Size	Diameter	Length	Part #	Weight	List
4"	5/8"	6-3/4"	6-1407	0.6	8.00
6"	5/8"	9"	6-1408	0.7	14.00
8"	1"	11"	6-1400	2.5	61.00
10"	1"	13"	9-7547	-	79.00

WELD-ON SADDLE (CAST ALUMINUM)



Size Outlet x Pipe Dia.	Part #	Weight	List
3" x 3"	6-1592	0.4	17.00
3" x 4"	6-1593	0.4	17.00
3" x 5"	6-1594	0.4	17.00
3" x 6"	6-1595	0.4	17.00
4" x 4"	6-1596	0.5	24.00
4" x 5"	6-1597	0.5	24.00
4" x 6"	6-1598	0.5	24.00
4" x 8"	6-1599	0.5	24.00
5" x 5"	6-1600	0.8	46.00
5" x 6"	6-1601	0.8	46.00
5" x 7"	6-1602	0.8	46.00
5" x 8"	6-1603	0.8	46.00
5" x 10"	6-1604	0.8	46.00
6" x 6"	6-1605	1.0	46.00
6" x 8"	6-1606	0.5	46.00
8" x 8"	6-1607	1.0	90.00
10" x 10"	6-1608	1.0	90.00

Call For:

- Flat Discs
- Stainless Steel Stems
- Brass Stems
- 8 Pitch Stems
- Hex Top Stems
- VTC Stems
- RVTC Stems
- Weld-in Spiders
- Replaceable Spiders
- Snap Rings
- Brass Nut

VALVE OPENERS, INDEPENDENT VALVE TEES

VALVE OPENER



Cast Alum



Steel Gal.

Also available in Knob style.

Size	Material	Type	Part #	Weight	List
3"	Cast Alum	Hook	6-1435	9.0	199.00
4"	Cast Alum	Hook	6-1430	10.0	219.00
4"	Steel Gal.	RL/Hook	9-8533	11.0	230.00
6"	Steel Gal.	RL/Hook	6-1431	15.0	335.00
8"	Steel Gal.	RL/Hook	6-1433	27.0	430.00
10"	Steel Gal.	RL/Hook	6-9752	34.0	735.00
3" x 2"	Cast Alum	Hook	6-1434	8.0	199.00
4" x 2"	Cast Alum	Hook	6-1436	10.0	299.00
4" x 3"	Cast Alum	Hook	6-1437	10.0	210.00
6" x 4"	Steel Gal.	RL/Hook	6-1432	14.0	289.00

GUN STAND VALVE OPENER



Size	Material	Part #	Weight	List
4" x 3"	Cast Alum	6-1018	13.0	385.00

VALVE OPENING TEE



Also available in Knob style.

Size	Material	Part #	Weight	List
3" x 2" x 2"	Cast Alum	6-1390	8.0	255.00
3" x 3" x 3"	Cast Alum	6-1391	9.0	255.00
4" x 2" x 2"	Cast Alum	6-1392	10.0	295.00
4" x 3" x 3"	Cast Alum	6-1393	11.0	270.00
4" x 4" x 4"	Cast Alum	6-1394	11.0	305.00
6" x 4" x 4"	Steel Gal.	6-1395	17.0	355.00
6" x 6" x 6"	Steel Gal.	6-1396	18.5	425.00
8" x 6" x 6"	Steel Gal.	6-1397	20.0	595.00
8" x 8" x 8"	Steel Gal.	6-1398	23.0	599.00

VALVE OPENING PARTS



Roll Pin



5/8" and 7/8"



Yoke



3/4"

Description	Part #	Weight	List
Yoke only	6-1438	0.3	12.00
Roll Pin for Yolk	6-1439		2.00
* Chevron Gasket - 5/8"	6-1240	-	1.30
**Chevron Gasket - 3/4"	6-1241	-	1.30
Chevron Gasket - 1"	6-1243	-	2.00

* 5/8" is for Alumax, A&M & Felton.

**3/4" is for Ames, Alumax, Bush Hog, Ireco, Pierce, ShurRane & Western.


INDEPENDENT VALVE TEE (ALUMINUM)



Size	Band & Hook			Ringlock		
	Part #	Weight	List	Part #	Weight	List
4" x 4"	6-1380	6.3	170.00			
6" x 4"	6-1381	9.6	175.00	6-1384	9.0	190.00
8" x 4"	6-1382	11.7	195.00	6-1385	9.9	225.00
8" x 6"				9-8128	-	459.00
10" x 4"	6-1383	13.6	249.00	6-1386	11.7	285.00

DRAIN VALVES

FLAPPER DRAIN GASKET



Description	Postion	Part #	Weight	List
Flapper Drain Gasket	Complete	6-1537	0.4	12.70
Splash Nut	1	6-1813	0.1	3.90
Rubber Flapper	2	6-1810	0.1	2.50
Threaded Insert	3	6-1811	0.1	3.30
Jam Nut	4	6-1812	0.1	3.00

MUSHROOM DRAIN W/CLIP (WESTERN)



Size	Part #	Weight	List
-	6-1525	0.1	2.40

* Clip (not pictured) is included

MUSHROOM DRAIN (AMES)



Size	Part #	Weight	List
-	6-1526	0.1	1.80

1" DRAIN VALVE

Description	Connection	Postion	Part #	Weight	List
Pierce	1" MPT x 3/4" Male Hose Thread	#1	8-1447	0.1	13.00
Wade Rain	1" MPT w/Slash Plate	#2	6-1538	0.4	16.00
Waterman	1-1/2" MPT x 3/4" MPT	#3	8-1448	0.2	25.00
Pierce Giant Bridge Drain	1" MPT	#4	9-7701	-	17.00



#1



#2



#3



#4

COUPLINGS

WELD-ON HALF COUPLING

(ALUMINUM, BLACK STEEL AND STAINLESS STEEL)



Size	Aluminum			Black Steel			Stainless Steel		
	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
1/8"				9-5879	0.0	1.00	9-8151	0.1	2.00
1/4"	9-5303	0.1	9.00	9-5016	0.1	3.10	9-8152	0.1	3.00
3/8"				9-5279	0.0	3.00	9-8153	0.1	3.00
1/2"	9-5304	0.3	12.00	9-5278	0.1	2.00	9-8154	0.1	3.00
3/4"	6-1740	0.3	10.50	6-1586	0.1	3.20	9-8155	0.1	6.00
1"	6-1609	0.3	13.00	6-1669	0.3	5.00	9-8156	0.3	7.00
1-1/4"	6-1585	0.4	16.00	6-1587	0.2	7.50	9-8157	0.3	12.00
1-1/2"	6-1580	0.5	22.00	6-1588	0.3	10.00	9-8158	0.2	15.00
2"	6-1581	1.0	29.00	6-1571	0.5	11.00	9-8159	0.5	15.00
2-1/2"	6-1417	1.0	55.00	6-1589	1.0	26.00	9-8160	1.0	49.00
3"	6-1582	1.4	55.00	6-1572	1.4	19.00	9-8161	1.4	70.00
4"	6-1583	1.5	89.00	6-1573	2.0	67.00	9-8162	2.0	110.00
5"	6-1584	1.5	165.00	6-1574	3.6	110.00			
6"	6-1418	1.6	235.00	6-1575	4.9	120.00			
8"	9-8514	2.4	310.00	6-1576	-	130.00			
10"	9-8515	8.0	380.00	9-5154	-	130.00			

FULL COUPLING

(BLACK STEEL)



Size	Part #	Weight	List
1/4"	9-5847	0.1	2.70
3/8"	9-5872	0.1	3.00
1/2"	6-9571	0.2	3.50
3/4"	6-9572	0.3	4.00
1"	6-9573	0.4	6.00
1-1/4"	9-5870	0.5	7.00
1-1/2"	9-5869	0.7	5.00
2"	6-9574	1.1	15.00
2-1/2"	9-5871	2.1	25.00
3"	6-9575	3.4	55.00
3-1/2"	9-5873	4.8	30.00
4"	9-5874	4.6	35.00
6"	9-5875	11.3	80.00

WELD-ON NIPPLE

(ALUMINUM, BLACK STEEL AND STAINLESS STEEL)



Aluminum				Black Steel			Stainless Steel		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
1/2"	9-5821	0.2	11.00	9-5820	-	3.00	9-8175	0.1	12.00
3/4"	6-1703	0.2	11.50	6-1539	0.1	3.00	9-8176	0.1	12.00
1"	6-1554	0.3	13.00	6-1540	0.4	4.50	9-8177	0.4	13.00
1-1/4"	6-1555	0.3	16.00	6-1541	0.3	5.50	9-8178	0.3	14.00
1-1/2"	6-1556	0.3	22.00	6-1542	0.4	10.00	9-8179	0.4	15.00
2"	6-1550	0.3	31.00	6-1543	0.6	12.50	9-8180	0.6	27.00
2-1/2"	6-1557	0.4	54.00	6-1548	0.9	16.00	9-8181	0.9	53.00
3"	6-1551	0.6	55.00	6-1544	1.5	25.00	9-8182	1.5	55.00
4"	6-1552	0.9	65.00	6-1545	2.8	35.00	9-8183	2.8	105.00
5"	6-1553	1.1	85.00	6-1549	3.9	60.00	9-8184	3.9	66.00
6"	6-1558	1.4	120.00	6-1546	5.3	65.00	9-8185	5.3	435.00
8"	6-1559	3.0	195.00	6-1547	7.3	75.00	9-8186	7.3	154.00
10"	9-8513	4.2	275.00	6-9660	15.0	115.00	9-8187	15.0	220.00
12"				6-9661	-	185.00	9-8188	20.0	264.00

WHITE TEFLON TAPE



Size	Part #	Weight	List
1/2" x 520"	9-7543	-	1.60
3/4" x 520"	9-7544	-	2.70
1" x 520"	9-7545	-	3.40

*Industrial Teflon Thread sealing tape.

*Chemically resistant.

PIPE THREAD COMPOUND



1-Pint 1-Quart 1/2-Pint

Size	Part #	Weight	List
1/2 Pint, 8 Fl. Oz	9-7442	-	12.00
1 Pint, 16 Fl. Oz	9-7443	-	19.00
1 Quart, 32 Fl. Oz	9-7444	-	28.00

NIPPLES, TBE, STEEL BLACK

Black



Steel Black Nipples

Steel Black	1/8"		1/4"		3/8"		1/2"		3/4"		1"		1-1/4"	
	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price
Close	9-6348	\$3.00	9-6365	\$3.00	9-6382	\$3.00	9-6399	\$3.00	9-6416	\$3.00	9-6433	\$4.00	9-6449	\$6.00
1-1/2" Long	9-6349	3.00	9-6366	3.00	9-6383	4.00	9-6400	3.00	9-6417	3.00				
2" Long	9-6350	3.00	9-6367	3.00	9-6384	4.00	9-6401	3.00	9-6418	3.00	9-6434	5.00	9-6450	6.00
2-1/2" Long	9-6351	4.00	9-6368	4.00	9-6385	5.00	9-6402	3.00	9-6419	4.00	9-6435	5.00	9-6451	7.00
3" Long	9-6352	4.00	9-6369	4.00	9-6386	5.00	9-6403	3.00	9-6420	4.00	9-6436	5.00	9-6452	7.00
3-1/2" Long	9-6353	4.00	9-6370	5.00	9-6387	5.00	9-6404	4.00	9-6421	5.00	9-6437	6.00	9-6453	8.00
4" Long	9-6354	4.00	9-6371	5.00	9-6388	5.00	9-6405	4.00	9-6422	5.00	9-6438	6.00	9-6454	8.00
4-1/2" Long	9-6355	9.00	9-6372	8.00	9-6389	8.00	9-6406	4.00	9-6423	6.00	9-6439	8.00	9-6455	10.00
5" Long	9-6356	9.00	9-6373	8.00	9-6390	8.00	9-6407	4.00	9-6424	6.00	9-6440	8.00	9-6456	10.00
5-1/2" Long	9-6357	9.00	9-6374	9.00	9-6391	9.00	9-6408	5.00	9-6425	7.00	9-6441	9.00	9-6457	11.00
6" Long	9-6358	9.00	9-6375	9.00	9-6392	9.00	9-6409	5.00	9-6426	7.00	9-6442	9.00	9-6458	11.00
7" Long	9-6359	13.00	9-6376	14.00	9-6393	15.00	9-6410	9.00	9-6427	11.00	9-6443	15.00	9-6459	19.00
8" Long	9-6360	13.00	9-6377	14.00	9-6394	15.00	9-6411	9.00	9-6428	11.00	9-6444	15.00	9-6460	19.00
9" Long	9-6361	15.00	9-6378	16.00	9-6395	17.00	9-6412	11.00	9-6429	13.00	9-6445	17.00	9-6461	22.00
10" Long	9-6362	15.00	9-6379	16.00	9-6396	17.00	9-6413	11.00	9-6430	13.00	9-6446	17.00	9-6462	22.00
11" Long	9-6363	15.00	9-6380	18.00	9-6397	20.00	9-6414	13.00	9-6431	14.00	9-6447	20.00	9-6463	25.00
12" Long	9-6364	15.00	9-6381	18.00	9-6398	20.00	9-6415	13.00	9-6432	14.00	9-6448	20.00	9-6464	25.00

TBE (threaded both ends)

Stainless Steel also available

Steel Black Nipples

Steel Black	1-1/2"		2"		2-1/2"		3"		4"		6"		8"	
	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price
Close	9-6465	\$7.00	9-6481	\$10.00	9-6496	\$30.00	9-6510	\$36.00	9-6524	\$54.00	9-6537	\$102.00	9-7696	\$325.00
1-1/2" Long														
2" Long	9-6466	8.00												
2-1/2" Long	9-6467	9.00	9-6482	11.00										
3" Long	9-6468	9.00	9-6483	11.00	9-6497	31.00	9-6511	39.00						
3-1/2" Long	9-6469	10.00	9-6484	13.00	9-6498	36.00	9-6512	46.00						
4" Long	9-6470	10.00	9-6485	13.00	9-6499	36.00	9-6513	46.00	9-6526	62.00				
4-1/2" Long	9-6471	12.00	9-6486	15.00	9-6500	40.00	9-6514	51.00	9-6527	71.00				
5" Long	9-6472	12.00	9-6487	15.00	9-6501	40.00	9-6515	51.00	9-6528	71.00				
5-1/2" Long	9-6473	13.00	9-6488	18.00	9-6502	42.00	9-6516	55.00	9-6529	76.00				
6" Long	9-6474	13.00	9-6489	18.00	9-6503	42.00	9-6517	55.00	9-6530	76.00	9-6541	133.00	9-7697	135.00
7" Long	9-6475	21.00	9-6490	30.00	9-6504	53.00	9-6518	75.00	9-6531	88.00	9-6542	161.00		
8" Long	9-6476	21.00	9-6491	30.00	9-6505	53.00	9-6519	75.00	9-6532	88.00	9-6543	161.00	9-7698	245.00
9" Long	9-6477	25.00	9-6492	36.00	9-6506	60.00	9-6520	84.00	9-6533	100.00	9-6544	186.00		
10" Long	9-6478	25.00	9-6493	36.00	9-6507	60.00	9-6521	84.00	9-6534	100.00	9-6545	186.00	9-7699	285.00
11" Long	9-6479	29.00	9-6494	41.00	9-6508	66.00	9-6522	93.00	9-6535	117.00	9-6546	219.00		
12" Long	9-6480	29.00	9-6495	41.00	9-6509	66.00	9-6523	93.00	9-6536	117.00	9-6547	219.00	9-7700	325.00

TBE (threaded both ends)

Stainless Steel also available

NIPPLES, TBE, STEEL GALVANIZED

Galvanized



Steel Galvanized Nipples

Steel Galvanized	1/8" Diameter		1/4" Diameter		3/8" Diameter		1/2" Diameter		3/4" Diameter		1" Diameter		1-1/4" Diameter	
	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price
Close	9-6548	\$3.00	9-6565	\$4.00	9-6582	\$4.00	9-6599	\$3.00	9-6616	\$4.00	9-6633	\$5.00	9-6649	\$7.00
1-1/2" Long	9-6549	5.00	9-6566	4.00	9-6583	4.00	9-6600	3.00	9-6617	4.00				
2" Long	9-6550	5.00	9-6567	4.00	9-6584	4.00	9-6601	3.00	9-6618	4.00	9-6634	6.00	9-6650	7.00
2-1/2" Long	9-6551	6.00	9-6568	5.00	9-6585	6.00	9-6602	4.00	9-6619	4.00	9-6635	7.00	9-6651	8.00
3" Long	9-6552	6.00	9-6569	5.00	9-6586	6.00	9-6603	4.00	9-6620	4.00	9-6636	7.00	9-6652	8.00
3-1/2" Long	9-6553	7.00	9-6570	6.00	9-6587	7.00	9-6604	5.00	9-6621	6.00	9-6637	8.00	9-6653	10.00
4" Long	9-6554	7.00	9-6571	6.00	9-6588	7.00	9-6605	5.00	9-6622	6.00	9-6638	8.00	9-6654	10.00
4-1/2" Long	9-6555	12.00	9-6572	9.00	9-6589	10.00	9-6606	6.00	9-6623	7.00	9-6639	10.00	9-6655	12.00
5" Long	9-6556	12.00	9-6573	9.00	9-6590	10.00	9-6607	6.00	9-6624	7.00	9-6640	10.00	9-6656	12.00
5-1/2" Long	9-6557	13.00	9-6574	10.00	9-6591	11.00	9-6608	6.00	9-6625	8.00	9-6641	11.00	9-6657	14.00
6" Long	9-6558	13.00	9-6575	10.00	9-6592	11.00	9-6609	6.00	9-6626	8.00	9-6642	11.00	9-6658	14.00
7" Long	9-6559	18.00	9-6576	17.00	9-6593	17.00	9-6610	11.00	9-6627	14.00	9-6643	18.00	9-6659	23.00
8" Long	9-6560	18.00	9-6577	17.00	9-6594	17.00	9-6611	11.00	9-6628	14.00	9-6644	18.00	9-6660	23.00
9" Long	9-6561	21.00	9-6578	19.00	9-6595	20.00	9-6612	13.00	9-6629	16.00	9-6645	21.00	9-6661	27.00
10" Long	9-6562	21.00	9-6579	19.00	9-6596	20.00	9-6613	13.00	9-6630	16.00	9-6646	21.00	9-6662	27.00
11" Long	9-6563	23.00	9-6580	22.00	9-6597	22.00	9-6614	15.00	9-6631	18.00	9-6647	24.00	9-6663	32.00
12" Long	9-6564	23.00	9-6581	22.00	9-6598	22.00	9-6615	15.00	9-6632	18.00	9-6648	24.00	9-6664	32.00

TBE (threaded both ends)

Stainless Steel also available

Steel Galvanized Nipples

Steel Galvanized	1-1/2" Diameter		2" Diameter		2-1/2" Diameter		3" Diameter		4" Diameter		6" Diameter	
	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price
Close	9-6665	\$8.00	9-6681	\$11.00	9-6696	\$34.00	9-6710	\$41.00	9-6724	\$61.00	9-6737	\$204.00
1-1/2" Long												
2" Long	9-6666	9.00										
2-1/2" Long	9-6667	10.00	9-6682	13.00								
3" Long	9-6668	10.00	9-6683	13.00	9-6697	35.00	9-6711	46.00				
3-1/2" Long	9-6669	12.00	9-6684	16.00	9-6698	41.00	9-6712	54.00				
4" Long	9-6670	12.00	9-6685	16.00	9-6699	41.00	9-6713	54.00	9-6726	73.00		
4-1/2" Long	9-6671	15.00	9-6686	20.00	9-6700	46.00	9-6714	63.00	9-6727	82.00		
5" Long	9-6672	15.00	9-6687	20.00	9-6701	46.00	9-6715	63.00	9-6728	82.00		
5-1/2" Long	9-6673	17.00	9-6688	23.00	9-6702	50.00	9-6716	67.00	9-6729	90.00		
6" Long	9-6674	17.00	9-6689	23.00	9-6703	50.00	9-6717	67.00	9-6730	90.00	9-6741	267.00
7" Long	9-6675	26.00	9-6690	38.00	9-6704	65.00	9-6718	90.00	9-6731	108.00	9-6742	430.00
8" Long	9-6676	26.00	9-6691	38.00	9-6705	65.00	9-6719	90.00	9-6732	108.00	9-6743	322.00
9" Long	9-6677	30.00	9-6692	44.00	9-6706	74.00	9-6720	103.00	9-6733	125.00	9-6744	373.00
10" Long	9-6678	30.00	9-6693	44.00	9-6707	74.00	9-6721	103.00	9-6734	125.00	9-6745	373.00
11" Long	9-6679	34.00	9-6694	51.00	9-6708	82.00	9-6722	116.00	9-6735	142.00	9-6746	418.00
12" Long	9-6680	34.00	9-6695	51.00	9-6709	82.00	9-6723	116.00	9-6736	142.00	9-6747	439.00

TBE (threaded both ends)

Stainless Steel also available

NIPPLES, TBE, PVC SCH80

PVC SCH80 Nipples

PVC SCH80	1/8"		1/4"		3/8"		1/2"		3/4"		1"		1-1/4"	
	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price
Close	9-5966	\$3.00	9-5997	\$3.00	9-6028	\$4.00	9-6059	\$3.00	9-6090	\$3.00	9-6121	\$4.00	9-6151	\$5.00
1-1/2" Long	9-5967	3.00	9-5998	3.00	9-6029	3.00	9-6060	3.00	9-6091	3.00				
2" Long	9-5968	3.00	9-5999	4.00	9-6030	4.00	9-6061	3.00	9-6092	3.00	9-6122	4.00	9-6152	5.00
2-1/2" Long	9-5969	4.00	9-6000	4.00	9-6031	5.00	9-6062	3.00	9-6093	3.00	9-6123	4.00	9-6153	6.00
3" Long	9-5970	4.00	9-6001	5.00	9-6032	4.00	9-6063	3.00	9-6094	3.00	9-6124	5.00	9-6154	6.00
3-1/2" Long	9-5971	4.00	9-6002	5.00	9-6033	5.00	9-6064	3.00	9-6095	4.00	9-6125	6.00	9-6155	6.00
4" Long	9-5972	4.00	9-6003	5.00	9-6034	5.00	9-6065	4.00	9-6096	4.00	9-6126	5.00	9-6156	6.00
4-1/2" Long	9-5973	4.00	9-6004	6.00	9-6035	6.00	9-6066	4.00	9-6097	4.00	9-6127	6.00	9-6157	7.00
5" Long	9-5974	5.00	9-6005	6.00	9-6036	6.00	9-6067	4.00	9-6098	5.00	9-6128	6.00	9-6158	8.00
5-1/2" Long	9-5975	5.00	9-6006	6.00	9-6037	6.00	9-6068	5.00	9-6099	6.00	9-6129	7.00	9-6159	8.00
6" Long	9-5976	5.00	9-6007	6.00	9-6038	6.00	9-6069	4.00	9-6100	5.00	9-6130	7.00	9-6160	8.00
7" Long	9-5977	5.00	9-6008	7.00	9-6039	7.00	9-6070	5.00	9-6101	7.00	9-6131	8.00	9-6161	9.00
8" Long	9-5978	6.00	9-6009	7.00	9-6040	7.00	9-6071	5.00	9-6102	6.00	9-6132	8.00	9-6162	9.00
9" Long	9-5979	6.00	9-6010	7.00	9-6041	7.00	9-6072	7.00	9-6103	8.00	9-6133	9.00	9-6163	10.00
10" Long	9-5980	7.00	9-6011	7.00	9-6042	7.00	9-6073	5.00	9-6104	6.00	9-6134	9.00	9-6164	11.00
11" Long	9-5981	7.00	9-6012	8.00	9-6043	8.00	9-6074	8.00	9-6105	9.00	9-6135	10.00	9-6165	12.00
12" Long	9-5982	7.00	9-6013	8.00	9-6044	8.00	9-6075	6.00	9-6106	7.00	9-6136	10.00	9-6166	12.00
13" Long	9-5983	8.00	9-6014	10.00	9-6045	11.00	9-6076	8.00	9-6107	9.00	9-6137	11.00	9-6167	14.00
14" Long	9-5984	8.00	9-6015	10.00	9-6046	11.00	9-6077	8.00	9-6108	10.00	9-6138	12.00	9-6168	14.00
15" Long	9-5985	10.00	9-6016	11.00	9-6047	12.00	9-6078	9.00	9-6109	10.00	9-6139	12.00	9-6169	15.00
16" Long	9-5986	11.00	9-6017	12.00	9-6048	12.00	9-6079	9.00	9-6110	10.00	9-6140	13.00	9-6170	16.00
17" Long	9-5987	12.00	9-6018	12.00	9-6049	13.00	9-6080	9.00	9-6111	11.00	9-6141	14.00	9-6171	16.00
18" Long	9-5988	12.00	9-6019	12.00	9-6050	13.00	9-6081	10.00	9-6112	11.00	9-6142	14.00	9-6172	17.00
19" Long	9-5989	13.00	9-6020	13.00	9-6051	13.00	9-6082	10.00	9-6113	11.00	9-6143	15.00	9-6173	18.00
20" Long	9-5990	13.00	9-6021	14.00	9-6052	14.00	9-6083	10.00	9-6114	12.00	9-6144	15.00	9-6174	19.00
22" Long	9-5991	14.00	9-6022	14.00	9-6053	15.00	9-6084	11.00	9-6115	13.00	9-6145	16.00	9-6175	20.00
24" Long	9-5992	14.00	9-6023	15.00	9-6054	15.00	9-6085	12.00	9-6116	13.00	9-6146	17.00	9-6176	21.00
30" Long	9-5993	19.00	9-6024	20.00	9-6055	20.00	9-6086	16.00	9-6117	18.00	9-6147	21.00	9-6177	27.00
36" Long	9-5994	23.00	9-6025	24.00	9-6056	26.00	9-6087	18.00	9-6118	21.00	9-6148	24.00	9-6178	30.00
42" Long	9-5995	26.00	9-6026	27.00	9-6057	28.00	9-6088	23.00	9-6119	23.00	9-6149	27.00	9-6179	38.00
48" Long	9-5996	30.00	9-6027	31.00	9-6058	32.00	9-6089	24.00	9-6120	26.00	9-6150	31.00	9-6180	40.00

TBE (threaded both ends)

PVC SCH80 Nipples

PVC SCH80	1-1/2"		2"		2-1/2"		3"		4"		6"	
	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price	Part Number	List Price
Close	9-6181	\$5.00	9-6211	\$7.00	9-6240	\$21.00	9-6268	\$25.00	9-6296	\$40.00	9-6323	\$44.00
1-1/2" Long												
2" Long	9-6182	6.00										
2-1/2" Long	9-6183	7.00	9-6212	8.00								
3" Long	9-6184	7.00	9-6213	8.00	9-6241	24.00	9-6269	27.00				
3-1/2" Long	9-6185	8.00	9-6214	9.00	9-6242	27.00	9-6270	32.00	9-6297	50.00		
4" Long	9-6186	9.00	9-6215	11.00	9-6243	31.00	9-6271	36.00	9-6298	51.00		
4-1/2" Long	9-6187	9.00	9-6216	12.00	9-6244	33.00	9-6272	38.00	9-6299	52.00	9-6324	62.00
5" Long	9-6188	10.00	9-6217	12.00	9-6245	34.00	9-6273	40.00	9-6300	56.00	9-6325	68.00
5-1/2" Long	9-6189	11.00	9-6218	14.00	9-6246	36.00	9-6274	43.00	9-6301	57.00	9-6326	74.00
6" Long	9-6190	10.00	9-6219	14.00	9-6247	38.00	9-6275	50.00	9-6302	59.00	9-6327	81.00
7" Long	9-6191	11.00	9-6220	15.00	9-6248	40.00	9-6276	53.00	9-6303	65.00	9-6328	93.00
8" Long	9-6192	12.00	9-6221	15.00	9-6249	41.00	9-6277	54.00	9-6304	69.00	9-6329	105.00
9" Long	9-6193	13.00	9-6222	19.00	9-6250	48.00	9-6278	57.00	9-6305	69.00	9-6330	117.00
10" Long	9-6194	13.00	9-6223	20.00	9-6251	51.00	9-6279	62.00	9-6306	74.00	9-6331	130.00
11" Long	9-6195	15.00	9-6224	22.00	9-6252	55.00	9-6280	66.00	9-6307	83.00	9-6332	142.00
12" Long	9-6196	16.00	9-6225	23.00	9-6253	55.00	9-6281	67.00	9-6308	95.00	9-6333	154.00
13" Long	9-6197	18.00	9-6226	24.00	9-6254	59.00	9-6282	70.00	9-6309	99.00	9-6334	166.00
14" Long	9-6198	19.00	9-6227	24.00	9-6255	62.00	9-6283	76.00	9-6310	101.00	9-6335	178.00
15" Long	9-6199	21.00	9-6228	24.00	9-6256	66.00	9-6284	80.00	9-6311	106.00	9-6336	190.00
16" Long	9-6200	22.00	9-6229	25.00	9-6257	71.00	9-6285	85.00	9-6312	111.00	9-6337	202.00
17" Long	9-6201	23.00	9-6230	26.00	9-6258	72.00	9-6286	87.00	9-6313	118.00	9-6338	216.00
18" Long	9-6202	24.00	9-6231	27.00	9-6259	74.00	9-6287	92.00	9-6314	133.00	9-6339	226.00
19" Long	9-6203	25.00	9-6232	28.00	9-6260	78.00	9-6288	106.00	9-6315	134.00	9-6340	240.00
20" Long	9-6204	25.00	9-6233	29.00	9-6261	81.00	9-6289	112.00	9-6316	143.00	9-6341	250.00
22" Long	9-6205	26.00	9-6234	31.00	9-6262	90.00	9-6290	114.00	9-6317	148.00	9-6342	275.00
24" Long	9-6206	26.00	9-6235	34.00	9-6263	92.00	9-6291	126.00	9-6318	158.00	9-6343	299.00
30" Long	9-6207	32.00	9-6236	41.00	9-6264	112.00	9-6292	160.00	9-6319	188.00	9-6344	372.00
36" Long	9-6208	36.00	9-6237	55.00	9-6265	136.00	9-6293	165.00	9-6320	223.00	9-6345	446.00
42" Long	9-6209	43.00	9-6238	66.00	9-6266	157.00	9-6294	195.00	9-6321	259.00	9-6346	518.00
48" Long	9-6210	46.00	9-6239	74.00	9-6267	170.00	9-6295	216.00	9-6322	333.00	9-6347	590.00

TBE (threaded both ends)

PVC Sch80



IRON MALLEABLE FITTINGS (CLASS 150 LBS)

BUSHING (BLACK OR GALVANIZED STEEL)



Black Steel				Galvanized Steel		
Size	Part #	Weight	List	Part #	Weight	List
1/4" x 1/8"	9-7035	0.1	5.40	9-5479	0.1	8.00
3/8" x 1/8"	9-7210	0.1	5.40	9-5480	0.1	8.00
3/8" x 1/4"	9-7222	0.1	5.40	9-5481	0.1	8.00
1/2" x 1/8"	9-7015	0.1	5.40	9-5482	0.1	8.00
1/2" x 1/4"	9-7013	0.1	5.40	9-5483	0.1	8.00
1/2" x 3/8"	9-7016	0.1	5.40	9-5484	0.1	8.00
3/4" x 1/8"	9-7186	0.2	5.30	9-5485	0.2	8.00
3/4" x 1/4"	9-7199	0.1	5.30	9-5486	0.1	8.00
3/4" x 3/8"	9-7200	0.1	5.30	9-5487	0.1	9.00
3/4" x 1/2"	9-7261	0.1	4.90	8-1214	0.1	7.50
1" x 1/4"	9-6984	0.2	6.60	9-5489	0.2	10.00
1" x 3/8"	9-6987	0.2	6.80	9-5490	0.2	15.00
1" x 1/2"	9-7250	0.2	5.10	8-1215	0.2	8.70
1" x 3/4"	9-7251	0.2	5.10	8-1216	0.2	8.30
1-1/4" x 1/4"	9-7084	0.3	8.60	9-5493	0.3	14.00
1-1/4" x 3/8"	9-7085	0.3	7.60	9-5494	0.3	14.00
1-1/4" x 1/2"	9-7098	0.3	7.30	9-5495	0.3	12.00
1-1/4" x 3/4"	9-7101	0.4	6.60	9-5496	0.4	11.00
1-1/4" x 1"	9-7254	0.3	6.60	8-1217	0.3	11.50
1-1/2" x 1/4"	9-7048	0.4	10.10	9-5498	0.4	18.00
1-1/2" x 3/8"	9-7049	0.2	6.40	9-5499	0.4	13.00
1-1/2" x 1/2"	9-7062	0.4	8.30	9-5500	0.4	16.00
1-1/2" x 3/4"	9-7065	0.4	8.30	9-5501	0.4	16.00
1-1/2" x 1"	9-7252	0.4	7.30	8-1218	0.4	15.00
1-1/2" x 1-1/4"	9-7253	0.3	8.30	8-1219	0.3	13.50
2" x 1/4"	9-7144	0.2	10.90	9-5504	0.5	21.00
2" x 3/8"	9-7128	0.2	8.00	9-5505	0.2	16.00
2" x 1/2"	9-7143	0.5	12.50	9-5506	0.5	20.00
2" x 3/4"	9-7147	0.6	10.60	9-5507	0.6	19.00
2" x 1"	9-7255	1.5	9.90	8-1220	0.6	17.70
2" x 1-1/4"	9-7257	0.7	9.90	8-1221	0.7	17.70
2" x 1-1/2"	9-7256	0.6	11.10	8-1222	0.6	15.50
2-1/2" x 1/2"	9-7150	-	18.10	9-5511	-	29.00
2-1/2" x 3/4"	9-7157	1.0	18.10	9-5512	1.0	29.00
2-1/2" x 1"	9-7148	1.0	18.10	9-5513	1.0	29.00
2-1/2" x 1-1/4"	9-7153	1.0	18.10	9-5514	1.0	29.00
2-1/2" x 1-1/2"	9-7151	1.1	16.80	9-5515	1.1	29.00
2-1/2" x 2"	9-7258	0.9	16.70	8-1223	0.9	26.00
3" x 1/2"	9-7182	1.1	19.20	9-5517	1.1	43.00
3" x 1"	9-7180	1.4	25.00	9-5518	1.4	38.00
3" x 1-1/4"	9-7184	1.5	25.00	9-5519	1.5	38.00
3" x 1-1/2"	9-7183	1.6	24.50	9-5520	1.6	38.00
3" x 2"	9-7259	1.9	22.90	8-1224	1.9	35.00
3" x 2-1/2"	9-7260	1.8	23.30	8-1225	1.8	37.00
3-1/2" x 3"	9-7319	-	43.70	9-5962	2.0	67.00
4" x 1"	9-7234	1.3	36.00	9-5523	2.6	62.00
4" x 1-1/4"	9-7236	1.2	36.00	9-5524	2.7	62.00
4" x 1-1/2"	9-7235	1.2	36.00	9-5525	2.8	62.00
4" x 2"	9-7237	2.6	45.40	9-5526	2.6	71.00
4" x 2-1/2"	9-7238	3.0	45.40	9-5527	3.0	80.00
4" x 3"	9-7262	1.7	45.40	6-1760	2.8	76.00
6" x 2"	9-7320	-	119.90	9-5963	6.2	153.00
6" x 3"	9-7321	-	119.90	9-5964	6.6	158.00
6" x 4"	9-7322	-	119.90	9-5965	6.8	155.00

Class 150 Pounds

Stainless Steel also available

IRON MALLEABLE FITTINGS (CLASS 150 LBS)

45° ELBOW (BLACK OR GALVANIZED STEEL)



Class 150 Pounds

Stainless Steel also available

Black Steel				Galvanized Steel		
Size	Part #	Weight	List	Part #	Weight	List
1/8"	9-7038	0.1	6.20	9-5579	0.1	8.00
1/4"	9-7024	0.1	6.30	9-5580	0.1	8.00
3/8"	9-7212	0.1	5.70	9-5581	0.1	7.00
1/2"	9-7264	0.2	5.00	8-1227	0.2	6.00
3/4"	9-7270	0.3	6.10	8-1228	0.3	8.10
1"	9-7263	0.5	7.80	8-1229	0.3	9.50
1-1/4"	9-7266	0.8	13.50	8-1230	0.8	17.00
1-1/2"	9-7265	1.0	16.70	8-1231	1.0	21.00
2"	9-7297	2.4	34.10	8-1232	1.6	30.00
2-1/2"	9-7268	2.9	71.00	8-1233	2.9	102.00
3"	9-7269	4.2	92.20	8-1234	4.2	149.00
4"	9-7271	7.0	179.20	8-1235	7.0	249.00
6"	9-7241	16.5	610.50	9-5591	16.5	864.00

90° ELBOW (BLACK OR GALVANIZED STEEL)



Class 150 Pounds

Stainless Steel also available

Black Steel				Galvanized Steel		
Size	Part #	Weight	List	Part #	Weight	List
1/8"	9-7042	0.1	4.30	9-5566	0.1	6.00
1/4"	9-7028	0.1	4.10	9-5567	0.1	6.00
3/8"	9-7216	0.2	4.10	9-5568	0.2	6.00
1/2"	9-7273	0.2	3.10	8-1237	0.2	3.80
3/4"	9-7276	0.4	3.70	8-1238	0.4	4.50
1"	9-7272	0.6	6.50	8-1239	0.6	8.50
1-1/4"	9-7275	0.9	10.50	8-1240	0.9	13.00
1-1/2"	9-7274	1.1	13.80	8-1241	1.1	17.00
2"	9-7247	1.8	23.70	6-1761	1.8	29.00
2-1/2"	9-7323	-	51.50	6-1762	3.4	71.00
3"	9-7248	5.0	76.80	6-1763	5.0	120.00
4"	9-7249	8.9	163.20	6-1764	8.9	205.00
6"	9-7244	20.7	610.50	9-5578	20.7	864.00

TEE (BLACK OR GALVANIZED STEEL)



Class 150 Pounds

Stainless Steel also available

Black Steel				Galvanized Steel		
Size	Part #	Weight	List	Part #	Weight	List
1/8"	9-7046	0.1	6.50	9-5776	0.1	8.00
1/4"	9-7033	0.1	6.20	9-5777	0.1	7.00
3/8"	9-7220	0.2	6.20	9-5778	0.2	7.00
1/2"	9-7294	0.3	4.00	8-1243	0.3	5.10
3/4"	9-7300	0.5	5.60	8-1244	0.5	7.60
1"	9-7293	0.8	9.90	8-1245	0.8	12.50
1-1/4"	9-7296	1.2	16.10	8-1246	1.2	20.00
1-1/2"	9-7295	1.6	20.10	8-1247	1.6	25.00
2"	9-7297	2.4	34.10	8-1248	2.4	41.00
2-1/2"	9-7298	4.5	70.20	8-1249	4.5	110.00
3"	9-7299	6.5	105.30	8-1250	6.5	129.00
4"	9-7301	11.3	247.30	8-1251	11.3	305.00
6"	9-7246	27.0	706.50	9-5788	27.0	864.00

LOCKNUT (BLACK OR GALVANIZED STEEL)



Class 150 Pounds

Stainless Steel also available

Black Steel				Galvanized Steel		
Size	Part #	Weight	List	Part #	Weight	List
1/4"	9-7029	-	2.60	9-5598	-	3.00
1/2"	9-7008	0.0	3.10	9-5599	0.1	3.50
3/4"	9-7193	0.1	3.40	9-5600	0.1	4.00
1"	9-6995	0.1	6.40	9-5601	0.1	7.00
1-1/4"	9-7092	0.1	5.30	9-5602	0.2	7.00
1-1/2"	9-7056	0.2	7.40	9-5603	0.3	9.00
2"	9-7134	0.3	19.00	9-5604	0.4	15.00
2-1/2"	9-7161	-	36.00	9-5605	-	52.00

IRON MALLEABLE FITTINGS (CLASS 150 LBS)

REDUCING COUPLING (BLACK OR GALVANIZED STEEL)



Black Steel				Galvanized Steel		
Size	Part #	Weight	List	Part #	Weight	List
1/4" x 1/8"	9-7036	0.1	4.90	9-5619	0.1	6.00
3/8" x 1/8"	9-7211	0.1	4.90	9-5620	0.1	6.00
3/8" x 1/4"	9-7289	0.1	4.90	8-1253	0.1	6.20
3/8" x 1/2"	9-7288	0.1	4.30	8-1254	0.1	5.50
1/2" x 1/8"	9-7002	0.1	4.90	9-5622	0.1	7.00
1/2" x 1/4"	9-7014	0.1	4.50	9-5623	0.1	6.00
1/2" x 3/8"	9-7017	0.1	4.30	9-5624	0.1	5.00
3/4" x 1/8"	9-7187	0.2	5.70	9-5625	0.2	7.00
3/4" x 1/4"	9-7185	0.2	5.60	9-5626	0.2	7.00
3/4" x 3/8"	9-7201	0.2	5.60	9-5627	0.2	7.00
3/4" x 1/2"	9-7324	-	4.90	9-5959	0.2	6.00
1" x 1/4"	9-6985	0.3	8.60	9-5629	0.3	12.00
1" x 3/8"	9-6988	0.3	8.80	9-5630	0.3	12.00
1" x 1/2"	9-7277	0.3	7.60	8-1256	0.3	10.50
1" x 3/4"	9-7278	0.4	7.60	8-1255	0.4	10.00
1-1/4" x 3/8"	9-7086	-	8.40	9-5633	0.5	13.00
1-1/4" x 1/2"	9-7097	0.5	10.90	9-5634	0.5	16.00
1-1/4" x 3/4"	9-7103	0.5	9.50	9-5635	0.5	13.00
1-1/4" x 1"	9-7281	0.6	9.50	8-1257	0.6	13.00
1-1/2" x 3/8"	9-7050	-	10.60	9-5637	0.6	19.00
1-1/2" x 1/2"	9-7061	0.6	13.80	9-5638	0.6	19.00
1-1/2" x 3/4"	9-7067	0.7	15.60	9-5639	0.7	17.00
1-1/2" x 1"	9-7279	0.8	13.80	8-1258	0.8	17.00
1-1/2" x 1-1/4"	9-7280	0.8	11.90	8-1259	0.8	16.00
2" x 1/2"	9-7139	1.0	22.50	9-5642	1.0	27.00
2" x 3/4"	9-7141	1.0	19.80	9-5643	1.0	27.00
2" x 1"	9-7282	1.0	18.80	8-1260	1.0	23.00
2" x 1-1/4"	9-7284	1.1	19.80	8-1261	1.1	24.00
2" x 1-1/2"	9-7283	1.2	17.40	8-1262	1.2	23.00
2-1/2" x 1"	9-7149	-	37.00	9-5960	1.8	70.00
2-1/2" x 1-1/4"	9-7154	1.8	50.40	9-5648	1.8	70.00
2-1/2" x 1-1/2"	9-7152	1.9	51.60	9-5649	1.9	71.00
2-1/2" x 2"	9-7285	2.1	44.30	8-1263	2.1	71.00
3" x 1"	9-7181	2.5	70.30	9-5651	2.5	95.00
3" x 1-1/4"	9-7325	-	70.30	9-5961	2.6	95.00
3" x 1-1/2"	9-7171	2.7	69.00	9-5652	2.7	93.00
3" x 2"	9-7286	2.8	57.20	8-1264	2.8	88.00
3" x 2-1/2"	9-7287	3.1	69.00	8-1265	3.1	94.00
4" x 2"	9-7290	4.3	138.30	8-1266	4.3	202.00
4" x 2-1/2"	9-7291	4.8	138.30	8-1267	4.8	202.00
4" x 3"	9-7292	5.4	138.30	8-1268	5.4	202.00
6" x 3"	9-7239	9.4	346.30	9-5658	9.4	495.00
6" x 4"	9-7240	10.0	346.30	9-5659	10.0	495.00

Class 150 Pounds

Stainless Steel also available

COUPLING (BLACK OR GALVANIZED STEEL)



Black Steel				Galvanized Steel		
Size	Part #	Weight	List	Part #	Weight	List
1/8"	9-7040	0.1	6.00	9-5529	0.1	7.00
1/4"	9-7026	0.1	5.10	9-5530	0.1	6.50
3/8"	9-7214	0.1	5.10	9-5531	0.1	6.50
1/2"	9-7006	0.2	4.10	9-5532	0.2	5.00
3/4"	9-7191	0.3	4.90	9-5533	0.3	6.00
1"	9-6993	0.4	7.40	9-5534	0.4	10.00
1-1/4"	9-7089	0.7	9.50	9-5535	0.7	14.00
1-1/2"	9-7053	0.9	12.60	9-5536	0.9	16.00
2"	9-7131	1.3	18.40	9-5537	1.3	23.00
2-1/2"	9-7159	2.3	50.10	9-5538	2.3	69.00
3"	9-7176	3.4	67.70	9-5539	3.4	92.00
4"	9-7229	5.6	135.00	9-5540	5.6	196.00
6"	9-7243	-	362.20	9-5541	11.8	512.00

Class 150 Pounds

Stainless Steel also available

IRON MALLEABLE FITTINGS (CLASS 150 LBS)

90° REDUCING ELBOW (BLACK OR GALVANIZED STEEL)



Class 150 Pounds

Stainless Steel also available

Black Steel				Galvanized Steel		
Size	Part #	Weight	List	Part #	Weight	List
1/4" x 1/8"	9-7037	0.1	8.00	9-5660	0.1	9.00
3/8" x 1/4"	9-7223	0.1	5.90	9-5661	0.1	8.00
1/2" x 1/4"	9-7023	0.2	5.70	9-5662	0.2	7.00
1/2" x 3/8"	9-7018	0.2	5.60	9-5663	0.2	6.00
3/4" x 1/4"	9-7204	0.2	7.60	9-5664	0.2	10.00
3/4" x 3/8"	9-7209	0.3	7.60	9-5665	0.3	10.00
3/4" x 1/2"	9-7198	0.2	5.80	9-5666	0.3	8.00
1" x 3/8"	9-6989	0.2	9.30	9-5667	0.4	12.00
1" x 1/2"	9-7000	0.4	7.90	9-5668	0.4	10.00
1" x 3/4"	9-7001	0.5	7.40	9-5669	0.5	10.00
1-1/4" x 1/2"	9-7099	0.6	16.00	9-5670	0.6	20.00
1-1/4" x 3/4"	9-7102	0.6	13.70	9-5671	0.6	19.00
1-1/4" x 1"	9-7096	0.8	12.00	9-5672	0.8	16.00
1-1/2" x 1/2"	9-7063	0.7	20.10	9-5673	0.7	25.00
1-1/2" x 3/4"	9-7066	0.7	19.70	9-5674	0.7	25.00
1-1/2" x 1"	9-7060	0.9	19.70	9-5675	0.9	25.00
1-1/2" x 1-1/4"	9-7064	1.1	19.70	9-5676	1.1	25.00
2" x 1/2"	9-7140	0.9	29.00	9-5677	0.9	35.00
2" x 3/4"	9-7142	1.1	29.00	9-5678	1.1	35.00
2" x 1"	9-7138	1.3	28.40	9-5679	1.3	34.00
2" x 1-1/4"	9-7146	1.4	28.40	9-5680	1.4	34.00
2" x 1-1/2"	9-7145	1.6	25.00	9-5681	1.6	30.00
2-1/2" x 1-1/2"	9-7166	2.2	69.70	9-5682	2.2	110.00
2-1/2" x 2"	9-7155	2.5	68.50	9-5683	2.5	98.00
3" x 2"	9-7326	-	110.70	9-5943	3.3	155.00
3" x 2-1/2"	9-7327	-	110.70	9-5944	4.1	155.00
4" x 3"	9-7328	-	189.70	9-5945	6.7	300.00

90° STREET ELBOW (BLACK OR GALVANIZED STEEL)



Class 150 Pounds

Stainless Steel also available

Black Steel				Galvanized Steel		
Size	Part #	Weight	List	Part #	Weight	List
1/8"	9-7044	0.1	6.20	9-5751	0.1	8.00
1/4"	9-7031	0.1	6.20	9-5752	0.1	8.00
3/8"	9-7218	0.1	6.20	9-5753	0.1	8.00
1/2"	9-7010	0.2	6.30	9-5754	0.2	8.00
3/4"	9-7195	0.3	6.20	9-5755	0.3	8.00
1"	9-6997	0.5	8.90	9-5756	0.5	10.00
1-1/4"	9-7094	0.8	13.50	9-5757	0.8	18.00
1-1/2"	9-7058	1.1	18.10	9-5758	1.1	22.00
2"	9-7136	1.8	29.30	9-5759	1.8	37.00
2-1/2"	9-7163	3.3	72.30	9-5760	3.3	102.00
3"	9-7178	4.9	110.40	9-5761	4.9	153.00
4"	9-7232	9.2	179.70	9-5762	9.2	253.00

45° STREET ELBOW (BLACK OR GALVANIZED STEEL)



Class 150 Pounds

Stainless Steel also available

Black Steel				Galvanized Steel		
Size	Part #	Weight	List	Part #	Weight	List
1/8"	9-7045	0.1	9.60	9-5763	0.1	11.00
1/4"	9-7032	0.1	7.10	9-5764	0.1	9.00
3/8"	9-7219	0.1	8.10	9-5765	0.1	11.00
1/2"	9-7004	0.2	6.50	9-5766	0.2	8.00
3/4"	9-7189	0.3	10.00	9-5767	0.3	13.00
1"	9-6991	0.5	11.60	9-5768	0.5	17.00
1-1/4"	9-7087	0.7	20.10	9-5769	0.7	25.00
1-1/2"	9-7051	0.9	24.90	9-5770	0.9	30.00
2"	9-7129	1.5	42.00	9-5771	1.5	52.00
2-1/2"	9-7164	2.6	89.40	9-5772	2.6	121.00
3"	9-7329	-	137.00	9-5941	3.9	182.00
4"	9-7330	-	256.50	9-5942	7.0	300.00

IRON MALLEABLE FITTINGS (CLASS 150 LBS)

REDUCING TEE (BLACK OR GALVANIZED STEEL)



Left, Right, Top				Black Steel			Galvanized Steel		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
3/8 x 3/8 x 1/4	9-7224	-	6.30	9-5684	-	8.00			
1/2 x 1/2 x 1/4	9-7020	0.2	6.70	9-5685	0.1	9.00			
1/2 x 1/2 x 3/8	9-7022	0.3	8.50	9-5686	0.1	11.00			
1/2 x 1/2 x 3/4	9-7021	0.4	9.90	9-5687	0.2	12.00			
1/2 x 1/2 x 1	9-7019	0.5	14.40	9-5688	0.3	20.00			
3/4 x 1/2 x 1/2	9-7202	0.4	9.00	9-5689	0.2	12.00			
3/4 x 1/2 x 3/4	9-7203	0.5	9.90	9-5690	0.2	12.00			
3/4 x 1/2 x 1	9-7331	-	9.90	9-5949	-	18.00			
3/4 x 3/4 x 1/4	9-7207	0.4	9.50	9-5691	0.2	11.00			
3/4 x 3/4 x 3/8	9-7208	0.4	10.10	9-5692	0.2	11.00			
3/4 x 3/4 x 1/2	9-7206	0.5	8.70	9-5693	0.2	10.00			
3/4 x 3/4 x 1	9-7205	0.6	12.60	9-5694	0.3	20.00			
1 x 1/2 x 1/2	9-7116	0.5	12.60	9-5695	0.3	18.00			
1 x 1/2 x 3/4	9-7117	0.6	14.70	9-5696	0.3	18.00			
1 x 1/2 x 1	9-7115	0.7	12.60	9-5697	0.4	18.00			
1 x 3/4 x 1/2	9-7120	0.6	12.50	9-5698	0.3	18.00			
1 x 3/4 x 3/4	9-7121	0.6	11.70	9-5699	0.3	18.00			
1 x 3/4 x 1	9-6986	0.7	12.60	9-5700	0.4	18.00			
1 x 1 x 1/4	9-6982	0.5	12.20	9-5701	0.3	18.00			
1 x 1 x 1/2	9-6981	0.6	11.10	9-5702	0.3	15.00			
1 x 1 x 3/4	9-6983	0.7	11.10	9-5703	0.4	15.00			
1 x 1 x 1-1/4	9-7119	1.0	23.40	9-5704	0.5	28.00			
1 x 1 x 1-1/2	9-7118	1.1	34.90	9-5705	0.6	47.00			
1 x 1 x 2	9-7332	-	42.80	9-5950	-	55.00			
1-1/4 x 1/2 x 1-1/4	9-7100	0.9	23.00	9-5706	0.5	27.00			
1-1/4 x 3/4 x 1/2	9-7113	0.4	17.70	9-5707	0.4	21.00			
1-1/4 x 3/4 x 3/4	9-7105	0.7	23.00	9-5708	0.4	30.00			
1-1/4 x 3/4 x 1	9-7104	0.5	16.40	9-5709	0.5	29.00			
1-1/4 x 3/4 x 1-1/4	9-7114	1.0	20.90	9-5710	0.5	26.00			
1-1/4 x 1 x 1/2	9-7110	0.4	16.40	9-5711	0.4	21.00			
1-1/4 x 1 x 3/4	9-7112	0.9	20.20	9-5712	0.4	27.00			
1-1/4 x 1 x 1	9-7083	1.0	20.20	9-5713	0.5	27.00			
1-1/4 x 1 x 1-1/4	9-7111	1.1	23.40	9-5714	0.6	28.00			
1-1/4 x 1 x 1-1/2	9-7333	-	27.40	9-5951	-	35.00			

Class 150 Pounds

Stainless Steel also available

STREET TEE (BLACK OR GALVANIZED STEEL)



Black Steel				Galvanized Steel		
Size	Part #	Weight	List	Part #	Weight	List
1/2"	9-7011	0.2	11.00	9-5773	0.3	17.00
3/4"	9-7196	0.3	14.90	9-5774	0.5	18.00
1"	9-6998	0.4	19.60	9-5775	0.8	28.00

Class 150 Pounds

Stainless Steel also available

IRON MALLEABLE FITTINGS (CLASS 150 LBS)

CROSS (BLACK OR GALVANIZED STEEL)



Class 150 Pounds

Stainless Steel also available

Size	Black Steel			Galvanized Steel		
	Part #	Weight	List	Part #	Weight	List
1/8"	9-7041	0.1	14.70	9-5555	0.1	19.00
1/4"	9-7027	0.2	12.50	9-5556	0.2	19.00
3/8"	9-7215	0.3	12.70	9-5557	0.3	19.00
1/2"	9-7007	0.4	14.50	9-5558	0.4	19.00
3/4"	9-7192	0.6	17.70	9-5559	0.6	23.00
1"	9-6994	0.9	21.70	9-5560	0.9	31.00
1-1/4"	9-7090	1.5	35.30	9-5561	1.5	45.00
1-1/2"	9-7054	1.9	43.70	9-5562	1.9	55.00
2"	9-7132	2.9	72.40	9-5563	2.9	105.00
2-1/2"	9-7160	-	95.00	9-5564	5.1	154.00
4"	9-7230	-	295.00	9-5565	12.6	418.00

UNION (BLACK OR GALVANIZED STEEL)



Class 150 Pounds

Stainless Steel also available

Size	Black Steel			Galvanized Steel		
	Part #	Weight	List	Part #	Weight	List
1/8"	9-7047	0.2	22.00	9-5789	0.2	26.00
1/4"	9-7034	0.2	20.90	9-5790	0.2	25.00
3/8"	9-7221	0.3	14.10	9-5791	0.3	17.00
1/2"	9-7012	0.4	13.50	9-5792	0.4	17.00
3/4"	9-7197	0.60	16.10	9-5793	0.6	20.00
1"	9-6999	0.9	21.00	9-5794	0.9	25.00
1-1/4"	9-7095	1.3	27.90	9-5795	1.3	34.00
1-1/2"	9-7059	1.8	34.10	9-5796	1.8	43.00
2"	9-7137	2.6	51.40	9-5797	2.6	58.00
2-1/2"	9-7165	3.7	124.00	9-5798	3.7	161.00
3"	9-7179	4.7	150.50	9-5799	4.7	229.00
4"	9-7233	8.3	372.10	9-5800	8.3	497.00

SQUARE HEAD PLUG (BLACK OR GALVANIZED STEEL)



Class 150 Pounds

* Bar plugs also available in sizes 4", 5", 6" & 8".

Stainless Steel also available

Size	Black Steel			Galvanized Steel		
	Part #	Weight	List	Part #	Weight	List
1/8"	9-7043	0.1	2.60	9-5606	0.1	4.00
1/4"	9-7030	0.1	2.60	9-5607	0.1	4.00
3/8"	9-7217	0.1	2.60	9-5608	0.1	4.00
1/2"	9-7009	0.1	2.80	9-5609	0.1	5.00
3/4"	9-7194	0.1	2.80	9-5610	0.1	5.00
1"	9-6996	0.2	3.50	9-5611	0.2	6.00
1-1/4"	9-7093	0.3	4.40	9-5612	0.3	9.00
1-1/2"	9-7057	0.4	6.10	9-5613	0.4	12.00
2"	9-7135	0.6	8.80	9-5614	0.6	15.00
2-1/2"	9-7162	1.0	16.00	9-5615	1.0	30.00
3"	9-7177	1.4	21.90	9-5616	1.4	43.00
4"	9-7231	2.6	46.00	9-5617	2.6	89.00
6"	9-7245	6.6	122.30	9-5618	6.6	176.00

FLOOR FLANGE (BLACK OR GALVANIZED STEEL)



Class 150 Pounds

Stainless Steel also available

Size	Black Steel			Galvanized Steel		
	Part #	Weight	List	Part #	Weight	List
1/2"	9-7003	0.3	11.10	9-5592	0.3	23.00
3/4"	9-7188	0.5	11.90	9-5593	0.5	26.00
1"	9-6990	0.6	15.50	9-5594	0.6	29.00
1-1/4"	9-7091	0.8	16.60	9-5595	0.8	33.00
1-1/2"	9-7055	1.1	18.10	9-5596	1.1	41.00
2"	9-7133	1.5	23.60	9-5597	1.5	54.00

ACCESSORIES

CAP (BLACK OR GALVANIZED STEEL)



Class 150 Pounds

Stainless Steel also available

Size	Black Steel			Galvanized Steel		
	Part #	Weight	List	Part #	Weight	List
1/8"	9-7039	0.1	4.00	9-5542	0.1	5.00
1/4"	9-7025	0.1	4.00	9-5543	0.1	5.00
3/8"	9-7213	0.1	4.00	9-5544	0.1	5.00
1/2"	9-7005	0.1	3.10	9-5545	0.1	4.00
3/4"	9-7190	0.2	4.10	9-5546	0.2	6.00
1"	9-6992	0.3	5.00	9-5547	0.3	6.00
1-1/4"	9-7088	0.4	6.50	9-5548	0.4	9.00
1-1/2"	9-7052	0.6	8.90	9-5549	0.6	11.00
2"	9-7130	0.9	11.60	9-5550	0.9	14.00
2-1/2"	9-7158	1.5	28.80	9-5551	1.5	46.00
3"	9-7175	2.2	42.80	9-5552	2.2	55.00
4"	9-7228	4.0	66.80	9-5553	4.0	110.00
6"	9-7242	9.2	83.90	9-5554	9.2	399.00

PITOT TUBE



Size	Part #	Weight	List
-	6-1530	-	21.00

PLUG (ZAMAC)



- Die cast zinc alloy
- Will not seize, rust or gall
- Precision machined threads to NPT standards
- Clean-Lightweight

Size	Part #	Weight	List
3/4"	3-0372	0.1	2.95
1"	3-0370	0.1	2.95

BELL REDUCER (ZAMAC)

Female x Female threaded.



- Die cast zinc alloy
- Will not seize, rust or gall
- Precision machined threads to NPT standards
- Clean-Lightweight

Size	Part #	Weight	List
3/4" x 1/2"	6-1568	0.2	4.00
1" x 1/2"	6-1569	0.2	4.70
1" x 3/4"	6-1570	0.2	4.70

BUSHING (ZAMAC)

Male x Female threaded.



- Die cast zinc alloy
- Will not seize, rust or gall
- Precision machined threads to NPT standards
- Clean-Lightweight

Size	Part #	Weight	List
3/4" x 1/2"	6-1565	0.1	3.70
1" x 1/2"	6-1566	0.2	4.30
1" x 3/4"	6-1567	0.2	4.10

SLEEVE COUPLING (ZAMAC)



- Die cast zinc alloy
- Will not seize, rust or gall
- Precision machined threads to NPT standard
- Clean-Lightweight

Size	Part #	Weight	List
1/2"	9-6821	0.2	4.50
3/4"	6-1741	0.2	3.70
1"	6-1742	0.2	4.80

ACCESSORIES

SOIL MOISTURE TESTER

IRROMETER

Features:

- 5 different lengths to choose from
- Only the gauge is replaceable
- Conserves water
- Saves energy from pumping excessive water



Description	Size	Part #	Weight	List
Irrrometer:	6"	6-1504	0.8	169.00
	12"	6-1508	1.0	175.00
	18"	6-1509	1.1	185.00
	24"	6-1516	1.2	190.00
	36"	6-1517	1.5	200.00
	48"	6-1518	1.7	215.00
Service Unit:		6-1519	1.1	130.00

Recommended by the soil conservation departments of the USDA and local water conservation districts as an easy tool to prevent over-watering.

Optional service kit is required with the first installation of a tensiometer.

This unit is not recommended for areas where the instrument could get easily hit or where there are a lot of stones in the soil.


PRESSURE GAUGE 2-1/2" & 4" DIAL FACES



- 1/4" brass male pipe thread base
- Stainless steel case
- Silicone filled gauge (on the liquid filled gauges)
- Glass lens

Dial Face Size	Type	PSI	Part #	Weight	List
2-1/2"	Dry	0-300	6-9768	0.3	11.00
	Dry	0-100	6-1520	0.3	11.00
	Dry	0-200	6-1521	0.3	11.00
2-1/2"	Liquid Filled	0-15	6-9754	0.5	17.00
	Liquid Filled	0-30	6-9755	0.5	17.00
	Liquid Filled	0-60	6-9756	0.5	17.00
	Liquid Filled	0-100	6-9757	0.5	17.00
	Liquid Filled	0-160	6-1522	0.5	17.00
	Liquid Filled	0-200	6-9758	0.5	17.00
	Liquid Filled	0-300	6-9759	0.5	17.00
	Liquid Filled	0-15	9-5271	1.5	48.00
4"	Liquid Filled	0-30	9-5274	1.5	48.00
	Liquid Filled	0-60	9-5276	1.5	48.00
	Liquid Filled	0-100	9-5270	1.5	48.00
	Liquid Filled	0-160	9-5272	1.2	48.00
	Liquid Filled	0-200	9-5273	1.5	48.00
	Liquid Filled	0-300	9-5275	1.5	48.00
	Liquid Manure	0-160	6-1578	0.5	67.00
	Liquid Filled	0-160	6-9570	0.5	65.00

VACUUM GAUGE 2-1/2" DIAL FACE



Dial Face Size	Type	PSI	Part #	Weight	List
2-1/2"	Liquid Filled	30" HG/0	9-6810	-	20.00

GASKET CROSS REFERENCE

A & M OLD STYLE ROUND BACK	=	PIERCE TYPE
ALUMAX TYPE	=	A & M TYPE
ALUME TYPE	=	STOUT TYPE
AMES QCL TYPE	=	PIERCE TYPE
ATLAS TYPE	=	PIERCE TYPE
AULT TYPE	=	RAINMAKER TYPE (EXCEPT 3")
BEN GAR FULL TYPE	=	A & M TYPE
BOSS TYPE	=	A & M TYPE
BROWN TYPE	=	A & M TYPE
CHAMPION TYPE 3"	=	MOORE RANE/GHEEN TYPE
CROWN AM TYPE	=	RAIN FOR RENT TYPE
DAZOC TYPE	=	MOORE-RANE TYPE, COZAD TYPE, GHEEN TYPE
DECOTO TYPE	=	PIERCE TYPE
DUAL-LOCK TYPE	=	RAINWAY TYPE
FELCO TYPE	=	FELTON TYPE, KROY TYPE
FLEX-O-SEAL TYPE	=	CHICAGO TYPE
FREMONT GATE	=	NUSLIDE GATE
GHEEN TYPE	=	LINDSAY TYPE, COZAD TYPE, MIDWEST BAND & HOOK TYPE
HINESMAN TYPE	=	A & M TYPE
HOMARK TYPE	=	PIERCE TYPE
IRECO ALLUME TYPE	=	STOUT TYPE
KROY TYPE	=	FELTON TYPE
LAKE TYPE	=	WOSCO TYPE, IRECO TYPE, RAIN FOR RENT TYPE
LAKE TORQUE TYPE	=	QUAD RING TYPE
MATTHESON TYPE	=	CHAMPION TYPE
MILLER POSTON TYPE	=	A & M TYPE
MIDWEST TYPE	=	WOSCO TYPE , RAIN FOR RENT TYPE
MOORE RAIN TYPE	=	GHEEN TYPE
PIERCE ROUND BACK TYPE	=	TRAVIS ROUND BACK TYPE
PIERCE FLAT BACK TYPE	=	WESTERN SQUARE BACK TYPE
PORT-ALUME TYPE	=	SHUR RANE TYPE, CHAMPION TYPE
RAIN FOR RENT TYPE	=	IRECO TYPE, WOSCO TYPE, LAKE TYPE, CROWN AM TYPE
RAIN CONTROL TYPE	=	HARDIE TYPE
RAINWAY ROUND TYPE	=	PIERCE TYPE
RAINWAY SQUARE TYPE	=	A & M TYPE
READY RAINE RAIN	=	RAINWAY TYPE
REDI-RAIN TYPE	=	A & M TYPE
ROUND BACK TYPE	=	PIERCE TYPE, TRAVIS TYPE
ROLL-RAIN TYPE	=	SHUR-RANE OLD STYLE TYPE
SHUR-RANE (OLD STYLE) TYPE	=	ROLL-RANE, VERMEER
STOUT TYPE	=	ALLUME TYPE, T-L & IRECO SPEED ROLL TYPE
TELEDYNE TYPE	=	A & M TYPE
TEX FLO-ROUND BACK TYPE	=	PIERCE TYPE (EXCEPT 2 & 3)
TEX FLO-SQUARE BACK	=	HASTINGS
TRAVIS ROUND BACK TYPE	=	PIERCE ROUND BACK TYPE
TRAVIS SQUARE BACK TYPE	=	PIERCE FLAT BACK TYPE, WESTERN SQUARE BACK TYPE
VERMEER TYPE	=	SHUR RANE OLD STYLE TYPE
WOSCO TYPE	=	RAIN FOR RENT TYPE, MIDWEST TYPE, LAKE TYPE
WYSS TYPE	=	CROWN TYPE, MONTGOMERY WARD TYPE, STOUTBILT ALUM. TYPE
WYSS SEAL RING TYPE	=	OLD STYLE STOUT TYPE























**CAN'T FIND A GASKET LISTED TO MATCH
YOUR PIPE?**

CALL OR SEND A SAMPLE!



























**MOST LIKELY ANOTHER GASKET WILL INTERCHANGE
WITH YOURS!**

GASKETS

PRICES AND SIZES ARE ON FOLLOWING PAGES

 LINDSAY 6-161_ (4" LINDSAY SAME AS 4" GHEEN)		 PIERCE 6-162_ (SAME AS TEX FLO ROUND BACK)		 GHEEN 6-163_ (4" GHEEN SAME AS 4" LINDSAY) (Cozad)	
 A & M 6-164_		 FELTON 6-165_ (4" FELTON SAME AS 4" RAVIT)		 RAINWAY 6-166_	
ACE  6-600_		BEN GAR  6-606_		DRAGON  6-613_	
AKRON  6-605_		CHAMPION  6-607_		DRESSER - Gheen  6-609_	
AMES - ABC  6-601_		CLOUDBURST 6-999_ 		DRESSER - Naco  6-610_	
AMES - Hi-Lo  6-602_		COBB  6-802_		IRECO - AE  6-618_	
AMES - Suction  6-603_		COMMETCO  6-608_		FARMLAND - SBS  6-614_	
DECOTO  6-611_		FARMLAND - Green Dot  6-615_		IRECO - Steelume  6-619_	
AULT  6-604		DIAMOND  6-612		FIBERSTRONG  6-681	
				MATHISON RING (Same as Race and Race)  6-621 FULL RING (Same as Race and Race)  NOT AVAILABLE	

GASKETS

MCDOWELL  6-623_  6-670_	RACE & RACE DEMOUNTABLE  CONTRACTOR  6-632_ 6-701_	SHUR-RANE CHEVRON  6-641_	TEX-FLO (HASTINGS) Square back  6-650_
MIDWEST  6-624_	RAIN-CONTROL 2" only  6-633_	SHUR-RANE OLD STYLE (SAME AS VERMEER)  6-642_	VERMEER (SAME AS SHUR-RANE OLD STYLE)  6-651
MOORE-RANE  6-625_	RAINBO  6-634_	STOUT - New Style  -(Ireco) -For male end of pipe 6-643_	WADE RAIN Bolt-On  6-683_
MOULTON 6-626_ 	RAIN-OW  6-635_	STOUT - Old  6-644_	WADE RAIN New Style  6-652_
OAKS 6-664_ 	RAIN-FOR-RENT  6-636_	STOUT - Old FOR ALUMINUM COUPLERS  6-682_	WADE RAIN Old Style  6-653_
OLIVER 6-663_ 	RAINMAKER  6-637_	STOUT - Seal Ring  6-645_	WEBSTER TRIGGER LOCK ECONO LOCK   6-655_ 6-654_
PACIFIC 6-627_  Speed lock - new style	RAINWAY Round back  6-638_	STOUT - Towline seal  6-646_	WESTERN  6-656_
PACIFIC 6-628_  Speed lock - old style	RAVIT 4" RAVIT SAME AS 4"  6-662_	STROLYTE  6-647_	WHEEL TRAC  6-657_
PORT-ALUM  6-630_	REDI-RAIN  6-639_	SURE-FLO  6-648_	WYSS SEAL RING  STANDARD  6-659_ 6-658_
RACE & RACE LINKLOCK - SAME AS MATHISON RING  6-631_	SHUR-RANE Drain - New Style  6-640_	TEX-FLO (HASTINGS) Round back  6-649_	SPRING McDowell ABC   6-660_ 6-661_

GASKETS

To complete the part number for each gasket size, use the part number in the first column and use the size code for the last digit. Examples: 4" Ace = 6-6004; 10" A&M = 6-1640.

Size Code:			2	3	4	5	6	7	8	9	0	1
Part #	Brand Name	Type	2"	3"	4"	5"	6"	7"	8"	9"	10"	12"
6-164_	A&M		\$2.00	\$2.00	\$2.70	\$4.30	\$3.20	\$6.40	\$3.90		\$5.10	
6-600_	Ace				3.40		3.50		4.60		5.20	
6-605_	Akron			3.50	4.00	10.50	11.50		17.00			
6-601_	Ames	ABC	1.80	2.00	3.70	6.50	11.00	17.00	28.00			
6-602_	Ames	Hi-Lo				4.00	4.80	19.10	6.50	8.80	10.80	13.50
6-603_	Ames	Suction				30.00	25.00		26.00			
6-604_	Ault		3.00	3.00								
6-606_	Ben Gar						2.70	9.50	4.50		6.50	
6-607_	Champion		2.50	3.00	3.80	5.60	6.70		9.50			
6-999_	Cloudburst				6.50	7.30	8.50					
6-802_	Cobb		2.70	4.00	4.80							
6-608_	Commetco		3.50	4.50	5.10	5.90						
6-611_	Decoto				2.40	5.80						
6-612_	Diamond						2.50		5.00		7.00	6.00
6-613_	Dragon			3.10	4.00	4.50	4.60					
6-609_	Dresser	Gheen		4.80	5.30	7.50	6.00	75.00	7.50		8.00	10.00
6-610_	Dresser	Naco					8.00		17.00		18.00	16.50
6-614_	Farmland	SBS	2.50	2.50	3.50	5.50	6.50					
6-615_	Farmland	Green Dot		2.70	4.30	5.70	7.80		9.30			
6-165_	Felton (Felton, General Rain)		2.00	1.70	2.20	5.70	3.80	7.80	6.50		7.00	24.00
6-681_	Fiberstrong								6.00		8.00	10.00
6-616_	Flex-O-Seal			5.00	5.20	7.80	10.00		14.00			
6-163_	Gheen (Cozad)		2.25	2.10	2.90	5.80	3.70	9.60	4.20		6.20	7.70
6-617_	Habco					17.00	9.00		10.00		25.00	
6-618_	Ireco	AE	3.00	3.50	4.50	5.50						
6-619_	Ireco	Steelum	2.30	2.20	3.00	5.30	4.40		6.00		10.20	
6-620_	Ireco (Columbus)	Old Style	2.40	3.90	4.20	5.40	7.60	12.90	10.70		11.90	
6-161_	Lindsay				4.10		3.90		5.25			
6-621_	Mathison	Ring	2.50	6.10	6.50	6.70	7.40					
6-623_	McDowell		2.50	2.80	3.70	6.80	8.20	11.00	13.00		17.00	
6-670_	McDowell	Ringlock					24.00		23.00		23.00	
6-624_	Midwest					5.70	4.50		4.90		6.90	9.50
6-625_	Moore-Rain		3.10		3.50	5.40	8.10	10.60	8.20		8.40	17.00
6-626_	Moulton		2.70	3.30	4.20	7.20	7.90	12.50	14.00		18.00	
6-664_	Oaks				7.50	10.60	8.90					
6-663_	Oliver		4.10	4.50	5.80	6.40	8.10	9.60				
6-627_	Pacific Speedlock	New Style	2.70	3.60	3.90							
6-628_	Pacific Speedlock	Old Style	2.70	4.00	4.80	6.10	6.90		14.20			
6-629_	Pierce	Flatback	2.30	2.20	3.00	5.30	4.40		5.80		10.20	
6-162_	Pierce	Roundback	1.70	1.70	2.60	3.00	3.50	6.00	5.00	22.00	6.00	7.00
6-678_	Pierce	Triple Lip		1.80	2.60		3.50		9.00		9.00	12.50
6-630_	Port-Alum		3.70	3.90	6.90							
6-631_	Race & Race	Linklock	2.60	3.10	4.20	5.50	6.20	7.50	9.70			
6-632_	Race & Race	Demountable	3.40	3.00	4.10	4.50	5.70		8.60			
6-701_	Race & Race	Contractor					7.10	7.50	9.00			
6-633_	Rain-Control (Hardie)		2.50	3.60	4.50	6.60	6.70		9.00			
6-634_	Rainbow				5.50	6.50	7.30		11.70			
6-635_	Rain-ow		2.80	3.30	3.80							
6-636_	Rain-for-Rent	Wosco	1.70	1.80	2.30	5.90	4.20	8.90	5.60		4.40	10.30
6-637_	Rainmaker		2.70	3.30	4.00	5.60	7.40					
6-638_	Rainway	Roundback	2.50	2.70								
6-166_	Rainway	Squareback	1.90	1.80	2.50	2.50	2.80	3.60	3.40		5.10	8.00
6-662_	Ravit		3.20	3.50	2.80	7.10	8.00					

GASKETS

To complete the part number for each gasket size, use the part number in the first column and use the size code for the last digit. Examples: 4" Redi-Rain = 6-6394; 10" Sure-Flo = 6-6480.


Size Code:			2	3	4	5	6	7	8	9	0	1
Part #	Brand Name	Type	2"	3"	4"	5"	6"	7"	8"	9"	10"	12"
6-639_	Redi-Rain		\$2.30	\$2.00	\$2.40	\$4.00	\$4.40		\$5.10		\$7.30	\$12.70
6-640_	Shur-Rane	Drain-New Style	2.10	2.20	3.00	5.70	5.40		9.00		10.00	
6-641_	Shur-Rane	Non-Drain(Chevron)		3.90	4.30	5.70	6.00	7.00	10.50		11.00	
6-642_	Shur-Rane	Old Style	3.10	3.10	5.10	5.30	6.70	9.50				
6-643_	Stout	New Style	2.90	3.00	4.00	5.20	6.00					
6-644_	Stout	Old Style	4.20	4.60	5.20	7.10	8.50					
6-682_	Stout	Old Style(Alum Cplr)	3.20	3.00	4.10	4.40	5.30					
6-645_	Stout	Seal Ring	2.10	2.60	3.10	4.10	5.40					
6-646_	Stout (Coover 3-1/2)	Towline Seal			3.60							
6-647_	Strolyte		3.10	3.30	4.30	4.50	5.70					
6-648_	Sure-Flo		7.50	8.20	9.60	14.80	14.80		22.50		28.10	
6-649_	Tex-Flo (Hastings)	Roundback					5.40		10.70	15.60	9.90	
6-650_	Tex-Flo (Hastings)	Squareback		2.00			3.90		4.80	5.90	6.50	10.20
6-651_	Vermeer			4.00	5.10	5.40						
6-683_	Wade Rain	Bolt-on	5.90	6.00	7.10	7.70	7.80					
6-652_	Wade Rain	New Style	1.70	1.70	2.70	4.60	5.40	18.20	8.00		12.50	
6-653_	Wade Rain	Old Style	4.20	5.30	6.50							
6-654_	Webster	Trigger Lock		5.30	6.20	6.80	8.10	12.80	14.00			
6-655_	Webster	Econo Lock	2.80	3.70	4.50	6.60	8.60	12.20	16.10			
6-656_	Western		2.30	2.20	3.00	5.30	4.40	10.50	5.80		10.20	11.90
6-657_	Wheel Trac		4.20	5.10								
6-658_	Wyss	Standard	2.60	3.10	3.70	4.50	5.40					
6-659_	Wyss	Seal Ring	3.20	3.00	4.10	4.40	5.30					
6-8008	Wade Rain Poweroll	4"			2.50							
6-8009	Wade Rain Poweroll	4.5"			4.10							
6-8015	Wade Rain Poweroll	5"				4.90						

Odd Gasket Sizes:


Part #	Brand	Size	Price
6-6896	A&M	4-1/2"	5.50
6-1612	Pierce, Roundback	1-5/16"	2.90
6-1613	Pierce, Roundback	2-1/4"	3.50
6-1615	Pierce, Roundback	2-1/2"	3.50
6-1617	Pierce, Roundback	6-5/8"	6.50
6-1619	Pierce, Roundback	8-5/8"	35.00
6-6087	Commetco	2-1/2"	4.10
6-6197	Ireco, Steelume	5-1/4"	4.90
6-6371	Rainmaker	1-1/2"	1.30
6-6727	Gheen, Dresser	4-1/2"	7.00
6-6728	Gheen, Dresser	6-5/8"	9.00
6-6729	Gheen, Dresser	8-5/8"	11.00

Wheeline Gaskets

Part #	Brand	Wall Middle to Middle	Price
6-8000	Western, Round	3/16" x 4-1/2"	2.20
6-8001	Western, WID-E-1	3/16" x 4-7/8"	3.80
6-8002	Alumax, Round	1/4" x 4-3/4"	2.20
6-8003	Alumax, Square	1/4" x 4-3/4"	2.90
6-8004	Trunnell, Quad 4	1/4" x 4-3/8"	2.40
6-8005	Trunnell, Quad 5	1/4" x 5-1/2"	3.30
6-8006	Trunnell, Quad 4	1/4" x 4-3/4"	2.30
6-8007	Western Steel	3/16" x 4-15/16"	3.80




Trunnell



Western



Alumax - Round



Alumax - Square


Springs:

Part #	Brand	2"	3"	4"	5"	6"	7"	8"
6-660_	Ames ABC	\$5.00	\$5.60	\$7.30	\$21.00	\$23.00	--	\$28.00
6-661_	McDowell	25.00	10.00	14.00	15.00	16.00	22.10	24.70

Pierce Wedge-Tite:

For Bolt-on Flange Pack Repair & Dresser Couplers

Part #	Brand	4"	5"	6"	8"	10"	12"	15"
6-669_	NOM (OD)	\$7.00	\$10.00	\$8.00	\$13.00	\$20.00	\$30.00	
6-668_	PIP			9.00	12.00	14.00	25.00	42.00
6-667_	IPS	7.00		8.00	9.00	10.00	24.00	



LABOR/REPAIR CHARGES

Welding (per inch)
(Steel or Aluminum)

Size	Part #	List
-	Weld/Inch	7.00/inch

Weld Around
(Steel or Aluminum)

Size	Part #	List
2"	WA2C	24.00
3"	WA3C	24.00
4"	WA4C	25.00
5"	WA5C	28.00
6"	WA6C	28.00
8"	WA8C	30.00
10"	WA10C	34.00
12"	WA12C	36.00
14"	WA14C	38.00
15"	WA15C	38.00
16"	WA16C	44.00
18"	WA18C	49.00
20"	WA20C	53.00
21"	WA21C	55.00
22"	WA22C	57.00
24"	WA24C	61.00

Diagonal Weld Around
(Steel or Aluminum)

Size	Part #	List
2"	DWA2C	35.00
3"	DWA3C	35.00
4"	DWA4C	38.00
5"	DWA5C	41.00
6"	DWA6C	41.00
8"	DWA8C	44.00
10"	DWA10C	51.00
12"	DWA12C	55.00
14"	DWA14C	57.00
15"	DWA15C	57.00
16"	DWA16C	67.00
18"	DWA18C	73.00
20"	DWA20C	79.00
21"	DWA21C	82.00
22"	DWA22C	85.00
24"	DWA24C	92.00

Roll Aluminum Pipe End

Call

Labor/Hour

Parts & Valve repair or any miscellaneous labor.

Size	Part #	List
-	LABOR/HOUR	95.00

Delivery

Description	Part #	List
Car/pickup without trailer	-	\$1.00/mile, one way
Pickup/diesel with trailer	-	\$3.00/mile, one way

Saw Cuts
(Steel or Aluminum)

Description	Part #	List
Straight Steel Cut	CSC	22.00
Straight Aluminum Cut	CAC	22.00
Diagonal Steel Cut	DCSC	32.00
Diagonal Aluminum Cut	DCAC	32.00


Section Six



 Pumps	180-191
 Pump Accessories	192
 Dresser Couplers	193
 Suction Pipe	193
 Suction Strainers	194-198
 Foot Valves	196-197
 Discharge Priming Valves	199
 Priming Pumps	200-203
 Murphy Switches	204-205
 Generator, Gearhead, & Accs	206

SINGLE-STAGE ENGINE MOUNT PUMPS

BERKELEY




*Call for other pumps.



Type	Model	GPM @ 2200 RPM	PSI	Part #	Weight	List
Pedestal Mount:	B3ZRM	250-850	60-45	-	120.0	Call
	B3JRMBM	400-900	130-110	-	150.0	Call
	B4JRMBH	600-1500	125-100	-	319.0	Call
Direct Mount:	B3JQBM	300-850	110-85	-	365.0	Call
	B4JQBH	450-1500	100-70	-	400.0	Call
	B4EYQBH	500-1400	190-130	-	620.0	Call
	B6JQBM	750-2250	100-70	-	475.0	Call

*Call for other pumps. Flywheel coupling NOT included.




Type	Model	GPM @ 2200 RPM	PSI	Part #	Weight	List
Pedestal Mount:	4RB	300-1500	95-65	-	520.0	Call
	5RB	400-2200	104-70	-	715.0	Call
	6RB	750-4000	100-75	-	815.0	Call
	3HA	300-900	140-115	-	615.0	Call
	5HH	300-1400	120-95	-	695.0	Call
	6HH	1200-3600	155-120	-	845.0	Call

- Call for other pumps. Flywheel coupling included.
- 6HH is rated at 2000 rpm.
- Cornell pumps work well at 3,000 gpm's & higher.

SLURRY & CHOPPER ENGINE MOUNT PUMPS

CORNELL-SLURRY



Type	Model	GPM @ 2000 RPM	PSI	Part #	Weight	List
Cornell	3HM	0-800	140-100	-	-	Call
	4x4x14T	300-1500	130-100	-	-	Call

*3HM has an open impeller & therefore will handle stringy material

*4x4x14T has a 2-port impeller & therefore will not handle stringy material. (Excellent for hog manure)

DODA-CHOPPER



Type	Model	GPM @ 2000 RPM	PSI	HP	Part #	Weight	List
Doda	27 PD	300-900	72-10	37-54	-	-	Call
	35 PD	300-1300	120-38	80-115	-	-	Call

FLOATS & FLOATING PUMPS

PUMP/DOCK FLOATS



- Thick-walled Molded Polyethylene Shell
- Encapsulated Expanded Polystyrene Foam
- 12 Year Warranty

WxLxH	Float Capacity	Ship Via	Part #	Weight	List
24"x36"x12"	335 lbs	UPS	9-6918	32.0	167.00
24"x48"x12"	490 lbs	UPS	9-6919	34.0	181.00
36"x48"x12"	470 lbs	CC	9-6920	41.0	245.00
24"x48"x16"	700 lbs	UPS	9-6921	35.0	210.00
24"x36"x18"	600 lbs	UPS	9-6922	32.0	210.00
24"x48"x18"	650 lbs	CC	9-6923	41.0	225.00
36"x48"x18"	1000 lbs	CC	9-6924	52.0	350.00
24"x48"x24"	900 lbs	CC	9-6925	50.0	295.00

PIPE/HOSE FLOATS



Suggested spacing is every 20'

- Tough, impact-resistant polyethylene plastic (HDPE)
- Built-in UV inhibitors reduce degradation caused by sunlight
- Handholds to ease Pipe Float installation
- Molded-in bolt holes allow for easy float installation
- Built-in legs act as alignment guides when installing the Pipe Float
- Floats are also available with foam cores
- Solid one-piece construction
- Pipe Floats (Float Collars) come with a one-year warranty against any-and-all workmanship issues associated with the product.

Size	Dimension WxL	Float Capacity	Part #	Weight	List
4"	13.9" x 20"	26 lbs	9-8336	-	390.00
6"	21.9" x 30"	83 lbs	9-8337	-	710.00
8"	24.0" x 40"	167 lbs	9-8338	-	850.00
10"	33.4" x 24"	212 lbs	9-8339	-	920.00
12"	28.2" x 44"	235 lbs	9-8340	-	990.00

FLOATING PUMPS

TURBI-FLOAT®

Floating Pumps

CALL



Pump shown with optional wheel kit, which adds to the versatility and user-friendly qualities of the Turbi-Float® system. Further enhances installation and removal for service and site transfers, often eliminating the need for lifting equipment.


Applications:

- Irrigation
- Municipal
- Industrial
- Commercial

Group No.	Discharge Body	GPM	PSI
One	4"	100-525	61-26
Two	4"	100-525	94-10
Three	6"	400-1100	20-11
Four	6" & 8"	400-1200	67-23
Five	4" & 6"	400-1100	135-48
Six	8" & 10"	1100-3250	33-7
Seven	8"	1100-1750	93-28
Eight	10"	2250-3250	14-6
Nine	10"	2300-4000	63-32

DIESEL PUMPING UNITS

DIESEL IRRIGATION PUMPING UNITS



Model	Engine	Pump	GPM @2000 rpm	PSI	List
John Deere	4045T	B4JQBH	400-1500	104-70	Call
John Deere	4039T	B3JQBM	300-860	108-78	Call
John Deere	6059T	B4JQBH	400-1500	104-70	Call
John Deere	6059T	B6JQBM	750-2250	104-70	Call



Horsepower Chart

MODEL	RPM						CONSUMPTION	SIZE	WEIGHT
	1800	2000	2100	2200	2300	2400			
4039D	57	62	65	67	67	67	.357 @ 1800	SAE4-10	1250
4045D	64	67	71	71	73	74	.347 @ 1800	SAE4-10	1300
4039T	76	82	84	85	88	88	.340 @ 1800	SAE4-10	1350
6059D	84	90	93	96	98	100	.350 @ 1800	SAE3-11	1400
4045T	88	92	93	94	95	96	.342 @ 1800	SAE4-10	1500
6068D	95	102	106	108	111	111	.345 @ 1800	SAE3-11	1500
6059T	112	121	126	128	133	135	.336 @ 1800	SAE3-11	1600
6068T	135	143	145	146	147	147	.344 @ 1800	SAE3-11	1650
6076T	165	165	165	165	--	--	.343 @ 1800	SAE3-11	2100
6076A	206	206	206	206	--	--	.337 @ 1800	SAE2-11	2200
6619A	242	244	246	--	--	--	.353 @ 1800	SAE1-11	2800

UNITS INCLUDE:

- Engine
- Pump
- Radiator
- Core Guard
- Electric Start (complete w/cables)
- Cables
- Battery Box (without battery)
- Fuel Lift Pump
- 15' Fuel Line
- Standard Duty Air Cleaner
- Muffler
- Mounting Feet
- Vernier Throttle Control & Panel
- OFF Highway Trailer w/USED tires.
- Water Level Safety Switch (L-150)
- Loss of Prime Switch (20PW7)
- Exhaust Primer
- Flywheel Coupling
- Suction Flange (if required)
- Discharge Priming Valve
- Discharge Adapter
- Pressure Gauge
- Suction Adapter
- Dresser Coupler
- Suction Pipe
- Foot Valve w/screen

OPTIONS:

- Skid Mount
- Battery
- Fuel Tank (30, 62 or 125 gallon)
- Extra Axle
- Screw jack for trailer

PTO PUMPS

CAPRARI

PTO PUMPS



Gear Driven

Model	RPM	Inlet/Outlet	GPM	PSI	Part #	Weight	List
D2/40	540	2"x2"	50-150	146-133	8-0221	200.0	Call
D1/50	540	2"x2"	50-300	90-76	8-0232	365.0	Call
D2/50	540	3"x2"	50-250	135-121	8-0222	215.0	Call
D3/50	540	3"x2"	70-300	170-133	8-0223	230.0	Call
D2/65	540	4"x4"	100-450	107-97	8-0224	360.0	Call
D3/65	540	4"x4"	150-500	161-136	8-0225	270.0	Call
D2/80	540	5"x4"	200-700	110-99	8-0227	275.0	Call
DO4/80	540	5"x4"	200-700	167-143	8-0228	380.0	Call
DMR80 3/2	540	5"x4"	200-800	192-140	8-0230	400.0	Call
D01/125	540	8"x5"	500-1400	37-21	8-0234	430.0	Call



PUMP PERFORMANCE

Model	GPM	50	60	70	80	90	100	150	200	250	300	350	400	450	500	600	700	800	1000	1200	1400	Discharge NPT (F)	Suction NPT (F)
D2/40	PSI HP	146 13	146 14	145 17	144 16	143 17	142 17	133 21														2"	2"
D1/50	PSI HP	90 9	90 9	90 10	91 10	91 10	91 11	90 13	87 15	87 17	76 19											2"	2"
D2/50	PSI HP	135 17	136 17	137 18	137 18	137 19	136 19	135 22	128 25	121 27												2"	3"
D3/50	PSI HP			170 24	170 25	170 26	170 26	167 30	160 35	150 38	133 41											2"	3"
D2/65	PSI HP						107 18	108 21	108 23	107 27	105 29	103 31	100 34	97 36								4"	4"
D3/65	PSI HP							161 29	160 34	156 38	154 42	151 46	146 50	142 53	136 55							4"	4"
D2/80	PSI HP								110 28	109 31	109 33	108 36	108 38	107 40	105 43	103 47	99 51					4"	5"
DO4/80	PSI HP								167 44	167 49	166 53	165 57	163 62	160 66	159 69	152 77	143 84					4"	5"
DMR80 3/2	PSI HP								193 51	191 54	189 54	186 61	183 64	180 67	178 71	167 77	156 83	142 90				4"	5"
D01/125	PSI HP														37 17	36 19	35 21	34 22	30 23	25 25	21 26	5"	8"
	GPM	50	60	70	80	90	100	150	200	250	300	350	400	450	500	600	700	800	1000	1200	1400		

ROVATTI PTO IRRIGATION PUMP

ROVATTI IRRIGATION PUMP

ROVATTI



Gear Driven

Model	Drive Shaft	RPM	Inlet/Outlet	GPM	PSI	HP	Part #	Weight	List
T0F-50 *	--	540	2"x2"	25-130	76-69	9-10	8-0235	45.0	Call
T1-40-E	R300/90	540	2-1/2"x1-1/2"	50-130	150-140	13-20	8-0236	220.0	Call
T2-40-E	R300/90	540	2-1/2"x1-1/2"	50-130	182-176	21-31	8-0237	255.0	Call
T1-65-A-E	R300/90	540	2-1/2"x2"	100-260	88-80	12-19	8-0238	215.0	Call
T1-50-E	R300/90	540	2-1/2"x2"	100-260	129-119	19-29	8-0239	240.0	Call
T2-50-E	R300/90	540	2-1/2"x2"	100-330	149-125	24-39	8-0240	240.0	Call
T2-65-E	R300/90	540	2-1/2"x2"	100-210	159-135	24-35	8-0241	250.0	Call
T2-80-E	R300/90	540	3"x2-1/2"	160-460	101-86	18-32	8-0242	240.0	Call
T2-85-E	R450/90	540	3"x2-1/2"	160-530	120-102	25-43	8-0243	250.0	Call
T3-80A-E	R450/90	540	3"x2-1/2"	160-460	175-165	38-66	8-0244	300.0	Call
T3-100A-E	R450/90	540	4"x3"	260-790	111-85	33-55	8-0245	290.3	Call
T3-110-E	R600/90	540	4"x3"	260-920	134-108	46-83	8-1425	300.3	Call
T4-100-E	R800/90.1	540	4"x3"	260-790	181-143	61-96	8-0246	375.0	Call
T4-125-E	R800/90.1	540	5"x4"	530-1060	125-110	65-90	8-0248	375.0	Call
MBN20	R450/90	540	8"x8"	1056-2640	37-25	40-55	9-7688	507.0	Call

*T0F-50 is mounted directly to tractor without drive shaft or cart.



PUMP PERFORMANCE

Model	GPM	25	50	70	80	90	100	120	130	160	190	210	240	260	330	400	460	530	660	790	920	1060	1190	1320	1450	1580	1850	2110	2380	2640	Discharge FPT	Suction FPT
*T0F-50	PSI HP	76 9	76 9	76 9	75 9	74 9	73 9	72 9	69 9																						2"	2"
T1-40-E	PSI HP		150 13	149 14	148 15	147 16	145 18	143 19	140 20																						2-1/2"	1-1/2"
T2-40-E	PSI HP		182 21	181 22	181 24	180 26	179 28	178 29	176 31																						2-1/2"	1-1/2"
T1-65A-E	PSI HP						88 12	88 13	88 13	88 14	87 16	85 17	83 18	80 19																	2-1/2"	2"
T1-50-E	PSI HP						129 19	129 20	129 21	128 23	127 25	125 26	122 28	119 29																	2-1/2"	2"
T2-50-E	PSI HP						149 24	149 25	149 26	148 28	147 30	145 32	143 33	141 35	125 39																2-1/2"	2"
T2-65-E	PSI HP						159 24	158 25	157 27	153 30	146 32	135 35																			2-1/2"	2"
T2-80-E	PSI HP									101 18	101 20	101 21	100 22	100 24	97 27	93 29	86 32														3"	2-1/2"
T2-85-E	PSI HP									120 25	120 26	120 28	120 30	119 32	118 35	115 39	110 41	102 43													3"	2-1/2"
T3-80A-E	PSI HP									175 38	175 40	175 42	175 44	175 46	173 53	170 60	165 66														3"	2-1/2"
T3-100A-E	PSI HP													111 33	111 36	109 39	107 43	104 46	94 51	85 55											4"	3"
T3-110-E	PSI HP													134 46	133 50	133 55	132 59	131 63	128 70	121 77	108 83									4"	3"	
T4-100-E	PSI HP													181 61	180 66	180 70	178 74	175 79	166 90	143 96											4"	3"
T4-125-E	PSI HP																	125 65	124 72	122 79	118 85	110 90								5"	4"	
MBN20-E	PSI HP																					37 39	37 41	37 43	36 45	36 47	34 50	32 53	29 54	25 54	8"	8"
Model	GPM	25	50	70	80	90	100	120	130	160	190	210	240	260	330	400	460	530	660	790	920	1060	1190	1320	1450	1580	1850	2110	2380	2640		

These rugged, high performance power-take-off (PTO) irrigation pumps are inexpensive and designed for easy mobility. Their unique water-cooled gearbox allows the gearbox oil to be kept at a constant low temperature. This important feature reduces gasket damage due to high oil temperatures.

The heavy-duty pump frame and dynamically balanced impeller is made of durable cast iron construction. A graphic rope packing seal provides shaft lubrication. A heavy-duty, bowed axle 2-wheel cart allows for easy mobility. Standard pump discharge is horizontal, but can be rotated vertically. 540 & 1000 rpm models are available.


PTO pumps are ideal for irrigators who do not want to maintain yet another engine on their farm. In addition to irrigation, these pumps are designed for a wide range of applications including water transfer, wash-down, tank filling, etc. These durable PTO pumps will give years of dependable service at affordable prices.

Features:

- Oversized bearings
- Replaceable wear ring
- 540 & 1000 rpm speeds
- Finest grade of cast iron for high efficiency
- Unique water-cooled gearbox for extended gear life
- Two-wheel cart for easy positioning and transport

BERKELEY

Model	RPM	Inlet/Outlet	GPM	PSI	Part #	Weight	List
T1-B6ZRM-CCW	540	8"x6"	800-2200	4.8-25.5	9-7815	400.0	Call



MODEL T1-B6ZRM CCW (Flood Pump)

PTO RPM	Pump Pulley Pitch Dia(In)	Pump RPM	Capacity (Gallons Per Minute)								
				800	1000	1200	1400	1600	1800	2000	2200
540	4.6	2150	HEAD (FT)	59	58	56	54	50	46	42	36
1000	5.0		BHP	23	24	26	27	28	29	30	31
540	5.0	2000	HEAD (FT)	51	49	48	45	42	38	32	26
1000	5.4		BHP	19	20	21	22	23	24	25	25
540	5.4	1830	HEAD (FT)	42	40	38	36	32	28	22	15
1000	6.0		BHP	15	16	17	18	18	19	19	19
540	6.0	1650	HEAD (FT)	34	32	30	27	24	19	13	-
			BHP	11	12	13	14	14	15	15	-
NET POSITIVE SUCTION (NPSHR) HEAD REQUIRED (FT.)				11	11	12	12	12	13	13	14

BERKELEY FLANGE KITS

Description	Size	Part #	Weight	List
Discharge Priming Valve Flange Kit	6"	9-7817	-	503.00
Suction Flange Kit	8" FPT	9-7818	-	491.00


PTO CHOPPER PUMPS

PTO CHOPPER PUMPS

DODA-CHOPPER



Model	RPM	HP Req.	GPM	PSI	Part #	Weight	List
AFI-27	540	40-60	300-900	80-20	8-0252	-	Call
AFI-27	540	72-105	300-1000	130-55	8-0253	-	Call
AFI-27	1000	135-165	300-700	210-175	8-0254	-	Call
AFI-35	540	90-130	400-1300	135-55	8-0255	-	Call
AFI-35	1000	130-170	400-1300	175-80	8-0256	-	Call




*Ideal for cattle manure with straw & hay

*Mechanical seal.

*AFI-L20 does not have a cutter blade

ELECTRIC MOTOR PUMPS


BERKELEY



Single Phase or Three Phase

Call

CORNELL



Single Phase or Three Phase

Call

Submersible Pumps

GOULDS/BERKELEY



-motor & pump comes disassembled.
 -requires a panel box on single & three phase and a control box on single phase.
 -heavy duty check valves required on all submersible pumps
 -longer wire will be needed to connect to above ground panel.

Call

Cooling Coil




NOTE:

Cooling Coil Warranty will be void if there is no Bolted Compression Coupler or Flange between the Cooling Coil and the Pump Discharge.

- Painted Steel Body
- Copper Tubing and Brass Returns
- Standard Length 74"
- Plain Ends for easy customizing
- Pressure Tested

Type	Size	OD	Part #	Weight	List
75 HP:	6"	6-5/8"	9-7711	-	1,813.00
	8"	8-5/8"	9-7712	-	1,813.00
	10"	10-3/4"	9-7713	-	1,978.00
125 HP:	6"	6-5/8"	9-7714	-	2,556.00
	8"	8-5/8"	9-7715	-	2,556.00
	10"	10-3/4"	9-7716	-	2,633.00

Rubber Expansion Joints



*To accommodate pressure loads, relieve movement stress, reduce noise, isolate vibration, compensate for misalignments after system goes on stream and prolong the life of motive equipment.

Type	Size	Part #	Weight	List
Single Sphere	4"	6-8031	18.3	218.00
	6"	6-8032	26.8	322.00
	8"	6-8033	40.6	429.00
	10"	6-8034	56.6	655.00
	12"	6-8035	83.0	995.00
Double Sphere	4"	6-8036	20.3	235.00
	6"	6-8037	29.5	397.00
	8"	6-8038	43.8	599.00
	10"	6-8039	64.1	811.00
	12"	6-8040	95.0	1,149.00

Gasoline Pumps

HONDA

Description	Model	Part #	Weight	List
3-1/2 hp, 1-1/2"	WH 15 X	8-0196	48.5	1,320.00
5 hp, 2"	WH 20 X	8-0197	52.0	1,420.00
8 hp, 3"	WT 30 X	6-9839	132.0	2,895.00
11 hp, 4"	WT 40 X	6-9840	172.0	4,195.00



WH15X

- High Pressure, Centrifugal, Self-Priming 1.5" Pump
- Easy-Start Honda OHV Commercial Engine
- 115 gal./min. Capacity
- Lightweight Aluminum Case
- Cast Iron Volute and Impeller
- Easy Carry Handle



WH20X

- High Pressure, Centrifugal, Self-Priming 2" Pump
- Easy-Start Honda OHV Commercial Engine
- 134 gal./min. Capacity
- Lightweight Aluminum Case
- Cast Iron Volute and Impeller
- Easy Carry Handle

HONDA
GENERATORS & PUMPS



WT30X

- Heavy-Duty 3" Construction Trash Pump
- Easy-Start Honda OHV Commercial Engine
- Full Frame Protection
- 319 gal./min. Capacity
- Solid Handling Capability Up to 1 1/16"
- Easy, Quick Clean-Out Port
- Easy-Service Wear Plate
- Protected by Honda Oil Alert®



WT40X

- Heavy-Duty 4" Construction Trash Pump
- Easy-Start Honda OHV Commercial Engine
- Full Frame Protection
- 604 gal./min. Capacity
- Solid Handling Capability Up to 1 1/16"
- Easy, Quick Clean-Out Port
- Easy-Service Wear Plate
- Protected by Honda Oil Alert®
- Self Priming


*Call for other sizes and brands on these economical self-priming pumps.

*15' max. Suction lift

INSTALLATION

Suction Connection

Suction Lift



- Use pipe, tubing, or reinforced hose to make suction connection. Hose must have sufficient strength to resist collapse under the atmospheric pressure differential that occurs while pump is running.
- Piping run and connection fittings should be properly aligned and independently supported to reduce strain on pump case.
- Suction pipe size should be at least one commercial pipe size larger than opening of pump inlet. Flow velocity should not exceed 8 ft./sec.
- Suction screen must screen out solids that could clog pump impeller.
- Suction screen area must be at least four times suction pipe area.
- Net Positive Suction Head Available (NPSHA) must exceed Net Positive Suction Head Required (NPSHR) by the pump or reduced performance and severe pump damage may result.
- All suction piping must have a continuous rise to the pump suction inlet. A 1/4 inch per foot minimum slope is recommended.


Recommended



TYPE "B" SINGLE STAGE CENTRIFUGAL PUMP Bearing Frame Mount

CAST IRON IMPELLER**B3ZRM****Threaded Case (NPT)****Packing Construction****TABLE I**

B/M No.	Rotation	Volute Case	Impeller	Impeller Diameter
B85480	CW	H00689	M11215	9.00"
B85483	CCW	H00698	M06852	9.00"



Item No.	Part Description	Part Number
1	Case, Volute	See Table I
2	Impeller	See Table I
6	Shaft (Not sold separately)	See Note 2
13	Ring, Packing (Set of 6)	S14022
14	Sleeve, Shaft	S05127L
16	Bearing, Ball	S13270
17	Gland, Packing (See Note 1)	S04948
18	Bearing, Ball	S13271
19	Frame	H00553
24	Locknut, Impeller (CW and CCW)	M10220
32A	Key, 1/4x2-1/8"	S24255
32B	Key, 3/16x1-1/4"	S34383
37	Outer Bearing Cap Assembly*	S19914
40	Slinger, Water	S12260
72	Ring, Thrust	S29218
73	Gasket, Volute	S05126
800A	Capscrew, Hex 3/8-16x7/8" (6 Req.)	S26825
800B	Bolt, Sq. Head 3/8-16x2-1/2" (2 Req.)	S23762
800C	Capscrew, Hex 3/8-16x1-1/8" (2 Req.)	S26827
802	Nut, Hex 3/8-16 (2 Req.)	S23343


Item No.	Part Description	Part Number
810A	Plug, Pipe 1/4 NPT (4 Req.)	S23715
810B	Plug, Pipe 1/2 NPT	S23717
811	Fitting, Grease	S23670
816	Ring, Retaining	S23010

* Includes grease fitting and set screw.

1. A two piece (split) stainless steel packing gland is available for replacement, order part number **B82468**.
2. **Shaft Replacement Kit** available for this model. Berkeley part number **B85540** for CW, **B85539** for CCW.
Pump Shaft sold in shaft replacement kit only.



TYPE "B" SINGLE STAGE CENTRIFUGAL PUMP Bearing Frame Mount

CAST IRON IMPELLER
B4JRMBH
Flanged Case
Packing Construction

TABLE I

B/M No.	Rotation	Volute Case	Impeller	Impeller Diameter
B62321	CW	H03843	L05976	13.50"
B62323	CCW	H03848	L05974	13.50"

Item No.	Part Description	Part Number
1	Case, Volute	See Table I
2	Impeller	See Table I
6	Shaft (Not sold separately)	See Note 1
7	Ring, Wearing	S02894
13	Ring, Packing (Set of 4)	S13436
14	Sleeve, Shaft	S05974
16	Bearing, Ball	S15604
17	Gland, Packing	B82472
18	Bearing, Ball	S13396
19	Frame	H01599
26	Screw, Impeller 1/2-13x1-1/2"	S23623
29	Ring, Lantern	S18993
32	Key, 1/26x4"	S24214
35	Inner Bearing Cap	S05928
37	Outer Bearing Cap Assembly*	S35277
40	Slinger, Water	S10964
63	Bushing, Throat	S18992
69	Washer, Impeller	S19275
72	Ring, Thrust	S06519
73A	Gasket, Volute	S06271
73B	Gasket, Balance Ring	S09943
115	Ring, Balance	S12315

* Includes grease fitting.

Item No.	Part Description	Part Number
800A	Capscrew, Hex 5/8-11x1-1/2" (12 Req.)	S26999
800B	Bolt, Sq. Head 1/2-13x2-3/4" (2 Req.)	S23794
801	Stud, 3/8-16x1-3/8" (4 Req.)	S09942
802A	Nut, Hex 3/8-16 (4 Req.)	S23103
802B	Nut, Hex 1/2-13x7/16" (2 Req.)	S23347
805A	Washer, Lock	S23038
810	Plug, Pipe 1/2 NPT (4 Req.)	S23717
811	Fitting, Grease (2 Req.)	S23670
816	Ring, Retaining	S23016

1. **Shaft Replacement Kit** available for this model. Berkeley part number **B07596** for CW, **B07597** for CCW. Pump Shaft sold in shaft replacement kit only.

PUMP ACCESSORIES

GLAND - BERKELEY



Size	Pump Model	Part #	Weight	List
Small	B3Z & B6Z	8-1000	-	402.00
Large	B4J	8-1001	-	653.00

PACKING - BERKELEY



Size	Pump Model	Berkeley #	Part #	Weight	List
Small - 5/16"	B3ZRM, B6ZRM	S-14022	8-0410	0.2	47.00
Large - 3/8"	B3JQBM, B4JRMBH	S-13436	8-0412	0.7	76.00

PACKING - PULLER



Size	Part #	Weight	List
-	8-0413	-	32.00

PACKING - BRAIDED



Size	Ft/Box	Part #	Weight	List
1/4"	25' Box	9-6859	-	72.00
5/16"	18' Box	9-6860	-	75.00
3/8"	12' Box	9-6861	-	80.00

SUCTION ADAPTER

(GALVANIZED STEEL)

MPT



- Install with eccentric dip downward (as shown).
- With 3/4" FPT outlet on top.
- Ball & sockets may be welded onto plain end.

MPT x OD	Part #	Weight	List
2" x 3"	8-0430	2.9	86.00
3" x 4"	8-0431	4.0	90.00
4" x 5"	8-0432	6.0	115.00
4" x 6"	8-0510	7.0	135.00
4" x 8"	8-0511	12.7	190.00
5" x 6"	8-0512	7.6	160.00
5" x 8"	8-0513	12.6	189.00
6" x 6"	8-0514	12.1	150.00
6" x 8"	8-0515	14.1	190.00
6" x 10"	8-0517	19.3	299.00
8" x 8"	8-0516	16.3	225.00
8" x 10"	8-0518	19.8	355.00

DISCHARGE ADAPTER

(GALVANIZED STEEL)

MPT



MPT x FRL	Part #	Weight	List
2" x 3"	8-0440	2.1	49.00
2" x 4"	8-0441	3.1	95.00
3" x 3"	8-0442	2.5	55.00
3" x 4"	8-0443	3.5	65.00
4" x 4"	8-0520	4.3	85.00
4" x 5"	8-0444	5.4	110.00
4" x 6"	8-0521	6.7	135.00
4" x 8"	8-0522	9.8	190.00
5" x 5"	8-0445	5.9	95.00
5" x 6"	8-0446	9.4	140.00
5" x 8"	8-0526	11.1	180.00
6" x 6"	8-0523	8.1	155.00
6" x 8"	8-0524	12.3	208.00
6" x 10"	8-0525	14.9	210.00

DRESSER COUPLERS, SUCTION PIPE

DRESSER COUPLER - 6" LONG

(POWDER COATED)



Size	Part #	Weight	List
3" OD	8-0550	4.0	135.00
4" OD	8-0551	5.5	155.00
5" OD	8-0552	6.5	180.00
6" OD	8-0553	7.5	250.00
8" OD	8-0555	9.0	270.00
10" OD	8-0556	12.0	330.00
12" OD	8-0557	21.0	345.00

DRESSER COUPLER - 10" LONG

(POWDER COATED)



Complete				Body Only			Flange Pack (Double) For 10" Long Body		
Size	Part #	Weight	List	Part #	Weight	List	Part #	Weight	List
4" OD	8-0530	8.0	182.00	6-2039	4.0	50.00	6-2021	4.0	53.00
5" OD	8-0536	11.0	165.00	6-2040	4.0	55.00	6-2022	7.0	98.00
6" OD	8-0531	13.0	156.00	6-2041	5.0	65.00	6-2023	8.0	91.00
8" OD	8-0532	16.0	185.00	6-2042	7.0	75.00	6-2024	9.0	110.00
10" OD	8-0533	23.0	235.00	6-2043	9.0	95.00	6-2025	14.0	140.00
12" OD	8-0534	27.0	350.00	6-2044	11.0	140.00	6-2026	16.0	210.00

SUCTION BOOT

(RUBBER)




Size (ID)	OD	Part #	Weight	List
6"	7"	8-0546	3.2	80.00
8"	9"	8-0547	4.1	95.00
10"	11"	8-0548	5.8	150.00
*12"	13-1/2"	8-0549	15.5	330.00

* For the 12" Boot use the spiral hose clamp.

SUCTION PIPE

(ALUMINUM)



Size	Wall	Part #	Weight	List
6" x 45°	.058	8-0540	37.8	489.00
6" x 90°	.058	8-0541	37.8	558.00
8" x 45°	.072	8-0542	63.3	851.00
8" x 90°	.072	8-0543	63.3	925.00
10" x 90°	.094	8-0545	103.2	1,420.00

* See page 36 for suction hoses

SUCTION ELBOW & INTAKE SCREEN

SUCTION ELBOW - COMPLETE

(CAST ALUMINUM)



Size	Part #	45°		Part #	90°	
		Weight	List		Weight	List
4"	8-0729	6.0	210.00	8-0719	7.0	225.00
6"	8-0730	9.0	315.00	8-0720	10.5	340.00
8"	8-0731	12.0	455.00	8-0721	14.5	512.00
10"	8-0732	17.0	795.00	8-0722	23.0	810.00

SUCTION ELBOW - PARTS



Size	Part #	45°		Part #	90°	
		Weight	List		Weight	List
4"	8-0814	-	150.00	8-0810	-	169.00
6"	8-0815	-	235.00	8-0811	-	250.00
8"	8-0816	-	330.00	8-0812	-	365.00
10"	8-0817	-	590.00	8-0813	-	620.00

Description	Size	Part #	Weight	List
Flange:	4"	8-0818	-	23.00
	6"	8-0819	1.3	40.00
	8"	8-0820	1.6	65.00
	10"	8-0821	2.4	95.00
Ring Gasket:	4"	6-6484	-	9.60
	6"	6-6486	-	14.80
	8"	6-6488	-	22.50
	10"	6-6480	-	28.10
Nuts & Bolts:	(2-8" Req 4) 5/16" x 2-1/4"	8-0822	-	2.60
	(10" Req 6) 5/16" x 2-1/2"	8-0823	-	2.60

INTAKE STRAINER



-0.050 Screen wall thickness
 -Standard holes are 1/4" round
 -Also available in 1/8" or 1/2" @ additional cost

Size	Dimension	Part #	Weight	List
4"		6-9793	3.5	90.00
5"		6-9794	4.5	125.00
6"	10 5/8" x 7 1/4"	8-0733	6.0	150.00
8"	16 1/2" x 9 1/4"	8-0734	11.0	250.00
10"	23" x 11 1/2"	8-0735	15.0	335.00

Note: Intake strainers are smaller than Jumbo.

INTAKE STRAINER PARTS



Description	Size	Dimension	Part #	Weight	List
Ring Casting:	6"		8-0736	-	42.00
	8"		8-0737	-	70.00
	10"		8-0738	-	77.00
Bottom Disc Casting:	6"		8-0739	-	34.00
	8"		8-0740	-	68.00
	10"		8-0741	-	81.00
Strainer Screen:	6"	10-5/8" h x 7-1/4" w	8-0742	-	36.00
	8"	16-1/2" h x 9-1/4" w	8-0743	1.5	55.00
	10"	23" h x 11-1/2" w	8-0744	2.5	120.00
Strainer Bolt & Nut:	6"	12" long	8-0745	-	5.50
	8"	18" long	8-0746	-	13.00
	10"	25-1/4" long	8-0747	-	15.00
Slide:	6"		8-0748	-	32.00
	8"		8-0749	-	56.00
	10"		8-0753	-	97.00
Ring Bolt:			8-0754		2.00

JUMBO SCREENS

JUMBO SCREEN - SINGLE



Size	Dimension	With Slide			Without Slide		
		Part #	Weight	List	Part #	Weight	List
6"	18" x 13-5/8"	8-0750	17.0	510.00	8-0760	14.5	433.00
8"	18" x 13-5/8"	8-0751	18.0	510.00	8-0761	14.0	433.00
10"	18" x 13-5/8"	8-0752	18.5	510.00	8-0762	13.5	433.00

-1/4" Standard Round Holes (also available in 1/8", 1/2", 3/4" or 1" @ additional cost)

-0.080 Standard Wall Thickness (also available in .125 in 3/4" & 1" only @ additional cost)

-Easily and quickly attaches to the end of the aluminum suction pipe by drilling three holes in the tubing and inserting bolts.

JUMBO SCREEN - DOUBLE




Size	Dimension	With Slide			Without Slide		
		Part #	Weight	List	Part #	Weight	List
6"	36" x 13 5/8"	8-0770	38.0	834.00	8-0780	21.5	681.00
8"	36" x 13 5/8"	8-0771	38.0	834.00	8-0781	21.0	681.00
10"	36" x 13 5/8"	8-0772	40.0	834.00	8-0782	21.0	681.00

-1/4" Standard Round Holes (also available in 1/8", 1/2", 3/4" or 1" @ additional cost)

-0.080 Standard Wall Thickness (also available in .125 in 3/4" & 1" only @ additional cost)

-Easily and quickly attaches to the end of the aluminum suction pipe by drilling three holes in the tubing and inserting bolts.

JUMBO STRAINER PARTS



Description	Size	Dimension	Part #	Weight	List
Strainer Ring:	4"		8-0859	-	137.00
	6"		8-0860	-	175.00
	8"		8-0861	-	175.00
	10"		8-0862	-	175.00
Screen:	-	18" h x 13-5/8" wide	8-0854	-	140.00
Bottom Disc:	-		8-0858	-	142.00
Slide:	-	Single Jumbo	8-0855	4.3	77.00
	-	Double Jumbo	8-0856	-	155.00
D-Ring:	-		8-0863	2.4	150.00
Strainer Bolt:	-	1/4" x 19-3/8" Long	8-0857	-	14.00
4 Required					

FOOT VALVES & PARTS

FOOT VALVE/SCREEN

(CAST IRON)



Size	Part #	Weight	List
1-1/2"	6-9603	-	20.00
2"	8-0706	4.7	80.00
2-1/2"	8-0707	6.6	99.00
3"	8-0708	9.1	145.00
4"	6-9604	16.5	90.00
6"	6-9605	36.3	215.00
8"	6-9606	-	460.00

SCREEN W/FOOT VALVE

(45 DEGREE)




Size	Part #	Weight	List
3"	6-9844	7.0	295.00
4"	8-0709	11.0	350.00
5"	6-9845	14.0	475.00
6"	8-0710	17.0	580.00
8"	8-0711	26.5	880.00
10"	8-0712	46.0	1,395.00

Vertical Foot Valves and other sizes are also available.
Please Call

- 0.050 Screen wall thickness
- 0.080 Screen available at additional cost
- Standard holes are 1/4" round
- Also available in 1/8" or 1/2" @ additional cost

DRAIN KIT - FOOT VALVE



Description	Part #	Weight	List
*Foot Valve Drain Kit w/Cap	9-7666	-	13.00

* All Sure-Flo foot valves larger than 3" are provided with a tapped and plugged outlet on the side of the body. By replacing this plug with the optional drain kit, suction line removal becomes much easier. One end of an inexpensive garden hose is attached to the drain fitting, and the other end is capped, with the provided hose cap, and secured near the pump. When ready to remove the suction line, simply remove the cap, and place the hose in the water. This will allow the suction line to drain down to the water surface.

FOOT VALVE PARTS

FOOT VALVE PARTS



Description	Size	Dimension	Part #	Weight	List
Suction Flange:	4"		8-0818	-	23.00
	6"		8-0819	1.3	40.00
	8"		8-0820	1.6	65.00
	10"		8-0821	2.4	95.00
Ring Gasket:	4"		6-6484	-	9.60
	6"		6-6486	-	14.80
	8"		6-6488	-	22.50
	10"		6-6480	-	28.10
Foot Valve Body:	4" x 45°		8-0824	-	185.00
	6" x 45°		8-0825	-	285.00
	8" x 45°		8-0826	-	565.00
	10" x 45°		8-0827	-	730.00
Valve Flapper Cover:	4"	4-1/2" OD	8-0828	0.8	13.00
	6"	6-1/2" OD	8-0829	-	19.00
	8"	8-1/2" OD	8-0830	3.0	32.00
	10"	10-1/2" OD	8-0831	-	53.00
Valve Flapper Gasket:	2"	5-5/8" OD	8-0713	-	16.00
	3"	6-3/8" OD	8-0714	0.2	21.00
	4"	7-3/4" OD	8-0715	0.3	28.00
	5"	8-7/8" OD	8-0716	0.3	33.00
	6"	9-3/4" OD	8-0717	0.6	50.00
	8"	11-3/4" OD	8-0718	-	79.00
	10"	13-7/8" OD	8-0725	1.5	159.00
Valve Flapper Weight:	4"	2-1/2" OD	8-0832	0.2	7.50
	6"	4-1/2" OD	8-0833	-	13.00
	8"	6-1/2" OD	8-0834	-	19.00
	10"	8-1/2" OD	8-0835	-	32.00
Valve Seat Ring:	4"		8-0837	-	42.00
	6"		8-0838	-	77.00
	8"		8-0839	3.5	85.00
	10"		8-0840	-	150.00
Screen:	4"	6-1/2" H x 7-1/4" W	8-0842	-	23.00
	6"	8-3/8" H x 9-1/4" W	8-0843	-	37.00
	8"	13-1/2" H x 11-1/4" W	8-0844	1.5	71.00
	10"	21" H x 13-5/8" W	8-0845	-	105.00
Bottom Disc:	4"		8-0846	1.4	34.00
	6"		8-0847	-	68.00
	8"		8-0848	3.4	81.00
	10"		8-0849	5.4	142.00
Screen Bolt/Nut:	4"	3 Req. 1/4"x8"	8-0850	-	3.50
	6"	3 Req. 1/4"x10"	8-0851	-	5.00
	8"	3 Req. 1/4"x15-3/8"	8-0852	-	10.00
	10"	4 Req. 1/4"x22-7/8"	8-0853	-	15.00
Flange Bolt/Nut:	2"-8"	4 Req. 5/16"x2-1/4"	8-0822	-	2.60
	10"	6 Req. 5/16"x2-1/2"	8-0823	-	2.60
Seat Body Bolt/Nut:	4"	5 Req. 1/4"x1-1/2"	8-0841	-	1.60
	6"	8 Req. 1/4"x1-1/2"	8-0841	-	1.60
	8"	11 Req. 1/4"x1-1/2"	8-0841	-	1.60
	10"	12 Req. 1/4"x1-1/2"	8-0841	-	1.60
Cover Weight Bolt/Nut:	-	1/4"x3/4"	8-0836	-	1.70

SELF-CLEANING SCREEN (PERFECTION)



IMPORTANT: A partially closed gate valve on the discharge side of pump is required to provide adequate working pressure to the strainer while filling the irrigation line. Powder epoxy coated aluminum screen .093".

Size	GPM	Ship Via	Part #	Weight	List
2"	50	UPS	9-7623	4.0	278.00
3"	160	UPS	9-7624	15.0	675.00
4"	325	UPS	8-0785	13.0	775.00
6"	625	UPS	8-0786	25.0	1,679.00
8"	1150	UPS	8-0787	34.0	2,100.00
10"	1500	UPS	8-0788	55.0	2,903.00
10" BB	1900	CC	9-7625	65.0	3,425.00
10" XL	2500	CC	9-7626	90.0	3,885.00
12" XL	2500	CC	9-7627	90.0	4,011.00

SELF-CLEANING SCREEN (RIVERSCREEN)



Floating screen. Requires only 4" of water. Must have current to operate, otherwise order the optional power drive. 8 mesh (.097") stainless steel screen. All SS Screws & Bolts

Size	GPM	Pontoon	Ship Via	Part #	Weight	NET
4"	100-300	4'	CC	9-5428	200.0	3,250.00
6"	300-600	6'	CC	9-5429	225.0	4,400.00
8"	550-1200	8'	CC	9-5430	250.0	5,000.00
10"	825-1700	10'	CC	9-5431	275.0	5,500.00
12"	1200-4000	10'	CC	9-5438	240.0	6,500.00

Item	Part #	Weight	NET
Power Drive	9-5432	-	325.00
Motor Drive	9-7872	-	1,450.00
Foot Valve	9-6849	-	875.00

LIQUID MANURE SCREEN



Size	Dimension	Part #	Weight	List
4"	18"long x 14"wide	6-8095	17.0	540.00
6"	18"long x 14"wide	6-8096	17.0	540.00
8"	36"long x 14"wide	6-8097	25.0	850.00

- 1" holes, .125" thick screen w/corrosion resistant alloy and stainless steel bolts & nuts.

-Easily and quickly attaches to the end of the aluminum suction pipe by drilling three holes in the tubing and inserting bolts.

ROUND HOLE SCREEN



-Female pipe thread connection.

Size	Part #	Weight	List
1-1/2"	6-9590	1.4	16.00
2"	6-9591	1.8	18.00
2-1/2"	6-9592	2.0	25.00
3"	6-9593	2.7	27.00
4"	6-9594	2.9	30.00
6"	6-9595	6.0	89.00
8"	6-9596	7.3	155.00

SQUARE HOLE SCREEN



-Female pipe thread connection.

Size	Part #	Weight	List
1-1/2"	6-9597	1.1	16.00
2"	6-9598	1.7	18.00
2-1/2"	6-9599	2.0	25.00
3"	6-9600	2.5	27.00
4"	6-9601	2.5	30.00
6"	6-9602	6.3	89.00

PRIMING VALVES

DISCHARGE PRIMING VALVE




3" x 4"
(includes 3" close nipple)

4", 5", 6"

Size	Part #	Weight	List
3" x 4"	8-0640	20.0	1,506.00
4"	8-0650	36.0	2,046.00
5"	8-0655	55.0	2,396.00
6"	8-0660	70.0	2,440.00

REPLACEMENT PARTS FOR DISCHARGE PRIMING VALVE



Item	Position	Size	Dimension	Part #	Weight	List
Clack	2	3" x 4"	4.00" OD	8-0641		299.00
	2	4" x 4"	4.75" OD	8-0651		575.00
	2	5" x 5"	5.75" OD	8-0656		660.00
	2	6" x 6"	6.75" OD	8-0661		725.00
Valve Body	1	3" x 4"		8-1002		1,657.00
	1	4" x 4"		8-1003		1,724.00
	1	5" x 5"		8-1004		3,013.00
	1	6" x 6"		8-1005		3,143.00
Hinge Handle Assembly	5,6, 8	3" x 4"	3.00" C-C	8-1009		807.00
	5,6, 8	4" x 4"	3.50" C-C	8-1010		825.00
	5,6, 8	5" x 5"	4.00" C-C	8-1011		850.00
	5,6, 8	6" x 6"	4.25" C-C	8-1012		869.00
'O' Ring	7	--		8-1013		21.00
Spring Pin (2 required)	9	--		8-1014		7.00
Spring	10	3" x 4"		8-1015		44.00
Spring	10	4"-5"-6"		8-1016		48.00
Grommet	3	--		8-1007		21.00
Spacer	4	--		8-1008		62.00
Bolt Stud	11	--		8-1017		7.60
Nut	14	--		6-0902		0.10
External Tooth Washer	13	--		8-1018		3.30
Flat Washer	12	--		9-6762		3.20

HAND-D PRIMERS

HAN-D PUMPERS



Uses include small or occasional jobs where it takes too long to setup on engine driven pump.


Description	Part #	Weight	List
#700 Han-D Pumper	6-9760	18.0	965.00
#900 Han-D Pumper	6-9762	20.0	1,110.00

	Inlet / Outlet	Capacity	Max. Suction Lift	Max Discharge Head
Model 700	1.5" FPT	.5 gal/Stroke	20 feet	10 feet
Model 900	2" FPT	1 gal/Stroke	15 feet	10 feet

Features:


- Complete dewatering portable unit
- Lightweight, easy to use
- Cast aluminum body
- Pumps air, water, sewage, mud and many chemical products
- Ideal for priming large diameter pipes (i.e. 8", 10", 12" sizes)

PARTS FOR #700 HAN-D PUMPERS



Description	Position	Part #	Weight	List
Diaphragm - #700	1	6-9761	1.0	115.00
Handle	2	9-7729	-	45.00
Grip	3	9-7730	-	13.00
Pump Body	4	9-7731	-	420.00
Fulcrum Pin	5	9-7732	-	22.00
Retainer Ring	6	9-7733	-	165.00
Fulcrum	7	9-7734	-	94.00
Suction Flange	8	9-7735	-	115.00
Discharge Flange	9	9-7736	-	125.00
Diaphragm Plates (2-required)	10	9-7737	-	39.00
Discharge Valve	11	9-7738	-	53.00
Suction Valve	12	9-7739	-	50.00
Fastpin	13	9-7740	-	6.50
Eyebolt w/Nuts	14	9-7741	-	5.50
Bolt, 5/16" x 2" (4-required)	15	9-7742	-	3.50
Bolt, 5/16" x 1" (8-required)	16	9-7743	-	2.50
Nut, 5/16" (12-required)		9-7744	-	2.00


PARTS FOR #900 HAN-D PUMPERS



Description	Position	Part #	Weight	List
Diaphragm - #900	1	6-9763	1.0	125.00
Handle	2	9-7729	-	45.00
Grip	3	9-7730	-	13.00
Pump Body	4	9-7745	-	510.00
Fulcrum Pin	5	9-7732	-	22.00
Retainer Ring	6	9-7746	-	180.00
Fulcrum	7	9-7747	-	110.00
Suction Flange	8	9-7748	-	125.00
Discharge Flange	9	9-7749	-	130.00
Diaphragm Plates (2-required)	10	9-7750	-	39.00
Suction/Discharge Valve	11	9-7751	-	46.00
Fastpin	13	9-7740	-	6.50
Eyebolt w/Nuts	14	9-7741	-	5.50
Bolt, 5/16" x 2" (4-required)	15	9-7742	-	3.50
Bolt, 5/16" x 1" (8-required)	16	9-7743	-	2.50
Nut, 5/16" (12-required)		9-7744	-	2.00


POWER & HAND PRIMERS

HAND PRIMER



#7

*3/4" FPT & 1-1/2" MPT Base



#9

*3/4" FPT Base

Description	Part #	Weight	List
#7 Hand Pumper	8-0610	7.0	500.00
#9 Hand Pumper	8-0620	20.0	725.00

Call for prices on the #5 Hand Primer, part # DP5

Features:

- Quick hand priming of any type of centrifugal pump, siphon tube or pump situation
- Lightweight and easy to install
- Durable and dependable
- Reinforced diaphragms are long-lasting
- Provides up to 20 feet of suction lift with ease and leverage
- New style allows for Fulcrum Bracket to be adjusted at various angles for your convenience.

Primer Capacity Chart

Primer	# of Strokes to Prime Through 25' of 4" Suction			# of Strokes to Prime Through 25' of 6" Suction			# of Strokes to Prime Through 25' of 8" Suction		
	6.5' Lift	13' Lift	19.5' Lift	6.5' Lift	13' Lift	19.5' Lift	6.5' Lift	13' Lift	19.5' Lift
#7	6	15	32	12	33	65			
#9	4	9	20	10	23	45	17	37	77

Primer Selection Chart:

Primer	Pipe Size
#7	4", 5", & 6"
#9	6", 8" or larger

Features:

Lightweight and durable solid-cast aluminum body.
 Reinforced diaphragms are long-lasting.
 Steel mounting bracket allows for easy and dependable installation.
 Fulcrum eyebolt can be adjusted at various angles for your convenience.

POWER PRIMER

Description	Part #	Weight	List
35AC	6-9715	88.0	4,920.00
35DC (battery)	6-9716	85.0	4,890.00


Features:

- Converts centrifugal pumps to self-primers.
- Fast, efficient primer for pumps with high suction lifts.
- Requires minimum maintenance.
- Ideal for diesel or gasoline-powered engines.




HAND PRIMERS

PARTS FOR #7 HAND PRIMER




Description	Position	Part #	List
Diaphragm - #7	3	8-0631	95.00
Lower Housing	1	9-5353	189.00
Check Valve (Disc)	9	9-5355	5.00
Drain Cock	10	8-1102	16.00
Upper Housing	2	9-5354	189.00
Connecting Rod Assembly	7	8-1108	26.00
Handle Bracket	13	8-1111	105.00
Fast Pin (2 required)	11	8-1112	6.50
Fulcrum Eyebolt	8	9-5357	27.00
Mounting Bracket	4	9-5358	61.00
Thumb Screw	12	9-5359	6.50
Handle (Pipe)	14	9-5360	36.00
Handle Grip	15	9-5361	12.50
Bolt, Hex, 1/4"-20 x 1" (4 Required)	16	9-7655	2.00
Nut, Hex, 1/4"-20 (4 Required)	16	9-7656	0.40
Washer, Lock, 1/4" (4 Required)	16	9-7657	1.10

PARTS FOR #9 HAND PRIMER



Description	Position	Part #	List
Diaphragm - #9	3	8-0621	125.00
Lower Housing	1	8-1100	218.00
Check Valve (Disc)	9	9-5355	5.00
Drain Cock	10	8-1102	16.00
Upper Housing	2	8-1103	218.00
Connecting Rod Assembly	7	8-1108	26.00
Lock Nut, 1-1/2"	6	8-1109	27.00
Fulcrum Eyebolt	8	8-1110	29.00
Handle Bracket	13	8-1111	105.00
Fast Pin (2 required)	11	8-1112	6.50
Mounting Bracket	4	8-1113	73.00
Thumb Screw	12	9-5359	6.50
Handle (Pipe)	14	9-5360	36.00
Handle Grip	15	9-5361	12.50
Bolt, Hex, 1/4"-20 x 1" (4 Required)	16	9-7655	2.00
Nut, Hex, 1/4"-20 (4 Required)	16	9-7656	0.40
Washer, Lock, 1/4" (4 Required)	16	9-7657	1.10

PRIMER HOSE KIT



Description	Part #	Weight	List
3/4" MPT x 3/4" MPT	8-0622	-	85.00

DIAPHRAGMS



Description	OD	Part #	Weight	List
#5 Diaphragm B-183	5.61"	8-0629	0.2	75.00
#6 Diaphragm	6.75"	8-0611	0.4	105.00
#7 Diaphragm C-106	7.75"	8-0631	1.0	95.00
#9 Diaphragm B-61	9.84"	8-0621	1.9	125.00
Wade Rain - Travis - Rovatti #9-30-3		8-0613	-	29.00

INTAKE MANIFOLD PRIMER EXHAUST PRIMER

INTAKE MANIFOLD PRIMER



MP1000 (Old Style)




MP2000 (New Style)

Description	Part #	Weight	List
MP1000 (Old Style)	8-0630	2.7	490.00
MP2000 (New Style)	9-7910	-	485.00

Features:

- Fast, efficient priming using engine manifold vacuum while engine runs at low speed.
- All working parts enclosed in fully transparent plastic housing permits observation of primer operation at all times.
- Lightweight plastic float with rubber "cup type" valve provides instant and positive closure as soon as priming is completed.
- Check valve prevents reverse flow during normal pump operation.
- Easy to operate...simply start engine and open one valve to begin priming.
- Can be readily installed on any gasoline or LPG engine of four or more cylinders to provide suction lifts up to 20 feet.
- Complete operation instructions are permanently attached to the primer, and detailed instructions for installation and maintenance are supplied with each unit.
- Connection hoses not included.

PARTS FOR INTAKE MANIFOLD PRIMER



MP1000 (Old Style)

Description	Position	Part #	List
Upper Housing	4	8-0633	53.00
Lower Housing	3	8-0634	53.00
Gaskets (3 in a set)	12	8-0635	5.20
Top Cover Assembly	1/6/7	8-1120	142.00
Lower Cover Assembly	2/9	8-1121	80.00
Brackets	5	8-1122	23.00
Tie Bolts & Nuts	10/11	8-1123	15.00
Float Assembly	8	8-1124	54.00
Angle Valve	14	8-1125	64.00
Packing Gland Assembly	15/16/17	8-1126	37.00



MP2000 (New Style)

Description	Position	Part #	List
Cover Jar	1	9-7914	151.00
Umbrella Drain Valve	2	9-7915	19.00
Street Elbow, 1/2" (2 Req.)	3	9-5754	8.00

*Please note that any additional parts not seen here are factory install only. Do not attempt to replace any items not seen in the chart to the right.

MURPHY SWITCHES

MAGNETIC SWITCH



Description	Part #	Weight	List
Murphy #117 DC (12/24 Volt)	6-0020	0.8	110.00
Murphy #518APH (12 Volt) (has 6 prongs for Deutz diesels)	6-0021	0.7	115.00

A manually reset magnetic Circuit Breaker which is tripped by a switch gauge when a malfunction is detected. It is commonly used to break the ignition circuit of a distributor ignition engine or break power to a solenoid fuel valve when it receives a signal from the switch gauge.

OIL PRESSURE GAUGE



Description	Part #	Weight	List
75 psi Murphy, #20P75	6-0022	0.5	120.00
100 psi Murphy, #20P100	6-0023	0.9	115.00

This is a basic engine or pump oil pressure switch gauge.

ENGINE TEMPERATURE GAUGE



Description	Part #	Weight	List
Murphy 20T254, 250°F Water	6-0024	0.8	135.00

This Temperature switch gauge is available in various models and ranges to prevent engine damage from high water oil or cylinder head temperature.

VACUUM/LOAD GAUGE



Description	Part #	Weight	List
Murphy 20V3	6-0025	0.6	155.00

Commonly used to monitor manifold vacuum for loss of load or overload on spark ignition engines, vacuum switch gauges are recommended for preset limit shut-down of irrigation engines.

OIL LEVEL SAFETY GAUGE



Description	Part #	Weight	List
Murphy L129	6-0026	3.0	285.00

Combination high and low engine oil level switch gauge gives continuous indication of the oil level and condition. No need to shut down to check oil level. Adjustable high and low level contacts operate to shutdown engine or operate alarm when improper level exists.

MURPHY SWITCHES

WATER LEVEL SAFETY GAUGE



Description	Part #	Weight	List
Murphy , L150	6-0027	1.8	210.00

Coolant level SWITCHGAUGE can be visually checked with this water level SWITCHGAUGE. If the water level falls too low, contact is made and the engine shutdown system is activated (or alarm is sounded.)

FUEL STOP SOLENOID



Description	Part #	Weight	List
Murphy, SV12	6-0028	1.4	215.00

- Solenoid Fuel Valve to shut off the fuel to Diesel engines upon engine or driven equipment malfunction.

PUMP PRESSURE GAUGE



Description	Part #	Weight	List
Murphy, 20P7-15	9-5252	0.5	130.00
Murphy, 20P7-30	9-5254	-	130.00
Murphy, 20P7-50	9-5256	-	130.00
Murphy, 20P7-75	9-5257	0.5	130.00
Murphy, 20P7-100	9-5251	0.5	130.00
Murphy, 20P7-150	9-5253	0.5	130.00
Murphy, 20P7-300	9-5255	-	130.00

Monitors Discharge Pressure to detect water supply failure or parted couplings.

STANDARD MURPHY MOUNT PANEL



Description	Part #	Weight	List
Murphy, WD300-12	6-0030	5.0	820.00

- Designed for mobile equipment such as trucks, tractors, and fork lifts
 - Open panel for under dash mounting.
 - Pressure, temperature, visual and audible alarms, before shutdown.

ACCESSORIES



Toggle Switch

Amp Meter

Stop Button

Description	Part #	Weight	List
Murphy Toggle Switch, TF	6-9704	-	35.00
Murphy Amp Meter, 60060	6-9705	-	69.00
Murphy Stop Button, PB128S	6-9706	-	22.00

GENERATORS - WIRE

LIMA GENERATOR

LIMA^{MAC}


Description	Part #	Weight	List
10 KW	6-8012	245.0	8,800.00
12 KW	6-8013	260.0	9,460.00
15 KW	6-8014	275.0	10,560.00
20 KW	9-7687	560.0	13,970.00
25 KW	9-8342	635.0	15,730.00
30 KW	9-8343	685.0	16,830.00
40 KW	9-8344	720.0	18,150.00

WIRE



Description	Part #	Weight	List
Aluminum, Single	6-6800	-	Call
Aluminum, Triplexed	6-6801	-	Call
Aluminum, Quadraplexed	6-6802	-	Call
Aluminum, Tuf-Hide	6-6803	-	Call
Underground Feeder, UF	6-6804	-	Call

ELECTRIC MOTOR



Base is not included.

Description	Part #	Weight	List
Marathon	-	-	Call
Baldor	-	-	Call
Others	-	-	Call

GEAR HEAD



Description	Part #	Weight	List
Amarillo	-	-	Call
Johnson	-	-	Call
Randolph	-	-	Call

PROP-SHAFT GUARD



Description	Part #	Weight	List
7" dia x 10" - 18"	6-9822	6.0	105.00
7" dia x 24" - 42"	6-9823	12.0	110.00
7" dia x 36" - 54"	6-9824	15.0	115.00
7" dia x 36" - 66"	6-9825	18.0	125.00
12" dia x 14" - 24"	6-9826	13.0	155.00
12" dia x 36" - 66"	6-9827	27.0	225.00
12" dia x 28" - 54"	6-9828	28.0	240.00

Unprotected prop-shaft on your irrigation wells can maim or kill almost instantly. Prevent potential tragedy, rest easy during pumping season with a Hastings Prop-Shaft guard permanently in place at each of your wells. They are simple and fast to install - using existing bolts on most pumps and engines. Once on, they stay on. You have easy full access for lubrication through a 2" slot on the underside. Formed from heavy-gauge galvanized steel, the guard will give your well a neat, clean appearance - and you will be assured of safety around the clock!

Special Features:

- Meets OSHA requirements
- Endorsed by farm safety authorities
- Protection against loss of life or limb
- Adapts to any internal combustion engine, gear head installation

- Slips easily over prop-shaft and bolts to engine and pump
- Complete access for lubrication through 2" wide opening running the length of guard
- Rigid construction from galvanized steel. Withstands abuse and stays neat-appearing year after year.

AUTOMATIC TURBINE PUMP OILER



Description	Part #	Weight	List
4 Gallon	6-8098	11.0	630.00
7gallon	6-8099	15.0	720.00
11 Gallon	9-7665	-	769.00
Brass Needle Valve	9-7554	-	110.00

Advantages: Automatic operation assures lubrication whenever the pump is pumping, this helps avoid inadequate oil dripping which is the leading cause of turbine pump failure.


- Inadequate drip oiling is the leading cause of pump failure.
- Continuous dripping wastes oil and causes contamination.
- This automatic valve assures lubrication when pump is running.
- Saves costly trips to the well.
- Manual mode for pre-season lubrication.

Municipal/Industrial Hose & Fittings

Schumacher Irrigation, Inc. is "Your Liquid Solutions Provider"

We fabricate and distribute a full line of hose and accessories, couplings, clamps, fittings, valves, pumps, and suction and vacuum accessories for industry and liquid / waste water handling applications.

We pride ourselves on our same day service on both standard and custom parts. Please call us for quick and quality liquid solutions.



Conversions		
1 U.S. Gallon	=	231.00 cu. In
	=	0.1370 cu. Ft
	=	3.7850 liters
	=	0.0038 cu. Meters
	=	0.8330 Imp. Gal.
	=	0.0238 42-gal. Barrel
1 Imperial Gallon	=	1.20 U.S. Gal.
1 Cubic Foot	=	7.48 U.S. Gal.
	=	0.0283 cu. Meters
1 Barrel (Oil)	=	42.00 U.S. Gal.
1 Litre	=	0.2642 U.S. Gal.
1 Cubic Meter	=	35.3140 cu. Ft
	=	264.20 U.S. Gal.
1 Acre Foot	=	43,560.00 cu. Ft
	=	325,829.00 U.S. Gal.
1 Acre Inch	=	3,630.00 cu. Ft
	=	27,100.00 U.S. Gal.
Capacity		
1 Cubic Foot Per Second	=	449.00 GPM
1 Acre Foot Per Day	=	227.00 GPM
1 Acre Inch Per Hour	=	454.00 GPM
1 Litre Per Second	=	15.85 GPM
1 Cubic Meter Per Min.	=	264.20 GPM
1 Miner's Inch	=	9.00 GPM
1,000,000 Gal. Per Day	=	695.00 GPM
Head		
1 PSI	=	2.31 Ft. Head of Water
	=	2.04 In. Mercury
	=	0.07 Kg. Per sq. cm.
1 Foot of Water	=	0.43 PSI
	=	0.89 In. Mercury
1 Inch of Mercury (Vacuum)	=	1.13 Ft. of Water
1 Kilogram Per Square Cm	=	14.22 PSI
1 Atmosphere (at sea level)	=	14.70 PSI
	=	34.00 Ft. of Water
	=	10.35 Meters of Water
Weight		
1 U.S. Gallon of Water	=	8.33 Lbs
1 Cubin Foot of Water	=	62.35 Lbs
1 Kilogram or Litre	=	2.20 Lbs
1 Imperial Gallon	=	10.20 Lbs

Length		
1 Inch	=	2.54 Centimeters
1 Meter	=	3.28 Feet
	=	39.37 Inches
1 Rod	=	16.50 Feet
1 Mile	=	5,280.00 Feet
Horsepower		
1 Horsepower	=	7.46 Kilowatts or 746 watts
	=	33,000.00 Ft lbs per minute
	=	550.00 ft lbs per second
Horsepower Input	=	Horsepower input to motor 1.34 x kilowatts input to motor
Water Horsepower	=	H.P. required to lift water at a definite rate to a given distance assuming 100% efficiency: $\frac{\text{GPM} \times \text{Total Head (in. ft.)}}{3960}$
	=	H.P. delivered by motor H.P. required by pump H.P. input x motor efficiency 1.34 x KW input x motor efficiency
	=	Water H.P. Pump efficiency $\frac{\text{GPM times total head (ft)}}{3960 \times \text{pump efficiency}}$ $\frac{\text{GPM times total head (psi)}}{103,000 \times \text{pump efficiency}}$
Brake Horsepower	=	
Efficiency		
Efficiency	=	Power output / Power input
Motor Efficiency	=	H.P. output / K.W. input x 1.34
Pump Efficiency	=	GPM x Total Head (Ft) / 3930 x B.H.P
Plant Efficiency	=	GPM x Total Head (Ft) / 5300 x KW input

PIPE DIMENSION CHART

PIPE TYPE	LHD	80	100	125	CL63	CL100	CL125	CL160	CL200	SCH40 PVC	SCH80 PVC	C-900	SEWER	CASING
O.D. SIZE	PIP	PIP	PIP	PIP	IPS	IPS	IPS	IPS	IPS	IPS	IPS		PVC	PVC
SDR										DWV/LP	DWV/LP	DR-18	SDR 35	SDR26
4"	O.D. I.D. WALL PSI	91 51 41 32.5			64 4.5 4.35 0.07 63	41 4.5 4.26 0.11 100	32.5 4.5 4.2 0.138 125	26 4.5 4.134 0.173 160	21 4.5 4.046 0.214 200	4.5 3.998 0.237 100/130	4.5 3.786 0.337 100/130	4.8 4.22 0.267 150	4.215 3.89 0.125 117.5	4.5 4.154 0.173 160
4 1/2"	O.D. I.D. WALL PSI													4.95 4.57 0.19 160
5"	O.D. I.D. WALL PSI				5.563 5.37 0.087 63	5.563 5.27 0.136 100	5.563 5.19 0.171 125	5.563 5.109 0.214 160	5.563 4.99 0.265 200	5.563 5.017 0.258 100/130	5.563 4.767 0.375 100/130			5.563 5.135 0.214 160
6"	O.D. I.D. WALL PSI	6.14 6 0.07 43	6.14 5.88 0.12 80	6.14 5.81 0.15 100	6.14 5.73 0.189 125	6.625 6.4 0.087 63	6.625 6.27 0.162 100	6.625 6.18 0.204 125	6.625 6.07 0.255 160	6.625 5.94 0.316 200	6.625 6.031 0.28 100/130	6.625 5.709 0.432 100/130	6.9 6.08 0.383 150	6.275 5.742 0.18 117.5
8"	O.D. I.D. WALL PSI	8.16 7.984 0.088 43	8.16 7.81 0.16 80	8.16 7.73 0.199 100	8.16 7.62 0.251 125	8.625 8.33 0.135 63	8.625 8.17 0.21 100	8.625 8.05 0.265 125	8.625 7.921 0.332 160	8.625 7.74 0.41 200	8.625 7.943 0.322 100/130	8.625 7.565 0.5 100/130	9.05 7.97 0.503 150	8.4 7.665 0.24 117.5
10"	O.D. I.D. WALL PSI	10.2 9.98 0.11 43	10.2 9.77 0.2 80	10.2 9.66 0.249 100	10.2 9.52 0.314 125	10.75 10.41 0.168 63	10.75 10.18 0.262 100	10.75 10.04 0.331 125	10.75 9.86 0.413 160	10.75 9.65 0.511 200	10.75 9.976 0.365 100/130	10.75 9.492 0.593 100/130	11.1 11.63 0.733 150	10.5 9.563 0.3 117.5
12"	O.D. I.D. WALL PSI	12.24 11.97 0.132 43	12.24 11.72 0.24 80	12.24 11.6 0.299 100	12.24 11.43 0.377 125	12.75 12.32 0.199 63	12.75 12.08 0.311 100	12.75 11.91 0.392 125	12.75 11.7 0.49 160	12.75 11.45 0.606 200	12.75 11.89 0.406 100	12.75 11.29 0.687 100	13.2 11.63 0.733 150	12.5 11.36 0.36 117.5
14"	O.D. I.D. WALL PSI					after 12" is pip size		14 12.86 0.538 160		14 13.07 0.437 100	14 12.41 0.75 100	15.3 13.48 0.85 235	same OD as pip after 12"	
15"	O.D. I.D. WALL PSI	15.3 14.97 0.165 43	15.3 14.65 0.3 80	15.3 14.5 0.373 100	15.3 14.29 0.471 125	15.3 14.82 0.239 63	15.3 14.5 0.373 100						15.3 13.89 0.44 117.5	
16"	O.D. I.D. WALL PSI							16 14.696 0.615 160		16 14.94 0.5 100	16 14.21 0.843 100	17.4 15.33 0.967 235		
18"	O.D. I.D. WALL PSI	18.36 17.964 0.198 43	18.701 17.91 0.367 80	18.701 17.72 0.456 100	18.701 17.47 0.575 125		18 17.07 0.439 100	18 16.534 0.692 160		18 16.809 0.562 100	18 16.014 0.937 100	19.5 17.18 1.083 235	18.701 17.629 0.536 117.5	
20"	O.D. I.D. WALL PSI	20.4 19.962 0.219 43					20 18.97 0.488 100	20 18.37 0.769 160		20 18.743 0.593 100	20 17.814 1.031 100	21.6 19.03 1.2 235		
21"	O.D. I.D. WALL PSI		22.047 21.12 0.432 80	22.047 20.89 0.538 100	22.047 20.59 0.678 125								22.047 20.783 0.632 117.5	
24"	O.D. I.D. WALL PSI		24.803 23.76 0.486 80	24.803 23.5 0.605 100	24.803 23.17 0.763 125		24 22.748 0.585 100	24 22.043 0.923 160		24 22.54 0.687 100	24 21.418 1.218 100		24.8 23.381 0.711 117.5	

Schumacher Irrigation, Inc.
205 4th Street - PO Box 289
Platte Center, NE 68653 USA

PRESORTED
BOUND PRINTED MATTER
U.S. Postage Paid
Platte Center, NE
Permit No. 5

Always Open...
SchumacherIrrigation.com
Your Irrigation Superstore



Schumacher
IRRIGATION

IRRIGATION AND LIQUID HANDLING SOLUTIONS

402.246.3685
Fax: 402.246.2072

irrigate@schumacherirrigation.com
www.schumacherirrigation.com

EFFECTIVE JANUARY 1, 2026

All prices are subject to
change without notice.